

NEW MEXICO STATE LAND OFLUE OFFICE OF THE STATE GEOLOGIST

SANTA FE. NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWI	SE
REPORT ON RESULT OF TEST OF WATER SHUT OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			
		Hobbs, New Mexico Dec. 12,	1932
Mr. E. H. Wells State Geo Santa Fe, N. Mex.	logist,	PLACE	DATE
Following is a report on the work done as George F. Getty Oil Co.	nd the 1 M	results obtained under the heading note Kinley Wall No.	d above at the
of Sec. 30		T. 18 S. R 38 R.	N M D M
		Country	
The dates of this work were as follows:	Dec.	. 11. 1932	
Notice of intention to do the work was (December 8,, 19 32, and appro out incorrect words)			
out incorrect words.)	vai Of L	me proposed plan was (was not) obt	ained. (Cross

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Hole was bailed dry and allowed to stand for a period of twelve (12) hours. No water entered hole and drilling was resumed.

DUPLICATE

Subscribed and sworn to before me this
28 day of Lie cerulus, 1932
rettie Courshell
NOTARY PUBLIC.
My commission expires May 13, 1934

Remarks:

I hereby swo	ear or affirm that the	information
given above is	true and correct.	•
Name he	R. Mans	ans
Position Super	intendent	7
Representing	George F. Getty Oi	1 Co.,
	988, Carlsbad, New	

MONTED AS C. E.

Milder M. Chier report in and the condition of the second seco SELEMIDES MOTHOR SE SVIDTARES

2 . дана на каралистяо об RECORT ON RESOLUTION STATES REFORT ON RESULTED AND A MARKED A

· · ·

L. M. K. A. Mark

reda Haravar da da da ser a Reda da ser a s • * an Ang •

The datas of this work, and a loss of the second state of the second state with the second state of the se 5.5 (sbrow loor sord at

THE REPORT OF THE F

and the second day of

فالمستريد المراجع المساريا والرا

ledisine l ž.,

n<mark>emennen (</mark>1997) - Maria Maria (1997) - Maria (1997) 1997 - Maria (1997) - Maria (1997) 1997 - Maria (1997) - Maria (1997)

, - ·

NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Норрз		ewember 8, 19 32
Mr. E. H. Wells		, iy
State Geologist, Santa Fe, New Mexico.		-
Dear Sir: You are hereby notified that we intend to te	st the shut-off of water	in McKinley
Well No		S., R 38 7
N. M. P. M., Новъв	Oil Field	
on December 11, 19 32 6 5/8 0.1	0. 26 #1h casing was	lander jin Antonenet
formation at a depth of 4042	feet on Decem	emented
250 sacks of El Toro Oil T	all Snecial	19
The method used in placing the cement was a		cement were used.
		-
By Halli		
Fluid level will be bailed to a depth of	dry feet and	l left undisturbed for at least
Adjacent property owners have been notified	as follows:	
Additional information:		
Approved 1- 2-8 19.3.3	Sincorote	
Except as follows:		
	9126	y Oil Co., Company or Operator.
	By Leo In The	anng
	Position Superinte	ndent 🖉
	Send communication reg	garding well to
		etty Oil Co.,
State Geologist or Oil and Gas Inspector.	Address Box 988, Warlsbad, No	



NEW MEXICO STATE LAND OFI JE OFFICE OF THE STATE GEOLOGIST SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON DEEPENING WELL
REPORT ON RESULT OF SHOOTING WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	REPORT ON REPAIRING WELL
REPORT ON RESULT OF ABANDONMENT OF WELL	

Mr. E. H. Wells State Geologist,

Hobbs New Mexico. Boy. 201 1935

Santa Fe, N. Mex.

R

Following is a George F	a report on the work done and the Getty Oil Company	the results obtained MCK1n1ey	d under the heading noted above at the Well No. <u>5</u> in the
		2.1	FARF
	of Sec. <u>30</u>	, T 18	, R. 38 , N. M. P. M.,
Hebb	this work were as follows: <u>Nov</u>	Loa	County.
The dates of	this work were as follows: Nov	anber 1	

Notice of intention to do the work was (was not) submitted on Form SG S-G 103 on OC tober 29, ..., 193, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Hole was bailed dry and allowed to stand for a period of twelve hours. No water entered hole and drilling was resumed.

T 1

1

Subscribed and sworn to before me this
day of November 1932.
nettie Campbel
NOTARY PUBLIC.
My commission expires may 13, 1934

i nerebj given aboy	y swear or al ve is true and	tirm that	the inform	ation
Name	teo Mil	Har	enn	-
Position e	11mgm for tor	4-2-2-2		
Represent	Box 988			·
Address	Box 988,	Carls	B.C. N.M.	λR.• γ ∎X.

Remarks:

T.u.	Dane	ti (
NAME	T & STANGULF	TUTLE

1 × 1

ng (no. 1997) (1997) (1997) Na Antonio (1997) (1997) Na Antonio (1997) (1997) (1997) Na Antonio (1997) (1997)

beine this reaction and the second seco

The second secon

ANA Malert and a second second 1 • -. s bù àr≩ . A gu shanna aon an aidheast badt 5 3 (**3**) - - ι ientee outre als announces announces announces announces announces announces announces announces announces anno Announces a Announces a 1.32 and the state of the

en presidente de la construction de

jan series Series kač

Form S.G. 103

NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Hobbs, New Mexice Mr. H. Wells		00t, 29,	,, 19. 3 z
State Geologist, Santa Fe, New Mexico.			
Dear Sir: You are hereby notified that we intend to tes	t the shut-off of wa	ter in MCK	linley
Well No. 5 in NE1 of Sec. 30			
20.05%		-	
on November 1, 19 3~ 95/8 4	0# 1b. casing was	anded {	in Anhydrite
	feet onOctob		
The method used in placing the cement was as			were used.
By Hallibur to			
Fluid level will be bailed to a depth of	y feet	and left un	disturbed for at least
Adjacent property owners have been notified a	as follows:		······
Additional information: Approved <u>19</u> 37	Sincerety yours		
Except as follows:	George 1	• Getty	011 Co.,
	By Lee VI.	1 /2 C	Company or Operator.
	Position Superi	• -	
	Send communication		•
	Name George F	. Getty	011 Co.,
State Geologist or Oil and Gas Inspector	Box 988, Address Carlsbad		•
State Coolegist of On and Gas Inspedio			



Hobbs NewMexico October 30-1932

NEW MEXICO STATE LAND OFF.

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON DEEPENING WELL
REPORT ON RESULT OF SHOOTING WELL	 REPORT ON PULLING OR OTHERWISE
REPORT ON RESULT OF TEST OF WATER SHUT OFF	 REPORT ON REPAIRING WELL
REPORT ON RESULT OF ABANDONMENT OF WELL	

Mr. Santa Fe, N. Mex.

The dates of this work were as follows: <u>October 19</u> Notice of intention to do the work was (was or bubmitted on Form SG SG-103 on

out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Hole was bailed dry and allowed to sand for a period of four hours No water entered hole wind drilling was resumed.

Subscribed and sworn to before me this	I hereby swear or affirm that the information
, 19,	given above is true and correct. Name August - Mannage Position Superintendent
NOTARY PUBLIC.	Representing George F.Getty 011 Co.
My commission expires	Address Box 988 Carlsbad N. Mex-
Remarks: Augural actuaeuler	

an an an teach dean an an an teach air an teach an an teach a naberle N a de la companya de l La companya de la comp ្រក់ផ្ទះនេះ 31 A. a sub-op-rational and a sub-op-rational and a sub-. . 20037 8.3 TR 365 2030488 - 2 T ERESA NO TROBA E OTOHU XELAA 4° a segue a se

REPERT OF PLAN es prosi (사건물 관리 것 allok.H.S. 19 10 10 1 H

Following is a report of the restrict of the structure of the years fire wisser, og**ios** and the second of the second o 6.5.5.5. · · . . here a Norice of Interation of the cost wild for the second . 0 the second s extended a second of the second of the

army and the left of the tradition of the state of the state of the set of the set of the set of the set of the Pite and a second to the offer faither total of

i i sharar ta sharar ta sharar 1 ta sab 🗉

Jum and the state of the an an an an an an an NGCCC an an An An the second s والمراجع والمراجع والمراجع والمراجع

1.00.00

[,] ŝ.

Form S.G.103

NEW MEXICO STATE LAND OFFIC.

Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST

NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Mr. E.H. Vells	Iew Mexico	N. Mex., .	Oct I8	
State Geologist, Santa Fe, New Mexico.				
Dear Sir:				
You are hereby notified that we intend to	test the shut-off of	water in	McKin	ley
in of Sec	30 , T	TR	R	-0
N. M. P. M., <u>Hodda</u>	Oil Field	Les		County
JII	lb. casing was	TTTTT	in	4
formation at a depth of 347	feet onOct)	
250 sacks of	10 7 0	cement we	re used.	38
The method used in placing the cement was	as follows:	•		
By Halliburt				
Additional information:				
approved Uct 18 193-	LSincerely yours,			
except as follows:		e F.Get	ty 011	Company aby or Operator.
	By Lee	IP bra	Comp	any or Operator.
			kins	Z
	Position	up erint	ondent	ļ
	Send communica			
7. a. Dlauetic	NameGeoI	' 80 F. G	stty Oi	1Company
State Geologist or Oil and Gas Inspector.	AddressBo	X 988		
~	Carlsba	a <mark>Newle</mark> j	tto	

1

FORM SG 101

NEW MEXICO STATE LAND OF E

Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

- 18 5., R. 88 5.	Well No				
N.	The well is 550 feet $\binom{(\mathbf{\hat{x}}_{\cdot})}{(\mathbf{S}_{\cdot})}$ of Horth line and 530 feet $(\mathbf{\hat{x}}_{\cdot})$				
	of line of				
	(Give location from section or other legal subdivision lines. Crosout wrong directions.)				
	If state land the oil and gas lease is No.				
	Assignment No.				
	If patented land the owner is				
AREA 640 ACRES OCATE WELL CORRECTLY	Address				
	Address				

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
1 81*	50#	New	200' Approx	Landod
9-5/8*	36#	n	2800' "	Cemented
6-5/8*	24#	n	3800' "	Cemented

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about feet. Additional information:

Approved <u>Qet 3</u>, 19-32 Except as follows:

State Geologist or Oil and Gas Inspector.

ŶŶ. Q

Sincerely yours,

ty 011 Company Company or Operator. By . Position ... Supt.

Send communication regarding well to

Name _Geo F. Getty Uil Company Address ______Garlsbad, New Merico.