

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL		REPORT ON ACID RETREATMENT	X

Mr. E. H. Wells State Geologist, Hobbs, New Mexico May 30, 1934
 Santa Fe, N. Mex. PLACE DATE

Following is a report on the work done and the results obtained under the heading noted above at the Stanolind Oil & Gas Company State Well No. 29 in the
 COMPANY OR OPERATOR LEASE
SE 1/4 of Sec. 25, T. 18 S, R. 28 E, N. M. P. M.,
Hobbs Oil Field, Lea County.

The dates of this work were as follows: Acid retreatment on April 21, 1934

Notice of intention to do the work was (submitted) submitted on Form SG 106 on April 17, 1934, and approval of the proposed plan was (submitted) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Well was retreated with 2,000 gallons 60% commercial Hydrochloric acid solution on April 21st. The well was shut in and left shut in for forty eight hours, until April 23rd, when the well was opened and started flowing without swabbing. The well was then allowed to flow at its production allowable until the official production test which was made on May 29th. The potential before acid retreatment was 3350 barrels of oil with 5,250,000 cubic feet of gas. After acid retreatment the potential is 12,550 barrels of oil with 30,000,000 cubic feet of gas, an increase of 874%. Open flow test through tubing and casing on production test was 12,550 barrels.

DUPLICATE

Subscribed and sworn to before me this

30th day of May, 1934

[Signature]
 NOTARY PUBLIC.

My commission expires October 17th, 1934

I hereby swear or affirm that the information given above is true and correct.

Name [Signature]

Position Production Foreman

Representing Stanolind Oil & Gas Company

Address Hobbs, New Mexico
 COMPANY OR OPERATOR.

Remarks:

JUN 16 1934

ATTESTED AS C.E.

[Signature]

NAME

TITLE

