

## NE MEXICO STATE LAND OFFICE


Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST  
NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. \_\_\_\_\_, State Geologist. Casper, Wyo. N. Mex. 8-23-30 19\_\_\_\_

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as B. H. & L. B. Turner Well No. 29 in SW $\frac{1}{4}$  of Sec. 34 T. 18 S, R. 33 E, N. M. P. M., Hobbs Oil Field Lee County



AREA 640 ACRES  
LOCATE WELL CORRECTLY

The well is 656 feet (N.) of South line and 653 feet (E.)

~~SW $\frac{1}{4}$~~  of West line of SW $\frac{1}{4}$  of Section

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_

Assignment No. \_\_\_\_\_

If patented land the owner is B. H. & L. B. Turner

Address \_\_\_\_\_

The lessee is \_\_\_\_\_ Address \_\_\_\_\_

The elevation of the derrick floor above sea level is \_\_\_\_\_ feet. We propose to drill well with No. \_\_\_\_\_

Make of Drill \_\_\_\_\_

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
16"	70#	New Conductor	Approx 250'	Will set and Cement.
10"	45.50#	New Seamless	" 2750'	Will set on top of line and cement back thru Saltbed
6-5/8"	24#	New Seamless	" 4000'	Will set on top of the pay, cementing back to the 10' above.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4000 feet.

Additional information:

**Will spud and set by cable tool method and complete by rotary.**

Approved 9/1 30 19\_\_\_\_  
Except as follows:

Sincerely yours,

The Midwest Refining Company

Company or Operator.

By G. J. Dugues

Position General Supt. Producing Department  
Send communication regarding well to

Name \_\_\_\_\_

Address \_\_\_\_\_

State Geologist or Oil and Gas Inspector.

A. L. Haller

NEW MEXICO STATE LAND OFFICE  
Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST

NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Hobbs, N. Mex., Sept. 15, 1930

Mr. R. L. Halley

State Geologist,  
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Turner  
Well No. 29 in SW 1/4 of Sec. 34, T. 19S, R. 38E,  
N. M. P. M., Hobbs Oil Field Lee County,  
on Sept. 18, 1930 70 lb. casing was { ~~tanded~~ } in Red beds  
formation at a depth of 196' feet on Sept. 15, 1930  
75 sacks of Oil Well Special cement were used.

The method used in placing the cement was as follows: Halliburton

Fluid level will be bailed to a depth of Dry feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: \_\_\_\_\_

Additional information: \_\_\_\_\_

Approved 9/17/30 Sincerely yours,

Except as follows:

The Midwest Refining Company

Company or Operator.

By Sam Sexton

Position Field Supt.

Send communication regarding well to

Name The Midwest Refining Company

Address Hobbs, New Mexico

R. L. Halley

State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST  
NEW MEXICO SCHOOL OF MINES  
SOCORRO, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Reports should be made within ten days of completing the work indicated and should be submitted in duplicate.

INDICATE NATURE OF REPORT BY CHECKING

REPORT ON RESULT OF SHOOTING		SUPPLEMENTARY WELL HISTORY	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<b>X</b>		
REPORT ON RESULT OF ABANDONMENT			

Mr. **R. L. Halley** **Hobbs,** N. Mex., **Sept 17** 19 **30**  
State Geologist,  
Socorro, New Mexico.

Dear Sir:

Following is a report giving the results of work done as indicated above at **Turner**  
Well No. **29** in **SW 1** of Sec. **34**, T. **18 S**, R. **38 E**,  
N. M. P. M., **Hobbs** Oil Field **Lea** County.

The plan outlined on Form SG **103** was followed except:

The results were as follows: (Give details)

**Bailed well dry and allowed to set. Found that successful water shutoff had been made. Drilling resumed**

Witnessed

*R. L. Halley* 9/19/30  
STATE GEOLOGIST OR OIL AND GAS INSPECTOR.

If results of Shooting, Test of Water Shut-off or Abandonment were witnessed by an official representative of the State, the information given above does not have to be subscribed and sworn to before a Notary Public. Other reports ordinarily do not have to be subscribed and sworn to before a Notary Public.

I hereby swear or affirm that I have knowledge of the facts given above and that the same are true and correct.

Name **Tom Sartin by C. S. Sanders**  
Position **Field Supt.**  
Representing **The Midwest Refining Co.**  
COMPANY OR OPERATOR.  
Address **Hobbs, N. Mex.**

Subscribed and sworn to before me this **22** day of **September** 19 **30**

My commission expires

NOTARY PUBLIC.

*Rose Welling*  
Aug 1 - 1934

NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

## DEPARTMENT OF THE STATE GEOLOGIST

## NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible.

If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

\_\_\_\_\_ N. Mex., \_\_\_\_\_ 1930

Mr. \_\_\_\_\_

State Geologist,  
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in \_\_\_\_\_

Well No. 29 in \_\_\_\_\_ of Sec. 24, T. \_\_\_\_\_, R. 011,

N. M. P. M., \_\_\_\_\_ Oil Field \_\_\_\_\_ County,

on \_\_\_\_\_ 1930. \_\_\_\_\_ lb. casing was { ~~landed~~ cemented } in ~~Alvarito~~

formation at a depth of \_\_\_\_\_ feet on \_\_\_\_\_ 1930

\_\_\_\_\_ sacks of \_\_\_\_\_ cement were used.

The method used in placing the cement was as follows: \_\_\_\_\_

Fluid level will be bailed to a depth of \_\_\_\_\_ feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: \_\_\_\_\_

Additional information: \_\_\_\_\_

Approved \_\_\_\_\_ 11/17/30 Sincerely yours.

Except as follows: \_\_\_\_\_

\_\_\_\_\_  
Company or Operator.

By \_\_\_\_\_

Position \_\_\_\_\_

Send communication regarding well to

Name \_\_\_\_\_

Address \_\_\_\_\_

State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

3

DEPARTMENT OF THE STATE GEOLOGIST  
NEW MEXICO SCHOOL OF MINES  
SOCORRO, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Reports should be made within ten days of completing the work indicated and should be submitted in duplicate.

INDICATE NATURE OF REPORT BY CHECKING

REPORT ON RESULT OF SHOOTING		SUPPLEMENTARY WELL HISTORY	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	XX		
REPORT ON RESULT OF ABANDONMENT			

Mr. R. L. Halley Hobbs, N. Mex. Nov. 23, 1930  
State Geologist,  
Socorro, New Mexico.

Dear Sir:

Following is a report giving the results of work done as indicated above at Turner  
Well No. 29 in 34 1/2 of Sec. 34, T. 18S, R. 38E,  
N. M. P. M., Hobbs Oil Field Lee County.

The plan outlined on Form SG-103 was followed except: Yes

The results were as follows: (Give details)

The plan outlined on Form SG-103 was followed.  
Bailed well dry and allowed to set. Found that successful water shut-off had been made.  
Drilling resumed.

Witnessed

11/28 30  
R. L. Halley  
STATE GEOLOGIST OR OIL AND GAS INSPECTOR.

If results of Shooting, Test of Water Shut-off or Abandonment were witnessed by an official representative of the State, the information given above does not have to be subscribed and sworn to before a Notary Public. Other reports ordinarily do not have to be subscribed and sworn to before a Notary Public.

I hereby swear or affirm that I have knowledge of the facts given above and that the same are true and correct.

Name Ham Sartin

Position Field Supt.

Representing The Midwest Refining Company  
COMPANY OR OPERATOR.

Address Hobbs, New Mexico

Subscribed and sworn to before me this 25  
day of Nov. 1930

J. E. C. Perry  
NOTARY PUBLIC.  
My commission expires July 17, 1934

NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST  
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Mr. Hobbs N. Mex., January 8, 1931  
Mr. R. L. Bailey

State Geologist,  
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Turner  
Well No. 20 in SW of Sec. 34, T. 18 S, R. 26 E,  
N. M. P. M., Hobbs Oil Field Lee County,  
on January 11, 1931 8-5-6" 36 lb. casing was 2000 { 2000 { in lime  
formation at a depth of 3000 feet on January 7, 1931  
200 sacks of 41 Tons Special Oilwell cement were used.

The method used in placing the cement was as follows:

Halliburton

Fluid level will be bailed to a depth of 37 feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: \_\_\_\_\_

Additional information: \_\_\_\_\_

Approved Jan 12<sup>th</sup> 1931 Sincerely yours,

Except as follows:

The Midwest Refining Company

Company or Operator.

By Tom Sartis  
Position Field Superintendent

Send communication regarding well to

Name T. H. Sartis

Address The Midwest Refining Co.

Hobbs, New Mexico

Jas. P. Sullivan  
State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

3

DEPARTMENT OF THE STATE GEOLOGIST  
NEW MEXICO SCHOOL OF MINES  
SOCORRO, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Reports should be made within ten days of completing the work indicated and should be submitted in duplicate.

INDICATE NATURE OF REPORT BY CHECKING

REPORT ON RESULT OF SHOOTING		SUPPLEMENTARY WELL HISTORY	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<b>XX</b>		
REPORT ON RESULT OF ABANDONMENT			

Mr. B. L. Halley Hobbs N. Mex., Jan 11, 1931  
State Geologist,  
Socorro, New Mexico.

Dear Sir:

Following is a report giving the results of work done as indicated above at Turner  
Well No. 80 in SW 1 of Sec. 34, T. 18 S, R. 30 E,  
N. M. P. M., Hobbs Oil Field Leon County.  
The plan outlined on Form SG 103 was followed except: no exceptions

The results were as follows: (Give details)

**The plan outlined on Form SG 103 was followed. Hole was bailed dry and allowed to set. Found that successful water shut-off had been made. Drilling resumed**

Approved Jan 22 1931  
Witnessed 103  
J. P. Sullivan  
STATE GEOLOGIST OR OIL AND GAS INSPECTOR.

If results of Shooting, Test of Water Shut-off or Abandonment were witnessed by an official representative of the State, the information given above does not have to be subscribed and sworn to before a Notary Public. Other reports ordinarily do not have to be subscribed and sworn to before a Notary Public.

I hereby swear or affirm that I have knowledge of the facts given above and that the same are true and correct.

Name Tammy Sartin  
Position Field Superintendent  
Representing The Midwest Refining Company  
Address Hobbs, New Mexico  
COMPANY OR OPERATOR.

Subscribed and sworn to before me this 22nd  
day of January, 1931  
J. P. Sullivan  
NOTARY PUBLIC.  
My commission expires Oct 27 1934