

NEW MEXICO STATE LAND OFFICE


Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. E. H. Wells, State Geologist. Denver, Colo. N. Mex. 11-23-1932

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as Turner Well No. 26 in SW $\frac{1}{4}$ of Sec. 34 T. 18 S., R. 38 E., N. M. P. M., Hobbs Oil Field Lea County N.



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is 660 feet (N.) of South line and 660 feet (E.) of East line of SW $\frac{1}{4}$ of Section

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____
Assignment No. _____

If patented land the owner is _____

Address _____

The lessee is _____ Address _____

The elevation of the derrick floor above sea level is _____ feet. We propose to drill well with No. Rotary Method Make of Drill _____

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
16"	70#	New Conductor	200'	Set and Cement
10-3/4"	45.50	New Seamless	2700'	Set and Cement back thru the Salt Bed
8-5/8"	36#	New Seamless	4100'	Set and Cement

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4200 feet.

Additional information: Will drill well with the intention of encountering commercial production at approximately 4200'. Will set and cement approximately 200' 16" 70# New Conductor. Will set and cement back thru the Salt Bed approximately 2700' 10-3/4" 45.50# New Seamless casing. Will set and cement approximately 4100' 8-5/8" 36# New Seamless Casing. All work to be done in accordance with best oil field practice and conforming to the oil and gas regulations of the state of New Mexico.

Approved Nov 26, 1932
Except as follows:

Stanolind Oil and Gas Company
Company or Operator.

By G. H. Jaques
Position Vice President
Send communication regarding well to

Name G. H. Jaques Box 507, Denver, Colo.
Address C. G. Scott, Hobbs, N.M.

State Geologist or Oil and Gas Inspector.

T. A. Staveland

Stanolind
26 Turner

SW⁴ Sec. 34-18-38

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL	<input type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	<input type="checkbox"/>
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<input type="checkbox"/>	REPORT ON REPAIRING WELL	<input type="checkbox"/>
REPORT ON RESULT OF ABANDONMENT OF WELL	<input type="checkbox"/>		<input type="checkbox"/>

Hobbs, N. M. December 3rd 1932.

Mr. E. H. Wells State Geologist,

PLACE

DATE

Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Stanolind Oil and Gas Company Turner Well No. 26 in the

SW 1/4 COMPANY OR OPERATOR of Sec. 34, T. 18 LEASE, R. 38, N. M. P. M.,
Hobbs Oil Field, Lea County.

The dates of this work were as follows:

Notice of intention to do the work was (~~was not~~) submitted on Form SG 101 on Nov. 23rd, 1932, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Drilling operations at above well commenced December 3rd 1932.

No change is anticipated in procedure outlined on form SG-101 excepting that will set and cement approximately 1625' 10 $\frac{3}{4}$ " casing on top of salt bed, instead of 2700' as shown on SG-101

Subscribed and sworn to before me this

3rd day of Dec, 1932.

I hereby swear or affirm that the information given above is true and correct.

Name C. A. Stancliff
Position District Superintendent
Representing Stanolind Oil and Gas Company
Address Hobbs, New Mex.

NOTARY PUBLIC.

My commission expires Oct 17th 1934

Remarks:

NAME

T. A. STANCLIFF TITLE

STATE OIL & GAS INSPECTOR

THE HISTORY OF THE CITY OF BOSTON FROM 1630 TO 1800

The history of the city of Boston from 1630 to 1800 is a story of growth and change. It begins with the arrival of the Puritans in 1630, who sought a place where they could practice their religion freely. They found it in Boston, and over the years the city grew from a small settlement into a major center of commerce and industry. The city's location on a peninsula made it a natural harbor, and its proximity to the sea gave it a strategic advantage. The city's growth was also fueled by its role as a center of trade and commerce, and its reputation as a place of learning and culture.

- The city's growth was also fueled by its role as a center of trade and commerce, and its reputation as a place of learning and culture.

THE CITY OF BOSTON

The city of Boston was founded in 1630 by a group of Puritans who sought a place where they could practice their religion freely. They found it in Boston, and over the years the city grew from a small settlement into a major center of commerce and industry. The city's location on a peninsula made it a natural harbor, and its proximity to the sea gave it a strategic advantage. The city's growth was also fueled by its role as a center of trade and commerce, and its reputation as a place of learning and culture.

THE CITY OF BOSTON FROM 1630 TO 1800

- The city's growth was also fueled by its role as a center of trade and commerce, and its reputation as a place of learning and culture.

The city's growth was also fueled by its role as a center of trade and commerce, and its reputation as a place of learning and culture.

The city's growth was also fueled by its role as a center of trade and commerce, and its reputation as a place of learning and culture.

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Hobbs N. Mex., December 7th, 1932

Mr. E. H. Wells

State Geologist,
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Turner
Well No. 26 in SW 1/4 of Sec. 34, T. 18, R. 33,
N. M. P. M., Hobbs Oil Field Lee County,
on December 9th 19 32 lb. casing was ~~XXXXXX~~ cemented in red beds
formation at a depth of 200 feet on December 6th 19 32
75 sacks of Incor cement were used.

The method used in placing the cement was as follows:

Halliburton method

Fluid level will be bailed to a depth of dry feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows:

Additional information:

Approved Dec 8 19 32 Sincerely yours,

Except as follows:

Stanolind Oil and Gas Company
Company or Operator.

By E. H. Wells

Position District Superintendent

Send communication regarding well to

Name

Address Hobbs, New Mexico.

T. A. Stanley
State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	XXXX	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Hobbs, New Mex

Dec 9th 1932

PLACE

DATE

Mr. E. H. Wells State Geologist,
Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the
Stanolind Oil and Gas Company Turner Well No. 26 in the

COMPANY OR OPERATOR

LEASE

SW 1/4 of Sec. 34, T. 18 S, R. 36 E, N. M. P. M.,
Hobbs Oil Field, Lea County.

The dates of this work were as follows: December 9th 1932

Notice of intention to do the work was (~~was not~~) submitted on Form SG 103 on
Dec 7th, 1932, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Found 6' cement in 16" casing, drilled plug and bailed hole dry for water shut-off test - No fluid entered hole during the test - Drilling Resumed.

Subscribed and sworn to before me this

9th day of Dec, 1932.

[Signature]

NOTARY PUBLIC.

My commission expires Oct 17th 1934

I hereby swear or affirm that the information given above is true and correct.

Name *[Signature]*

Position District Superintendent

Representing Stanolind Oil and Gas Company

COMPANY OR OPERATOR.

Address Hobbs, New Mex

Remarks:

[Signature]
NAME TITLE
STATE GEOLOGIST

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Hobbs N. Mex., December 17th, 1932

Mr. E. H. Wells

State Geologist,
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Turner
Well No. 26 in SW 1/4 of Sec. 34, T. 18, R. 38,
N. M. P. M., Hobbs Oil Field Lea County,
on December 21st 38 10 3-4 40 lb. casing was ~~drilled~~ cemented { anhydrite
formation at a depth of 1622 feet on December 17th 32
75 sacks of Incor cement were used.

The method used in placing the cement was as follows:

Halliburton Method

Fluid level will be bailed to a depth of dry feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows:

Additional information:

Approved Dec 19 1932 Sincerely yours,

Except as follows:

STANOLIND OIL AND GAS COMPANY

Company or Operator.

By Elmer D. C.

Position District Superintendent

Send communication regarding well to

Name

Address Hobbs, New Mexico

T. A. Stanley
State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Hobbs, New Mex. December 22nd 1932

Mr. E. H. Wells State Geologist,

Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Stanolind Oil and Gas Company Turner Well No. 26 in the

COMPANY OR OPERATOR Hobbs of Sec. 34, T. 18 S, R. 38 E, N. M. P. M.,
LEASE Lea County.

The dates of this work were as follows: December 21st 1932

Notice of intention to do the work was (~~was not~~) submitted on Form SG 103 on December 17th, 19 32, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Found 15' cement in 10 3-4" casing, drilled plug and bailed hole dry for water shut-off test- No fluid entered the hole during the test - Drilling resumed.

Subscribed and sworn to before me this

22nd day of December, 1932.

[Signature]

NOTARY PUBLIC.

My commission expires Oct 17th 1934

I hereby swear or affirm that the information given above is true and correct.

Name

[Signature]

Position

District Superintendent

Representing Stanolind Oil and Gas Company

Address Hobbs, New Mexico.

COMPANY OR OPERATOR.

Remarks:

[Signature]
NAME T. A. STANCLIFF TITLE
STATE OIL & GAS INSPECTOR

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Hobbs N. Mex., January 9th, 1933

Mr. E. H. Wells

State Geologist,
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Turner
Well No. 26 in SW of Sec. 34, T. 18 S, R. 38 E,
N. M. P. M., Hobbs Oil Field Lea County,
on January 13th 1933 8 5/8" 36 lb. casing was ~~XXXX~~ landed in lime
formation at a depth of 3990 feet on January 9th 1933
150 sacks of Incor cement were used.

The method used in placing the cement was as follows:

Halliburton method

Fluid level will be bailed to a depth of dry feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows:

Additional information:

DUPLICATE

Approved 1-12 1933 Sincerely yours,

Except as follows:

Stanolind Oil and Gas Company

Company or Operator.

By C. G. Scott
Position **District Superintendent**

Send communication regarding well to

Name C. G. Scott, Dist Supt
Stanolind Oil and Gas Company
Address Hobbs, New Mexico.

[Signature]
State Geologist or Oil and Gas Inspector.

N. MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	XXXX	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Hobbs, New Mex. January 13th 1933

PLACE

DATE

Mr. E. H. Wells State Geologist,

Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Stanolind Oil and Gas Company Turner Well No. 26 in the

SW 1/4 of Sec. 34, T. 18 S, R. 36 E, N. M. P. M.,
Hobbs Oil Field, Lea County.

The dates of this work were as follows: January 13th 1933

Notice of intention to do the work was (~~submitted~~) submitted on Form SG-103 on January 9th, 1933, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Cement plug in 8-5/8" casing was drilled out and hole bailed dry for water shut off test - No fluid entered hole during the test - Drilling resumed

DUPLICATE

Subscribed and sworn to before me this

14th day of January, 1933.

[Signature]

NOTARY PUBLIC.

My commission expires Oct 17th 1934

I hereby swear or affirm that the information given above is true and correct.

Name [Signature]

Position District Superintendent

Representing Stanolind Oil and Gas Company

Address Hobbs, New Mexico.

COMPANY OR OPERATOR.

Remarks:

1 copy: Santa Fe
1 " : File
2 " : Returned

APPROVED AS O. K.

BY [Signature]

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
WASHINGTON, D. C.

WATER RIGHTS AND IRRIGATION

The following is a list of the water rights and irrigation projects which are being developed in the State of California. The list is based on the information furnished by the State Engineer, and is subject to change as more information is received.

The first project is the California Water Project, which is being developed by the State of California. The project is designed to provide water for irrigation and domestic use in the Central Valley of California. The project is being developed in several stages, and the first stage is now under construction.

The second project is the Central Valley Project, which is being developed by the Federal Government. The project is designed to provide water for irrigation and domestic use in the Central Valley of California. The project is being developed in several stages, and the first stage is now under construction.

The third project is the Colorado River Project, which is being developed by the Federal Government. The project is designed to provide water for irrigation and domestic use in the Colorado River Valley. The project is being developed in several stages, and the first stage is now under construction.


The fourth project is the Sacramento-San Joaquin River Delta Project, which is being developed by the Federal Government. The project is designed to provide water for irrigation and domestic use in the Sacramento-San Joaquin River Delta. The project is being developed in several stages, and the first stage is now under construction.

The fifth project is the San Joaquin River Project, which is being developed by the Federal Government. The project is designed to provide water for irrigation and domestic use in the San Joaquin River Valley. The project is being developed in several stages, and the first stage is now under construction.

The sixth project is the San Francisco Bay Area Project, which is being developed by the Federal Government. The project is designed to provide water for irrigation and domestic use in the San Francisco Bay Area. The project is being developed in several stages, and the first stage is now under construction.

The seventh project is the San Diego River Project, which is being developed by the Federal Government. The project is designed to provide water for irrigation and domestic use in the San Diego River Valley. The project is being developed in several stages, and the first stage is now under construction.

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO



DEPARTMENT OF THE STATE GEOLOGIST
NEW MEXICO SCHOOL OF MINES
SOCORRO, NEW MEXICO

MAR 11 1933

REQUEST FOR PERMISSION TO CONNECT WITH PIPE LINE

This request should be made in triplicate. Permission of the Commissioner of Public Lands should be obtained before connecting.

Hobbs N. Mex., February 1st . 1933

Mr. E. H. Wells

State Geologist,
 Socorro, N. Mex.

Dear Sir:

Permission is requested to connect Turner

Wells No. 26 in S 1/4 of Sec. 34

T. 13 S, R. 33 E, N. M. P. M., Hobbs

Field, Lea County, with the pipe line of the

Atlantic Pipe Line Company

Name of Pipe Line Company

Logs of the above wells were filed with the State Geologist January 1933

All other requirements have been complied with.

DUPLICATE

Yours truly,

Stanolind Oil and Gas Company

Owner or Operator

By @ E. H. Wells

Position Superintendent

Address Hobbs, New Mexico.

Approved Feb 28 1933

E. H. Wells

State Geologist

Commissioner of Public Lands.

Date _____ 19____

Permission is hereby
 granted to make pipe line
 connections requested
 above.

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL		REPORT ON ACID TREATMENT	X

Hobbs, New Mexico

March 23, 1934

PLACE

DATE

Mr. E. H. Wells State Geologist,

Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Stameland Oil & Gas Company Turner Well No. 26 in the

SW 1/4 of Sec. 24, T. 18 S, R. 33 E, N. M. P. M.,
Hobbs Oil Field, Lea County.

The dates of this work were as follows: Acid treatment on March 9, 1934

Notice of intention to do the work was (~~submitted~~) submitted on Form SG 105 on February 2, 1934, and approval of the proposed plan was (~~submitted~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Well was treated with 2,000 gallons 30% commercial Hydrochloric acid solution on March 9th. The well was shut in and left shut in for forty eight hours, until March 11th, when it was swabbed in. The well was then allowed to flow at its production allowable until the official production test which was made on March 22nd. The potential before acid treatment was 1187 barrels of oil with 1,344,000 cubic feet of gas. After acid treatment the potential is 3400 barrels of oil with 4,973,000 cubic feet of gas, an increase of 284%. Open flow test through tubing on production test was 2689 barrels, which placed on tubing-casing curve gave the well a new potential of 3400 barrels for open flow.

DUPLICATE

Subscribed and sworn to before me this

23rd day of March, 1934.

[Signature]

NOTARY PUBLIC.

My commission expires October 17th, 1934

Remarks:

I hereby swear or affirm that the information given above is true and correct.

Name J. P. Gibbs

Position Production Foreman

Representing Stameland Oil & Gas Company

COMPANY OR OPERATOR.

Address Hobbs, New Mexico

MAR 30 1934

APPROVED AS O. K.

[Signature]

NAME

TITLE

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
WASHINGTON, D. C.

REPORT OF FIELD INVESTIGATION

The following report was prepared by the field investigator, Mr. J. H. [Name], and is a summary of the results of the investigation conducted on [Date] at [Location]. The investigation was conducted in accordance with the instructions of the Bureau of Land Management, Department of the Interior, and is a part of the [Project Name].

The investigation was conducted in accordance with the instructions of the Bureau of Land Management, Department of the Interior, and is a part of the [Project Name]. The results of the investigation are summarized in the following report.

REPORT OF FIELD INVESTIGATION
J. H. [Name]
[Date]

The investigation was conducted in accordance with the instructions of the Bureau of Land Management, Department of the Interior, and is a part of the [Project Name]. The results of the investigation are summarized in the following report.

RESULTS OF INVESTIGATION

The investigation was conducted in accordance with the instructions of the Bureau of Land Management, Department of the Interior, and is a part of the [Project Name]. The results of the investigation are summarized in the following report.

The investigation was conducted in accordance with the instructions of the Bureau of Land Management, Department of the Interior, and is a part of the [Project Name]. The results of the investigation are summarized in the following report.

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the State Geologist or proper Oil and Gas Inspector at least five days before the work specified is to begin. A copy will be returned to the sender on which will be given the approval with any modifications considered advisable or the rejection by the State Geologist or Oil and Gas Inspector of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO TREAT WITH ACID	X
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico. February 2, 1934

PLACE

DATE

Mr. E. H. Wells State Geologist,
Santa Fe, N. Mex.

Following is a notice of intention to do certain work as described below at the

Stanolind Oil and Gas Company Turner Well No. 26 in SW-1/4
of Sec. 34, T. 18 S, R. 38 E, N. M. P. M., Hobbs
Oil Field, Lea County.

DETAILS OF PROPOSED PLAN OF WORK

We propose to treat well with 1000 gallons of acid to raise the potential.

The present potential is 1,384 barrels.

DUPLICATE

Approved FEB - 7 1934, 19____
except as follows:

Stanolind Oil and Gas Company
By J. P. Gibbins
Position Production Foreman
Send communications regarding well to
Name J. P. Gibbins
Address Stanolind Oil and Gas Company
Hobbs, New Mexico.

J. H. Hunter
NAME TITLE
Address _____

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
RESEARCH REPORT

THEORY OF THE ELECTROLYTIC
DECOMPOSITION OF WATER

The theory of the electrolytic decomposition of water is a subject of great importance in the study of the properties of water and the behavior of the various ions in solution. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral.

The theory of the electrolytic decomposition of water is a subject of great importance in the study of the properties of water and the behavior of the various ions in solution. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral.

THEORY OF THE ELECTROLYTIC
DECOMPOSITION OF WATER

The theory of the electrolytic decomposition of water is a subject of great importance in the study of the properties of water and the behavior of the various ions in solution. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral.

The theory of the electrolytic decomposition of water is a subject of great importance in the study of the properties of water and the behavior of the various ions in solution. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral. The theory is based on the assumption that the water molecule is composed of two hydrogen atoms and one oxygen atom, and that the hydrogen and oxygen atoms are electrically neutral.

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS REPORT ON RESULT OF SHOOTING WELL REPORT ON RESULT OF TEST OF WATER SHUT-OFF REPORT ON RESULT OF ABANDONMENT OF WELL	REPORT ON DEEPENING WELL REPORT ON PULLING OR OTHERWISE ALTERING CASING REPORT ON REPAIRING WELL REPORT ON ACID TREATMENT X
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Mr. E. H. Wells State Geologist, Hobbs, New Mexico Sept. 20, 1934
 Santa Fe, N. Mex. PLACE DATE

Following is a report on the work done and the results obtained under the heading noted above at the Stanolind Oil and Gas Company Turner Well No. 26 in the SW 1/4 of Sec. 34, T. 19 S, R. 36 E, N. M. P. M., Hobbs Oil Field, Lea County.

The dates of this work were as follows: Acid treatment on Sept. 6, 1934
 Notice of intention to do the work was (~~was~~) submitted on Form SG 105 on August 20, 1934, and approval of the proposed plan was (~~was~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Well was treated with 2,000 gallons 50% commercial Hydrochloric acid solution on September 6th. The well was shut in and left shut in for sixty hours, until September 9th, when it was swabbed in. The well was then allowed to flow at its proration allowable until the official proration test which was made on September 19th. The potential before acid treatment was 3,200 barrels of oil with 4,978,000 cubic feet of gas. After acid treatment the potential is 9,351 barrels of oil with 10,000,000 cubic feet of gas, an increase of 292%. Open flow test through tubing and casing on proration test was 9,351 barrels.

DUPLICATE

Subscribed and sworn to before me this

20th day of September, 1934

[Signature]

NOTARY PUBLIC.

My commission expires October 17th, 1934

Remarks:

I hereby swear or affirm that the information given above is true and correct.

Name [Signature]

Position Production Foreman

Representing Stanolind Oil and Gas Company
COMPANY OR OPERATOR.

Address Hobbs, New Mexico

APPROVED AS TO

[Signature]

NAME

TITLE

N. C. R.

**NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO**

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the State Geologist or proper Oil and Gas Inspector at least five days before the work specified is to begin. A copy will be returned to the sender on which will be given the approval with any modifications considered advisable or the rejection by the State Geologist or Oil and Gas Inspector of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL			
NOTICE OF INTENTION TO DEEPEN WELL		NOTICE OF INTENTION TO TREAT WITH ACID	X

Hobbs, New Mexico August 30, 1934
PLACE DATE

Mr. E. H. Wells State Geologist,
Santa Fe, N. Mex.

Following is a notice of intention to do certain work as described below at the

Stanolind Oil and Gas Company Turner Well No. 26 in SW 1/4
COMPANY OR OPERATOR LEASE
of Sec. 54, T. 18 S, R. 33 E, N. M. P. M., Hobbs
Oil Field, Lee County.

DETAILS OF PROPOSED PLAN OF WORK

We propose to treat well with 2,000 gallons of acid to raise the potential.

The present potential is 3,200 barrels.

DUPLICATE

SEP 3 - 1934

Approved _____, 19____
except as follows:

NAME TITLE

Address _____

Stanolind Oil and Gas Company
COMPANY OR OPERATOR

By J. P. Gibbins
Position Production Foreman

Send communications regarding well to

Name J. P. Gibbins
Address Stanolind Oil and Gas Company
Hobbs, New Mexico

