


## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Samedan Oil Corporation

Box 959, Ardmore, Oklahoma

Company or Operator **Turner "B"** Well No. **8** in **SE/4** of Sec. **34**, T. **18 South**  
R. **38 East**, N. M. P. M. **Hobbs** Field, **Lea** County.  
Well is **400** feet south of the North line and **1190** feet west of the East line of **SE/4**  
If State land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_  
If patented land the owner is **Hobbs Townsite, et al**, Address **Hobbs, New Mexico**  
If Government land the permittee is \_\_\_\_\_, Address \_\_\_\_\_  
The Lessee is **Samedan Oil Corporation**, Address **Box 959, Ardmore, Okla.**  
Drilling commenced **5/11/** 19 **44** Drilling was completed **6/5** 19 **44**  
Name of drilling contractor **Noble Drilling Corporation**, Address **209 Stanolind Building Tulsa, Oklahoma**  
Elevation above sea level at top of casing \_\_\_\_\_ feet.  
The information given is to be kept confidential until \_\_\_\_\_ 19 \_\_\_\_\_

## OIL SANDS OR ZONES

No. 1, from **4225** to **4233** No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
9 5/8	36	8		190				

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12	9 5/8	190	102	Halliburton		

## PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth Set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
			500 gal.	6/6/44	4225 - 4228	

Results of shooting or chemical treatment \_\_\_\_\_  
\_\_\_\_\_

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from **191** feet to **4228** feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Cable toops were used from **0** feet to **191** feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

## PRODUCTION

Put to producing **6/6** 19 **44**  
The production of the first 24 hours was **16 B. P. H** barrels of fluid of which **100** % was oil; \_\_\_\_\_ % emulsion; \_\_\_\_\_ % water; and \_\_\_\_\_ % sediment. Gravity, Be **35°**  
If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
Rock pressure, lbs. per sq. in. \_\_\_\_\_

## EMPLOYEES

**I. G. Alley**  
**Driller**Driller  
Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **12th**day of **June**, 19 **44****Maria Whiteberg**  
Notary Public**Ardmore, Oklahoma**  
Place**June 12, 1944**  
DateName **W. B. Biddick**Position **Vice President**Representing **Samedan Oil Corporation**

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	35		Caliche & Packed Sand
35	40		Lime
40	55		Water Sand
55	135		Sand and Clay
135	181		Water Sand
181	190		Red Beds
190	210		Shale and Sand
210	1355		Red Beds
1355	1575		Shale & Shells
1575	1618		Red Rock
1618	1775		Anhydrite
1775	1874		Salt
1874	2016		Salt & Red Bed
2016	2443		Salt and Anhydrite
2443	2729		Salt
2729	2860		Anhydrite
2860	2930		Anhydrite and Salt Streaks
2930	2990		Anhydrite
2990	3062		Brown Lime and Anhydrite
3062	3105		Lime and Anhydrite
3105	3155		Anhydrite and Gypsum
3155	3177		Lime and Anhydrite
3177	3205		Lime
3205	3240		Anhydrite and Lime
3240	3595		Anhydrite and Lime
3595	3634		Lime
3634	3672		Anhydrite and Lime
3672	4181		Lime
4181	4211		Broken Lime
4211	4225		Lime
4225	4233		Brown Lime
			Pay - 4225 - 4233