7	b 9631 a				
(SU)	(SUBMIT IN TRIPLICATE) UNITED STATES				
DEPARTN					
GE	DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY 11 32				
N 1 1981					
A. K. RICT PULLE INDITICES	S AND REPORTS ON	WELLS			
AUNOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER	SHUT-OFF			
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTI				
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERI				
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF RE-DRIL				
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUBSEQUENT REPORT OF ABANDO				
NOTICE OF INTENTION TO ABANDON WELL					
(10002172-000-0					
(INDICATE ABOVE BY CHECK)	MARK NATURE OF REPORT, NOTICE, OR OTHER	DATA)			
	June 26	620			
		, 17			
Well No. 1 is located 660 ft. f	from $\begin{cases} N \\ S \end{cases}$ line and ft. fro	$\mathbb{E}\left\{ \lim_{n \to \infty} e_n \right\}$ line of sec11			
NE- Sec. 11 18 8 3	IS NMPM				
(½ Sec. and Sec. No.) (Twp.)	(Range) (Meridjan)	•• .			
undesignated Les	A New	Mexico			
(Field) (Cou	unty or Subdivision)	(State or Territory)			
The elevation of the derrick floor above sea	a levrel ie ft				
an a					
	TAILS OF WORK				
	w sizes, weights and langths of same 1	ngs; indicate mudding jobs, cement-			
nd to drill with only tools		the set of			
md to drill with only tools	to approximately 300 same with 200 sax com queen sand expected t tion is attempted wil and coment same with	ft. and set ent. Then o be penstrated l run 4 ¹ 4" O.D. sufficient			
and to drill with cable tools 0.D. 24# casing and cement in rotary tools to test the oproximately 440°. If comple New casing to total depth at to cover top of the salt.	to approximately 300 same with 200 sax com queen sand expected t tion is attempted wil and coment same with	ft. and set ent. Then o be penstrated l run 4 ¹ 4" O.D. sufficient			
and to drill with cable tools 0.D. 24# casing and cement in rotary tools to test the proximately 440°. If comple New casing to total depth at to cover top of the salt. Lons of the U.S.G.S.	to approximately 300 same with 200 sax com queen sand expected to tion is attempted wil and coment same with Will abide by the ru	ft. and set ent. Then to be penstrated 1 run 4 ¹ / ₃ " O.D. sufficient les and reg-			
and to drill with cable tools 0.D. 24# casing and cement in rotary tools to test the proximately 440°. If comple New casing to total depth at to cover top of the salt. Hons of the U.S.G.S.	to approximately 300 same with 200 sax com queen sand expected to tion is attempted wil and coment same with Will abide by the ru	ft. and set ent. Then to be penstrated 1 run 4 ¹ / ₃ " O.D. sufficient les and reg-			
I understand that this plan of work must receive approva	to approximately 300 some with 200 sax com queen sand expected to tion is attempted will and coment same with Will abide by the ru	ft. and set ent. Then to be penetrated i run 4 ¹ ;" O.D. sufficient iles and reg-			
and to drill with cable tools 0.D. 24# casing and cement in rotary tools to test the proximately 440°. If comple New casing to total depth at to cover top of the salt. Lons of the U.S.G.S. I understand that this plan of work must receive approva Compan Frances Nix	to approximately 300 same with 200 sax com queen sand expected to tion is attempted wil and coment same with Will abide by the ru	ft. and set ent. Then to be penetrated i run 4 ¹ ;" O.D. sufficient iles and reg-			
and to drill with cable tools 0.D. 24# casing and cement in rotary tools to test the proximately 440°. If comple New casing to total depth at to cover top of the salt. Lons of the U.S.G.S. I understand that this plan of work must receive approva Compan Frances Nix Address Booker Building	to approximately 300 some with 200 sax com queen sand expected to tion is attempted will and coment same with Will abide by the ru	ft. and set ent. Then to be penetrated i run 4 ¹ ;" O.D. sufficient iles and reg-			
and to drill with cable tools 0.D. 24# casing and cement in rotary tools to test the proximately 440°. If comple New casing to total depth at to cover top of the salt. Ions of the U.S.G.S. I understand that this plan of work must receive approva Compan Frances Nix Address Booker Building Artesia	to approximately 300 some with 200 sax com queen sand expected to tion is attempted will and coment same with Will abide by the ru	ft. and set ent. Then to be penetrated 1 run 44" O.D. sufficient les and reg-			
and to drill with cable tools 0.D. 24# casing and cement in rotary tools to test the proximately 440°. If comple New casing to total depth at to cover top of the salt. Lons of the U.S.G.S. I understand that this plan of work must receive approva Compan Frances Nix Address Booker Building	to approximately 300 some with 200 sax com queen sand expected to tion is attempted will and coment same with Will abide by the ru	ft. and set ent. Then to be penetrated i run 4 ¹ ;" O.D. sufficient iles and reg-			

	TRIBUTIO		
SANTA FF		NEWM	
FILE			
U.S.G.S.			WELL LOCA
LAND OFFICE			
	OIL		SEE INSTRUCT
TRANSPORTER	GAS		SEE INSTRUCT
PROBATION OFFI	CE	7	
OPERATOR			
Operator		·	
F	ranc	es Nix	
Ilain I anno		Section	Township

NUMBER OF COPIES RECEIV DISTRIBUTION SANTA FF FILE U.S.G.S LAND OFFICE TRANSPORTER OIL GAS PRORATION OFFICE OPERATOR			N WELL SEE INST	LOCATIC	CO OIL DN AN	CONSERV D ACREA Pleting th	GE DEDI	OMMISSIC	PL PL RSE S	FORM Review E1/57 IDE 30 1961 JUN 30 1961
				5	ECTIO	N A				Well, No.
Operator Lease Well, No.										
Franc Unit Letter	es Nix Section	r	Township		Rang	Federal	County			<u> </u>
A A	11		T-18	-S		R-33-E	Le	a		
Actual Footage L		Well:								
660	feet from		North	line and	660	fe	et from the	East		ine
Ground Level Ele	v. Prod	ucing For	mation	1	Pool				Dedic	ated Acreage:
	<u> </u>								L	40 Acres
who has the ri another. (65-	ght to drill -3-29 (e) N :0 question NO	into and IMSA 1933 one is ''i If	to produce 5 Comp.) no,'' have th answer is ''	from any pool he interests o 'yes,'' Type o	f and to a of all the of Consol	ppropriate the owners been o lidation	production e consolidated erests below	either for hin by communi	nself of	uner" means the person for himself and a agreement or other-
							<u></u>		i.	
				<u></u>						
			SECTI	ON B	ويتكريه بالمحمولية والمحمولية				CERT	IFICATION
			R-3	3-E		 	- (39) 	in SECTI	ON A	that the information above is true and com- t of my knowledge and
								Position Company Date	J.	ances Min
						 	T 18	L6	/2	7761
							\$	shown on plotted fr surveys n supervisi	the pla om fiel nade by on, and ct to th	that the well location at in SECTION B was d notes of actual y me or under my d that the same is true he best of my knowledge
0 330 660	990 1320	1650 19	BO 2310 2	640 200	0 150	0000	500	and on La	27, ed Prof	essional Engineer

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.