

District Office

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.

5. Indicate Type of Lease

STATE ☒FEE ☐

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☐GAS
WELL ☐

OTHER INJECTOR

2. Name of Operator

SHELL WESTERN E & P INC. (4431 WCK)

3. Address of Operator

P.O. BOX 576, Houston, TX 77001-0576

7. Lease Name or Unit Agreement Name

N. HOBBS (G/SA) UNIT
SECTION 32

8. Well No.

321

9. Pool name or Wildcat

HOBBS (G/SA)

4. Well Location

Unit Letter G : 1650 Feet From The North Line and 2310 Feet From The East Line

Section 32.

Township 18-S

Range 38-E

NMPM

LEA

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3632' GR

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐PLUG AND ABANDONMENT ☐CASING TEST AND CEMENT JOB ☐OTHER: CTI (Order # PMX-152) ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3-6-89 thru 3-21-89:

DO and CO to TD @ 4276'. Ran CR/Cal/SNP log from 4276' - 3950' (OH). RIH w/ 3-1/2" fiberglass liner and set @ 3808' (TOL), landing collar @ 4243'. Cmt liner w/ 85 sxs class "C" cmt + 2% CaCl₂ + .2% Halad-4, chased w/ wiper plug. (Plug bumped in float landing collar.) CO and DO to 4243'. Ran GR/CCL/CET from 3900' (PBSD) to 3808' (TOL). Perfed San Andres 4056' - 4237' w/ 2JSPF. Selectively AT San Andres 4056' - 4237' w/ 2400 gals 15% HCl acid, using SPA. RIH w/ inj equip, setting Guiberson Uni-VI pkr @ 3777'. Pres test to 500 psi for 30 min - Held O.K. Well placed on injection 3-21-89.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

W.F.N. KELLDORF

TITLE

STAFF PRODUCTION ENGINEER

DATE

MAR 30 1989

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY

TITLE

DATE

APR 4 1989

CONDITIONS OF APPROVAL, IF ANY: