



(SUBMIT IN TRIPLICATE)

APPROVED

U. S. G. C.
HOBBS OFFICE
DEPARTMENT OF THE INTERIOR
NOV 11 1963 10 26 AM '63
GEOLOGICAL SURVEY

Land Office

LC-065710

Lease No.

Unit

E. G. HUBBLE

ACTING DISTRICT ENGINEER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Plains Unit

August 15, 1963

19

Well No. 3 is located 1980 ft. from ~~NE~~ ^N line and 660 ft. from ~~NE~~ ^E line of sec. 28
N. 1/4, SW 1/4, Sec. 23, T-19-S, R-32-E NMPM

Lusk Strawn (1/4 Sec. and Sec. No.)

(Twp.)

Lea

(Range)

(Meridian)

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is 3570 ft. RDB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

(See Attachment)

RECEIVED
AUG 19 1963
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Post Office Box 68

Hobbs, New Mexico

By

Title Area Superintendent

ATTACHMENT TO FORM 9-331a dated August 15, 1963

PLAINS UNIT NO. 3

1980' FSL X 660' FWL, Sec. 28, 19-32

On July 26, 1963, while drilling at 4111', 15 drill collars become stuck. In subsequent fishing operations 3 collars were recovered leaving 12 collars in the hole. Top of fish at 3535'. After fishing for 7 days, a cement plug was set from top of fish to 3300'. Drilling was commenced in an undetermined direction to by-pass the junk in the hole, after unable to get whipstock to bottom. On 8-12-63, while making a trip after drilling the side-track hole to a depth of 4005', the drill pipe stuck once again. Top of fish at 3667'. After fishing for 2 days, verbal authority was obtained from Mr. J. A. Knauf, USGS, Artesia to abandon the hole and move location. Left 3 drill collars, jars, and bit in hole. Abandoned by spotting 300 sx. cement plug at 3350'-3093'; 110 sx. at 943-743'; and 10 sx at surface. Erected PXA marker.