

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-79

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State ☒ Fee ☐

5. State Oil & Gas Lease No.
OG-1999

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL <input checked="" type="checkbox"/> WELL GAS <input type="checkbox"/> WELL OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Gulf Oil Corporation	8. Farm or Lease Name Lea State "KG" State
3. Address of Operator P. O. Box 670, Hobbs, NM 88240	9. Well No. 1
4. Location of Well UNIT LETTER 0 330 FEET FROM THE South LINE AND 2310 FEET FROM THE East LINE, SECTION 35 TOWNSHIP 17S RANGE 33E NMPM.	10. Field and Pool, or Wildcat Corbin Abo
15. Elevation (Show whether DF, RT, GR, etc.) 4123' GL	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER Repair Casing <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

POH with production equipment. Set RBP at 6792', found leak at 5444'. POH & set RBP at 6422', dumped 3 sacks sand on RBP. Pumped 300 sacks Class "C" with Halad 9 & tailed in 100 sacks Class "C" with Gilsonite. Did not squeeze. Attempted to establish rate & pressure up with no success. Tag cement retainer and obtain circulation. Reverse to clean up. Mill cement and POH with cement retainer. Reversed sand off RBP and POH. RIH with production equipment, hung well on. Pump packed with iron sulfide, POH with rods, pump and tubing. Pumped 500 gals 15% NEFE HCL & GKF. WIH with MA, SN, 2-3/8" tubing, anchor, sub; set anchor at 8686', tubing at 8759'. Circulate hole clean. Perf 8707-8836'. Acidize with 1500 gals NEFE 20% HCL with Pentafax A-122. WIH with pump and rods. Pumped 13 BO, 79 BW with 12 MCF in 24 hours. Before work, prod 13 BO, 80 BW, no gas. Complete after squeezing hole in casing.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Area Engineer DATE 3-9-82

ORIGINAL SIGNED BY

APPROVED BY MARY SEXTON TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

MAR 10 1982

RECEIVED

MAR - 9 1982

CCD
HOLDS OFFICE