

COUNTY	Lea	FIELD	Vacuum-Abo	ST.	N.M.	NO.
OPR.	Texaco Inc.	MAP				
NO.	9	LSE	State of New Mexico "AE"	30-225-20165		
SEC.	12	T.	18S	BLK.	34E	SUR.
LOC.		990' fr N Line & 1980' fr W Line of Sec.				
MI.	FR	CLASS.	EL 3995			
SPUD.	5-10-63	CCMP.	7-21-63	FORMATION	DATUM	FORMATION
TRT.	9000 Acid	LOG:				
		Queen 3937				
CSG. & SX.		SA 4760				
	11 3/4" 367' 350	Glor 6330				
	8 5/8" 3150' 1650	Abo Rf 8518				
	2 7/8" 9179' 1700					
TBG.	DEPTH	SIZE				
LOGS	EL	GR	RA	IND	HC	A
				TD	10192'	PB 8870'
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.
8694-8820'	Flo. 283 BOPD		21/64"	918	39.3	275#
(Abo)						18'
						test 212 BO + 2% BS&W

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Marcum Drlg. Co. PROP DEPTH 8950' TYPE
DATE

F.R. 5-16-63, Abo
Contractor - Marcum Drlg. Co. PD 8950'

5-14-63 Drlg. 3117' anhy.
5-20-63 Drlg. 4211' ls.
5-27-63 Drlg. 5563' ls.
6-3-63 Drlg. 6480' ls.
6-10-63 Drlg. 7826' dolo.
6-17-63 Drlg. 9091' ls.
6-24-63 TD 10054', lost circ.
DST 9900-9923', open 1 hr, GTS 40" @ TSTM, rec
9000' salty sul. wtr, 30" ISIP 3579#, FP 670-3459#,
60" FSIP 3579#.

7-1-63 TD 10192', fshg. (Lost circulation)
7-8-63 TD 10192', fshg.
7-15-63 TD 10192', PB 9180', prep to perf.
7-22-63 TD 10192', PB 8870', COMPLETED.

Texaco Inc., #9 State of New Mexico "AE"-Sec. 12-18S-34E

-cont.- Perf 1 shot @ 8945', 8960', 8983', 8988',
9001', 9028', & 9036', treated 7000 gals acid
+ 10 Tons CO₂, swbd dry.
Set BP @ 8890', Perf 2/8694-96', 2/8714-16',
2/8752-54', 2/8764-66', 2/8783-85', & 2/8818-
20', treated 9000 gals acid.

OIL CONSERVATION COMMISSION

P. O. BOX 871

SANTA FE, NEW MEXICO

June 17, 1963

C
O
P
Y

Texaco Inc.
P. O. Box 728
Hobbs, New Mexico

Attention: Mr. J. G. Blevins, Jr.

Gentlemen:

Reference is made to your letter dated May 20, 1963, wherein you request administrative approval of an exception to Rule 107 (e) for your State of New Mexico "AE" Well No. 9, a proposed tubingless completion in Unit C, Section 12, Township 18 South, Range 34 East, Vacuum (Abo Reef) Pool, Lea County, New Mexico.

It is our understanding that the production casing string will consist of 2 7/8-inch tubing set at approximately 8950 feet in a 7 7/8-inch hole. Inasmuch as no corrosion problem is expected and adequate measures will be taken to counteract the anticipated paraffin problem, approval of this well in the above manner is hereby given.

Very truly yours,

A. L. PORTER, Jr.,
Secretary-Director

ALP/DSH/esr

cc: Oil Conservation Commission
Hobbs, New Mexico

Oil & Gas Engineering Committee
Hobbs, New Mexico

