

WELL LOCATION AND ACREAGE CERTIFICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

SECTION A

Operator SOUTHERN NEW MEXICO OIL CORPORATION			Lease SOUTHERN CALIFORNIA PETROLEUM CO.		Well No. 3
Unit Letter K	Section 29	Township 19 SOUTH	Range 32 EAST	County LEA	
Actual Footage Location of Well: 1980 feet from the SOUTH line and 1980 feet from the WEST line					
Ground Level Elev. 7500.77	Producing Formation		Pool	Dedicated Acreage Acres	

1. Is the Operator the only owner in the dedicated acreage indicated on the plat above? YES _____ NO _____ ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (63-1-29 N.M.S.A. 1943 Comp.))
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communication agreement or otherwise? YES _____ NO _____ If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "yes," list all the owners and their respective interests below:

Owner	Unit Description

SECTION B

CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name

Position

Company

Date


I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

OCTOBER 14, 1963


Registered Professional Engineer

and/or Licensed Surveyor, JOHN W. WEST



Certificate No.

N. M. - P. E. & L. S. NO. 876



0 300 600 900 1200 1500 1800 2100 2400 2700 3000 3300 3600 3900 4200 4500 4800 5100 5400 5700 6000 6300 6600 6900 7200 7500 7800 8100 8400 8700 9000 9300 9600 9900 10200 10500 10800 11100 11400 11700 12000 12300 12600 12900 13200 13500 13800 14100 14400 14700 15000

WRS COMPLETION REPORT

COMPLETIONS SEC 29 TWP 19S RGE 32E
PI# 30-T-0017 07/11/88 30-025-20359-0001 PAGE 1

NMEX LEA * 1980FSL 1980FWL SEC NE SW
STATE COUNTY FOOTAGE SPOT
TEXACO INC WOX
OPERATOR WELL CLASS INIT
3 SOUTHERN CALIFORNIA FEDERAL
WELL NO. LEASE NAME
3578KB WILDCAT
OPER. ELE. FIELD POOL AREA

API 30-025-20359-0001

06/30/1988 ROTARY AB-LOC
SPUD DATE COMP. DATE TYPE LOG STATES
7000 DELAWARE
PROJ. DEPTH PROJ. FORM CONTRACTOR

OTD 11420

DRILLER'S I.D. LOG I.D. PLUG BACK TO OLD TD FORM
LOCATION DESCRIPTION

7 MI NW HALFWAY, NM

WELL IDENTIFICATION/CHANGES

INIT CLASS CHGD FROM D
PD CHGD FROM 11380
FLD CHGD FROM LEA CO UNDESIGNATED
SPOT CHGD FROM SE SW

DRILLING PROGRESS DETAILS

TEXACO INC
BOX 728
HOBBS, NM 88240
505-393-7191
OWWO: OLD INFO: FORMERLY SOUTHERN NEW MEXICO
OIL #3 SOUTHERN CALIF PET FEDERAL. ELEV
3548 GR. SPUD 10/24/63. 13 3/8 @ 899, 8 5/8
@ 4490 W/1700 SX, 4 1/2 @ 11429 W/600 SX. LOG
TOPS: BONE SPRING 7168, WOLFCAMP 10367, STRAWN
11157. OTD 11420. COMP 2/9/64. IFF 417 BOPD.
PROD ZONE: STRAWN 11308-11362. PLUGGED
PRODUCER 11/10/71.
06/01 LOC/1987/
07/05 ABND OWWO

IC# 300257015887

COUNT	LEA	FIELD	Lusk-Strawn	STATE	N.M.
OPR	SOUTHERN NEW MEXICO OIL CORP.				MAP
	3 So. Calif. Pet.-Federal				
	Sec. 29, T-19-S, R-32-E				CO-ORD
	1980' fr S Line & 1980' fr W Line of Sec.				
	Spudded 10-24-63				CLASS
	Completed 2-9-64				EL 3567.8
	FORMATION	DATUM	FORMATION	DATUM	
SG & SX - TUBING	LOG:				
13 3/8" 899'	Del Sd 4645				
8 5/8" 4490' 1700	B Spg 7168				
4 1/2" 11429' 600	Wolfc 10367				
	Strawn				
	11157				
LOGS EL GR RA IND HC A					
	TD 11,430'				

IP Strawn Perfs 11308-362' Flwd 417 BOPD. Pot. Based on 24 hr test thru 15/64" chk., Gravity 50., GOR 1882.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Loffland Bros. Drlg. Co. PROP DEPTH 11,450' TYPE
DATE

F.R. 10-31-63; Oper's Elev. 3547.7' GL
PD 11,450' - Strawn
Contractor - Loffland Bros. Drlg. Co.
11-4-63 TD 4490', prep to run casing.
11-11-63 Drlg. 6400' sd. & sh.
11-18-63 Drlg. 8617' lm.
11-26-63 Drlg. 10364' lm.
12-9-63 TD 11430', prep to perf.
12-16-63 TD 11430', Shut In.
Perf 11308-319', 11330-334', 11345-362', W/4 SPF
Ac. 500 gals (MA)
12-30-63 TD 11430', Shut In.
1-6-64 TD 11430', Shut In.
1-13-64 TD 11430', Shut In.
1-20-64 TD 11430', Shut In.
1-27-64 TD 11430', Shut In.
2-3-64 TD 11430', Shut In.
2-10-64 TD 11430', COMPLETED.