

COUNTY	LEA	FIELD	Wildcat	STATE	NM	OWWO
OPR	AZTEC OIL & GAS COMPANY				MAP	
2 State AJ						
Sec. 1, T-18-S, R-36-E						
660' FSL, 1980' FWL of Sec.						
Re-Spd 6-17-66						
Re-Cmp 11-15-66						
		CLASS		awp		
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING						
13 3/8" 250' 150						
9 5/8" 4990' 270						
5 1/2" 5571' 220						
LOGS EL GR RA IND HC A						
		TD 10740', PBD 5524'				

IP San Andres Perfs 5047-5079' Pmpd 20 BOPD + 190 BW. Pot.
Based on 24 hr test, CP 50#, Gravity 34., GOR 2600.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 5700' TYPE WO
DATE

F.R. 6-16-66; OWWO
Elev. 3796' LS, Orig.
PD 5700' - SA
(Orig. Antweil, Morris R., #1 Jamba, F&A
7-28-64, OTD 10740')

6-20-66 TD 10740', CO @ 1357'.
6-27-66 TD 10740', PBD 5571', swbg.
CO to 5600'
Set 5 1/2" Casing @ 5571' W/220 sx.
Perf 5047-51' W/5 shots; 5072-79' W/1 SPF
Swbd 30 BLW + 20 B Salty Sul Wtr/4 hrs

7-5-66 TD 10740', PBD 5170', RU Pump.
Swbd 60 B Salty Sul Wtr, w/good show gas
& tr. oil in 4 hrs (5047-79')
Acid (5047-79') 500 gals 15%
Perf 5126-31' W/1 SPF
Set Pkr @ 5106'
Swbd 12 BAW + 48 B Salty Sul Wtr/8 hrs (5047-79')

7-5-66 Cont.
Squeezed perfs 5047-5131' W/140 sx.
Drld out to 5170'
Perf 5047-51', 5072-79' W/1 SPF
7-11-66 TD 10740', PBD 5524', tstg.
Pmpd 65 BLW/13 hrs (5047-79')
Drld out to 5524'
Perf 5430-36', 5444-50', 5459-62' W/1 SPF
Set Pkr @ 5100'
Acid (5430-62') 500 gals.
Swbd 40 BLW + 12 BAW/2 hrs (5430-62')
7-18-66 TD 10740', PBD 5524', Tstg.
Pmpd 1 BNO + 16 BW/24 hrs. (5430-62')
Acid (5430-62') 500 gals.
Pmpd 76 BLW/no time (5430-62')

7-25-66 TD 10740', PBD 5524', TO Pump.
Pmpd 3 BNO + 10 B Salt Wtr/24 hrs.
8-1-66 TD 10740', PBD 5524', TO Pump.
Ppd 4 BO + 20 B Salt Wtr/24 hrs.
Acid (5047-79') 2000 gals.
Pmpd 48 BAW, 35 BLW + 50 B FW/24 hrs.
8-8-66 TD 10740', PBD 5524', TO Pump.
Pmpd 125 BW, w. tr. oil in 24 hrs.
8-15-66 TD 10740', PBD 5524', TO Pump.
Set Pkr @ 5113'
Pmpd 135 BW, w/tr. oil in 24 hrs.
8-22-66 TD 10740', PBD 5524', TO Pump.
Pmpd 120 BW, + 1 to 2% oil in 24 hrs.
8-29-66 TD 10740', PBD 5524', SI.
9-6-66 TD 10740', PBD 5524', SI.

9-12-66 TD 10740', PBD 5524', SI.
9-19-66 TD 10740', PBD 5524', SI.
9-26-66 TD 10740', PBD 5524', WO Larger Pump.
10-3-66 TD 10740', PBD 5524', WO Larger Pump.
10-10-66 TD 10740', PBD 5524', TO Pump.
Pmpd 25 BFPH (5% oil)
10-17-66 TD 10740', PBD 5524', SI.
10-24-66 TD 10740', PBD 5524', SI.
10-31-66 TD 10740', PBD 5524', SI.
11-7-66 TD 10740', PBD 5524', SI.
(Final posting)
12-12-66 TD 10740', PBD 5524', COMPLETE.
Perfs 5430-5462' packed off.