

(Unit "A")

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

| | Perry R | | | | TP State | | | | | |
|-----------------|-------------------|------------------|------------------------|-------------------|------------------------|------------------|-------------------------------|--|--|--|
| | | Company or Opera | tor) | | | (Lease) | | | | |
| 'ell No | | | | | | | R. JUE, NMPM | | | |
| | | | | | | | Count | | | |
| ell is | | | | | | | . North lin | | | |
| Section | 16 | If Sta | ate Land the Oil ar | nd Gas Lease No. | is | -8566 | | | | |
| rilling Com | menced | April 3 | 0, | 19. A. Drillin | g was Completed | June | , 27 ₁₉ . 6 | | | |
| | | | | | | | | | | |
| dress | | | 300x 5094 | Midler | d, Texas | | | | | |
| | | | | | | | is to be kept confidential un | | | |
| | | | | | | Ç | • | | | |
| | | | | | | | | | | |
| | | | | L SANDS OR Z | | | | | | |
| • | | | | | | | to | | | |
| o. 2, from | | to | | No. 5 | , from | | to | | | |
| o. 3, from | | to | | No. 6 | , from | | to | | | |
| | | | YMDO | RTANT WATER | CANDS | | | | | |
| aluda data | on mate of th | rater inflow and | elevation to which | | | | | | | |
| | | | | | | feet | | | | |
| | | | | | | | | | | |
| - | | | | | | | | | | |
| | | | | | | | | | | |
| o. 4, from | | | to | •••••• | | teet | | | | |
| | | | | CASING RECO | RD | | | | | |
| | | WEIGHT NEW OR | | KIND OF SHOE | CUT AND PULLED FROM | PERFORATION | ONS PURPOSE | | | |
| SIZE | PER FO | DOT USER | | | | ** | Nome | | | |
| 13=3/8° | ₩ <u>0</u> | ion i | 1105.15 | I JAANGEP | lione | Nome | 80 | | | |
| 9-5/8" | 36 | New | 3833.06 | | | | | | | |
| | | | 1938,21 | | 21,27 | | | | | |
| | | | MUDDING | AND CEMENT | ING RECORD | | | | | |
| | | | | метнор | ING RESCORE | MUD | AMOUNT OF | | | |
| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | USED | G | RAVITY | MUD USED | | | |
| 174 | 13-3/8 | 461.74 | 600 | PLP | | 15.8 | Hole full | | | |
| 123 | 9-5/8 | 4955-61 | 1800 | IE.? | | 15.5 | LISTA TATT | | | |
| | | | | | | | | | | |
| | | (Percent th | RECORD OF | PRODUCTION | | | | | | |
| | | (Record ti | ne i rocess useu, N | 10. 01 Qui. 01 Oa | assa, micrial | industry of Shot | · <i>‡</i> | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Result of Production Stimulation....

RECORD OF DRILL-STEM AND SPECIAL STS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

| Rotary tools w | ere used from | -0- fe | et to 10,320° | feet a | nd from | | feet to | £ | |
|----------------|--------------------------|----------------------------|----------------|---------------------|-----------|----------------------|--------------------|----------------|--|
| | | | feet tofeet | | nd from. | | feet to | | |
| | | | | UCTION | | | | | |
| Put to Produc | ing | | | | | | | | |
| | | | | | | | | | |
| OIL WELL: | | barrels of liquid of which | | | | | | | |
| | was oil; | % w | as emulsion; | emulsion;% water; a | | | % was se | ediment. A.P.I | |
| | Gravity | | ••••••• | | | | | | |
| GAS WELL: | The product | ion during the first 24 | hours was | | M.C.F. 1 | olus | •••••• | harrels o | |
| | | carbon. Shut in Press | | | • | | | | |
| Length of Tin | | | | | | | | | |
| | | | | | | | | | |
| PLEASE | INDICATE | | | NFORMAN | CE WIT | H GEOGI | RAPHICAL SECTION O | | |
| T. Anhy R | astler An | Southeastern Ne 1798 | | | | _ | Northwestern New 1 | | |
| • | | 0000 | T. Devonian | | | | Ojo Alamo | | |
| | | 201.0 | T. Montoya | | | | Kirtland-Fruitland | | |
| | ***** | 27.06 | | | | | Farmington | | |
| | **** | | | T. Pictured Cliffs | | | | | |
| T. Queen | •••••• | 1365 | T. Ellenburger | | | | Point Lookout. | | |
| T. Grayburg | •••••• | | | | T. Mancos | | | | |
| T. San Andre | s | 4905 | T. Granite | | | | Dakota | | |
| | | 1 1 2000 | Т | | | т. | Morrison | | |
| | | 1 3end 5900 | T | | | т. | Penn | | |
| | a Sredno | | T | | | | | | |
| Y. | e Spring | 6733 9690 | T | | | | | | |
| T. PennTo | tal Depti | | T | | | | | | |
| T. Miss | | | T | | | Т. | | | |
| | | 3 | FORMATIC | ON RECO | KD | | | | |
| From T | o Thickness | Form | ation | From | То | Thickness in Feet | Formation | | |
| =O= 3 | 135 315 | Red Rock & | Red Bed | - | | | | | |
| 315 16 | 115 315 170 1355 | Red Bed & A | | | | | | | |
| 1670 18 | 130 | Anhydrite | • | | | | | | |
| | 60 460 | Ambydrite, | | | | | | | |
| 2260 32 | 19 959 | anhydrite ? | | | | | | | |
| | 176 357 194 81.8 | Lime, Gyp & | | | | | | | |
| | SL 70 | Sand & Anhy | | | | | | | |
| 1346k 45 | 79 115 | Anhydrite & | | | 2 | | | | |
| 1579 56 | 63 106 | Lime & Dolo | | | - | | | | |
| | 88 1125 | Dolomite & | Sand | | | | | | |
| | 50 76 2 00 350 | Lime Dolomite & | C housely | | | | | | |
| 7900 96 | 50 1750 | Sand, Shale | | | | | | | |
| 9650 103 | | | sand - Total | eptn | | | | | |
| | | ~ | | | | | | | |
| | | ~ | | | | | - | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

June 30, 1964