

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO.

30-025-20696

Indicate Type of Lease

STATE ☐

FEE ☒

State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

Lease Name or Unit Agreement Name

NORTH HOBBS (G/SA) UNIT

Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER INJECTOR

Name of Operator

ALTURA ENERGY LTD

Well No.

331

Address of Operator

1710 STANOLIND RD. HOBBS NM 88240

Pool name or Wildcat

HOBBS (G/SA)

Well Location

Unit Letter J : 1650 Feet From The SOUTH Line and 2260 Feet From The EAST Line

21 Section

18-S

Township

38-E

Range

NMPM

LEA

County

Elevation (Show whether DF, RKB, RT, GR, etc.)

3647' GL

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ANBANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

NOTIFY NMOCDD BEFORE RIG UP 393-6161

WELL TA'D 11-08-88 CIBP @ 4075' DB 3 SKS TOC @ 4040'

SPOT 35 SKS OF C CMT @ 4040'

PERF 4.5 @ 2810' SQZ 35 SKS OF CMT BOTTOM OF SALT

PERF @ 2000' SQZ 35 SKS OF CMT TOP OF SALT

TEST 4.5 TO 500 PSI

PERF @ 470' PUMP DOWN 4.5 CIRC ANNULUS TO SURF W/ CMT. SURF SHOE PLUG

CUT OFF WELLHEAD & ANCHORS 4' BGL CAP WELL W/ STEEL PLATE. DUE TO WELL IN TOWN WELD INFORMATION ON PLATE 4' BGL

THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
DRILLING OPERATIONS FOR THE C-103
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE AGENT

DATE 01-05-00

TYPE OR PRINT NAME JACK SHELTON

TELEPHONE NO. 915-523-5155

(This space for State Use)

APPROVED BY

ORIGINAL SIGNED BY
JACK SHELTON
FIELD REP. II

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

JAN 06 2000

JK



COMPLETION DATE: 10/ /64

NORTH HOBBS #21-331W
(ANTWEIL HOBBS CT #1)

RECOMPLETION DATE:

LOCATION: 1650' FSL & 2260' FEL

SECTION: 21-J

SATELLITE:

SURVEY: T-18-S, R-38-E

COUNTY: LEA COUNTY, NEW MEXICO

DATUM: 3647' KB G.L. ELEV: 3637'

TD: 4225'

PBD: 4222' ()

CASING RECORD

* CALCULATED AT
50% EFFICIENCY

LOGGING RECORD

SIZE	WEIGHT	DEPTH	CMT.	TOC	HOLE SIZE	DATE	CO.	TYPE	INTERVAL
8 5/8"	20#	450'	250SX	CIRC	11"	11/17/81	SWS	CBL/GR	4159-SURF
4 1/2"	9.5#	4224'	485SX	325° CBL	7 7/8"				

(* ESTIMATED DEPTH)
LOGTOPS

PERFORATIONS AND/OR OPEN HOLE

* NOT OPEN NOW

ZONE	TOP	SUBSEA	DATE	ZONE	DEPTHS	DENS & SIZE
REDBED			11/18/81	G	4185'-87,91-95,4203-06'	12 HOLES
S. ROSA				GU	REPERFED ABOVE W/2 JSPF	24 HOLES
SALT						
YATES						
7 RIVERS						
BOWERS	3360'	+287'				
QUEEN	3580'	+67'				
BYERS	3755'	-108'				
GRYBRG	3955'	-308'				
B. GRAYB	4165'	-518'				

SQUEEZE & REPAIR

DATE	DEPTH	WORK DONE

STIMULATION

(O, W, G)

DATE	ZONE	AMOUNT & TYPE	METHOD	BEFORE	AFTER
10/25/64	GU	1500G, 20000G FRAC & 17000# SMD			
1/31/67	GU	300G AT			
2/18/67	GU	300G AT			
4/08/80	GU	2 DRUMS NALCO 953 SCALE TREAT. W/5G NALCO IIII SURFACANT			
2/09/81	GU	1000G 15% HCL	DUMP ACID JOB	10,6,36	9,30,40
11/18/81	GU	1700G 15% HCL	2 STGS - BTW PKRS		
9/ /84	GU	1000G 15% HCL	DUMP		

GRYBRG

= 4185' -
= 4206'

4 1/2"

> 4224'

TD: 4225'

OPT

DATA AVAILABLE: DST CORE PVT OTHER

REMARKS: INJ. EQUIP: 6" 900 SERIES TBG HEAD SPOOL. GRAY OIL TOOL 4 1/2" GUIB UNI-PKR-VI, NICKLE PLATED @ 4103'. 3 3/4" OD XL ON/OFF TOOL, NICKLE PLATED. 1.78" PROFILE NIPPLE, NICKLE PLATED @ 4095'. 2 3/8" X 2 7/8" CROSSOVER SUB, NICKLE PLATED. 130 JTS 2 7/8" EVE 8RD DUOLINE HT TBG. PKR FLUID/VISCO 3900. CORD 4125-4219'. DEVIATION. DATE: 6/14/85 DYD







HIGHWAY

LOVINGTON

*Loc. 21-331W
Shell Western E & P, Inc.
D. F. W. Co. Inc.
For line to east*



LEGEND

- SPS POWER LINES
- SHELL POWER LINES
- UNDERGROUND WIRE TO PANEL BOX
- O POLE

NOTE: All Field Work Furnished by
Shell Western E & P, Inc.

