COUNTY LEA	FIELD Vacuum	
9 State of No.		STATE N.M.
1660' fr N L	<u>R-34-E</u>	МАР
	∝ 660' fr E Line of	Sec. CO.ORD
Comp 11-12-64 CSG & SX - TUBING 8 5/8" 1462'	FORMATION	CLASS EL 39942 DATUM FORMATION DATUM
2 7/8'' 6849'	650 <u>Yates 2772</u> 900 <u>Glor 5920</u>	DATUM
LOGS EL GR RA IND HC		
IP Glori	TD 68501	840'
IP Glorieta Perfs 605: test of 90 BO thru 14/ 484.	5-67' F1wd 180 BOPD. /64" chk., TP 300#, ε	Pot. Based on 12 hr gravity 38.6, GOR
	ed and publication prohibited by subs hts reserved by Williams & Lee Scou PROP D	
	PROP DI	ЕРТН 6850 ' ТҮРЕ
		_

er e constant

10-26-64 11-2-64 11-9-64 11-16-64	F. R. 8-27-64. PD 6850' - Glorieza. Drlg. 3475'. Yates, Gas Blowing. Drlg. 5745'. TD 6850', rung. csg. TD 6850', PBD 6840', COMPLETED. Perf @ 6053', 6057', 6061', 6067' Ac. 500 gals. Swbd 26 BNO + 10 BLW in 2½ hrs. Re-Ac. 1000 gals, 6053-6067'.	W/ 1	SPI

~

OIL CONSERVATION COMMISSION P. O. BOX 871 SANTA FE, NEW MEXICO

November 5, 1964

Texaco Inc. Drawer 728 Hobbs, New Mexico

Attention: Mr. J. G. Blevins, Jr.

Gentlemen:

Reference is made to your letter dated October 30, 1964, wherein you request authority to complete your State of New Mexico "L" Well No. 9 located 1650 feet from the North line and 660 feet from the East line of Section 1, Township 18 South, Range 35 East, Lea County, New Mexico, as a tubingless completion in the Vacuum-Glorieta Pool.

It is our understanding that 2 7/8-inch casing will be set at approximately 6850 feet and perforated from approximately 6100 to 6120 feet in the Glorieta formation. Sufficient cement will be used to come back into the intermediate casing string.

Texaco Inc. is hereby authorized to complete the subject well in the aforesaid manner.

Very truly yours,

A. L. PORTER, Jr. Secretary-Director

ALP/DSN/esr

cc: Oil Conservation Commission - Hobbs Oil & Gas Engineering Committee - Hobbs October 30, 1964

New Mexico Oil Conservation Commission P. 0. Box 2088 Santa Fe, New Mexico

> Re: Application for Single Tubingless Completion, State of New Mexico "L" Well No. 9, Vacuum (Glorieta) Pool, Lea County, New Mexico.

. :

4.11.11.2

30

ÛCT ైం

Attention: Mr. A. L. Porter, JL.

Gentlemen:

Jan-bh C_{C ;}

MOCC-Hob

Marathon O1 to. Shell Oll Con.

1.

TEXACO Inc. respectfully requests Administrative approval of an exception to New Mexico Oil Conservation Commission Rule 107(e) for the State of New Mexico "L" Well No. 9. This well is a proposed single tubingless completion in the Vacuum (Clerveta) Pool, and is located 1650 feet from the north line and 660 feet from the east line of Section 1, T-185, R-35E, Lea County, New Mexice.

The production casing string will be 2-7/8" O.B. set at approximately 6850 feet in a 7-5/8" hole. Completion will be through perforations from approximately 6100 to 6120 feet in the Gloriete

It is anticipated that this completion will flow initially and that no severe corrosion or paraffin problems will be encountered. This zone has been approved by the New Mexico Oil Conserva-

tion Commission as a single tubingless completion in this area. An instance is the State of New Mexico "O" (NCT-1) Well No. 15, Order

Attached is a diagrammatic sketch of the proposed tubingless vtion and a plat showing the location of all wells on the State Mexico "L" Lease and all offset wells along with the names and vs of all offset operators. A copy of this request is being app date to all offset operators by registered mail.

Your early consideration of this request would be greatly

Yours very truly, J.G. Bleving, Jr.

Assistant District Superintendent

R-34-E



Plat of TEXACO Inc. State of New Mexico "L" Lease Lea County, New Mexico Scale 1" = 2000'

1

LEGEND

D - Vacuum - Drinkard A - Vacuum - Abo De- Vacuum - Devonian

- P Vacuum Pennsylvanian
- W Vacuum Wolfcamp B Vacuum Blinebry
- G Vacuum Glorieta

Note: Wells not noted are in the Vacuum Pool

OFFSET OPERATORS

Shell Oil Corp., Box 1858, Roswell, N.M. Marathon Oil Co., Boz 22Q Hobbs, N. M.