and the second s
<u> </u>
Level Committee of the
Service and the first of the fi
\$ 3.50 to 5 50
Large commercial ESTA (Commercial Commercial
[10]
13.555
FANA TECHT
4 · · · · · · · · · · · · · · · · · · ·
1 11 AFAP: W14 B
PROVATION OFFICE
,
CARRETTE

## NEW ML...CO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOBBS OFFICE O. C. C.

P. O. Box 3109,

Address

Midland, Texas

# NOTICE OF INTENTION TO LINE 3 18 PH 54

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies. Attach Form C-128 in triplicate to first 3 copies of Form C-101.

f.rst 3 cc	ppies of	Form (	C-101.				
****	خر <b>در</b> ۱۹۳۹	land	, Texas	· · · · · · · · · · · · · · · · · · ·	Apri	11 2, 1964	
OIL CON SANTA E	NSERVA	TION	COMMISSION			(Date)	
Gentlemo	en:						
Y	ou are 1	nereby	notified that it TEXACO		_	ell to be known as	
Sta	te of	New	Mexico "	L <sup>11</sup> (Compan	y or Operator), Well No8	, inG	The well i
		-	East	eline of Section	on <u>l</u> , T <u>-18-</u>	-S , R <u>-34</u> .	E (SW/MPXI/4)
(GIVE L	OCATIO	N FRO	OM SECTION L	INE) Vacuum Gl	<u>orieta</u> Pool,	Le:	<u>3</u> Count
D	С	В	A	If patented land the	il and Gas Lease is No.		- Agreement
E	F	G	Н	We propose to drill	well with drilling equip	ment as follows:	
L	The status of plugging bond is \$10,000 blanket surety bond  Maryland Casualty Co. filed with State Geologis  Drilling Contractor Unknown at present						
M	N	0	Р		ete this well in the		a 750 fee
<b>L</b>	L		· · · · · · · · · · · · · · · · · · ·		PROGRAM		166
We pro	opose to	use th	ne following str	ings of Casing and to ce			
Size	of Hole		Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
			SEE	ATTACHED SHEET	TOR CASING PRO	)GRAM	
			-	me advisable we will not ecompletion give full det		work.)	
						· -	
			2	2			
Approved				. 19	Sincerely yours,		
Except a		5:	.,		TREXACO	INC.	
		81	. * /	<b>~</b> .		Company or Operato	
						on Civil Eng	<del></del>
	Olle	ONSEF	EVATION COM	MISSION		. Markley	

#### CASING PROGRAM

We proposed to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
15"	11-3/4"	42, 23.72, & 31.20	New	1490'	1000*
10-5/8"	8-5/8"	24 & 32	New	3300'	350**
7-5/8"	2-7/8"	6.5	New	6750'	1400***
			:		
	3				

<sup>\* 800</sup> Sacks Class "C" 4% gel, followed by 200 Sacks Class "C" neat, all with accelerator. Circulate Cement.

## FORMATION TOPS EXPECTED

Anhydrite	1,445
Top of salt	1,565'
Base of salt	2,615'
Yates	2,790'
San Andres	4,300
Glorieta	5,770
Blinebry Marker	6,455
Total Depth	6,750

<sup>\*\* 200</sup> Sacks Class "C" 8% gel, followed by 150 Sacks Class "C" neat. This volume should tie into base of salt.

<sup>\*\*\*</sup> Externally clean casing & install centralizers & scratchers from 5600'TD.

Coment with 1400 Sacks Class "C" 4% gel, with friction reducing agent in the first 500 sacks. Follow cement with 500 gallons medium strength acetic acad.

# NEW MEXICO OIL CONSERVATION COMMISSION

WELL LOCATION AND ACREACE DEDICATION PERF OFFICE D. C. C.

	222 11131110011	SECTIONS FOR COMPLETING		NE KEYE	# 3A 5 3	18 PH '64
Operator		Lense			·	Well No.
	O Inc.	<del></del>	cate of Now N	extco "ا	_n	8
Unit Letter Se	ction Townshi	P Rang		ounty	<b>T</b>	
Actual Cootage Loca		bouch	3h East	<del></del>	Lea	
	et from the North	line and 188	O feet fr	om the	East	line Sec. 1
Ground Level Elev.	Producing Formation	Pool			Dec	licated Acreage:
3987	Glorieta	Va	cuum Gloriet	a		40 Acres
who has the right another. (65-3-; 2. If the answer to question wise? YES	e only owner in the dedicate of drill into and to product (29 (c) NMSA 1935 Comp.) destion one is "no," have in the NO If answer is destion two is "no," list	the interests of all the "yes," Type of Consol	ppropriate the products been conscitution	olidated by	er for himself	
			Land Description			
	SECT	ION B			, A E i	RTIFICATION
			is <u>giriskandurbub</u> 	11111(-)	CER	TIFICATION
5 °2 State of Ne	W Mexico "M"		27	ir P b	SECTION A	ty that the information above is true and com- est of my knowledge and . Velten
TEXACO I	nd. Lse.		1	E P	osition	A
. 4	1	1 0 8 Total	3 160.9 Ac.	C	ompany TE	Civil Engineer  XACO Inc.  /2/64
	(	1)		<b>~~</b> 5		
3	8	7 o Mexico "R" NCT-	Karkers 6	sh pl su su	own on the potted from field received from the potter from the pervision, and the pervision of the pe	that the well location lat in SECTION B was eld notes of actual by me or under my dd that the same is true
			ر 		d correct to t d belief.	he best of my knowledge
<b>11</b>	TEXACO In	12 °	13	Da Re	te Surveyed	l4/1/6l4 fessional Engineer
G 330 660 990	1320 1650 1980 2310 2	640 2000 1500	1000 500		J. S.	Velten 8174