

DEVIATION SURVEYS

1/4 Deg. @ 804'	2 Deg. @ 4214'
1/4 Deg. @ 1300'	2 Deg. @ 4264'
3/4 Deg. @ 1825'	3/4 Deg. @ 4591'
3/4 Deg. @ 2297'	1-3/4 Deg. @ 4967'
1 1/4 Deg. @ 2600'	2 Deg. @ 5190'
2 1/4 Deg. @ 2889'	1-3/4 Deg. @ 5620'
1-3/4 Deg. @ 3015'	2-3/4 Deg. @ 5830'
2 Deg. @ 3170'	2-3/4 Deg. @ 6215'
1 Deg. @ 3242'	2 1/2 Deg. @ 6390'
1-3/4 Deg. @ 3605'	2-3/4 Deg. @ 6565'
2 Deg. @ 3808'	2-3/4 Deg. @ 6920'
2 Deg. @ 4058'	2-3/4 Deg. @ 6971'
2 Deg. @ 4095'	3 Deg. @ 7157'
	TD 7490'

The above tabulation represents the deviation surveys run on the Gose #1 Graham State, Section 25-18N-36E and is true and correct to the best of my knowledge.

C. L. Washburn
C. L. Washburn

Steve Gose Oil & Gas Producer

Subscribed and sworn to before me this 23 day of March 1965.

Colbert Kane
Colbert Kane

Notary Public in and for Wichita

County, Texas

DEVIATION SURVEYS

1/4 Deg. @ 804'	2 Deg. @ 4214'
1/4 Deg. @ 1300'	2 Deg. @ 4264'
3/4 Deg. @ 1825'	3/4 Deg. @ 4591'
3/4 Deg. @ 2297'	1-3/4 Deg. @ 4967'
1 1/4 Deg. @ 2600'	2 Deg. @ 5190'
2 1/4 Deg. @ 2889'	1-3/4 Deg. @ 5620'
1-3/4 Deg. @ 3015'	2-3/4 Deg. @ 5830'
2 Deg. @ 3170'	2-3/4 Deg. @ 6215'
1 Deg. @ 3242'	2 1/2 Deg. @ 6390'
1-3/4 Deg. @ 3605'	2-3/4 Deg. @ 6565'
2 Deg. @ 3808'	2-3/4 Deg. @ 6920'
2 Deg. @ 4058'	2-3/4 Deg. @ 6971'
2 Deg. @ 4095'	3 Deg. @ 7157'
	TD 7490'

The above tabulation represents the deviation surveys run on the Gose #1 Graham State, Section 25-18N-36E and is true and correct to the best of my knowledge.

C. L. Washburn
C. L. Washburn

Steve Gose Oil & Gas Producer

Subscribed and sworn to before me this 23 day of March 1965.

Robert E. Kent
Notary Public

Notary Public in and for Wichita

County, Texas

