

COUNTY	LEA	FIELD	Vacuum-Glorieta	STATE	N.M.
OPR	TEXACO INC.				
	8 State of New Mexico "R" (NCT-1)				
	Sec. 6, T-18-S, R-35-E				
	330' fr N Line & 660' fr E Line of Sec.				
	Spud 9-11-64				
	Comp 10-5-64	CLASS			
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX . TUBING		LOG:			
11 3/4" 1515' 1000		Glor	5976		
2 7/8" 6850' 1400		Bli	6642		
LOGS EL GR RA IND HC A					
	TD 6850', PBD 6820'				

IP Glorieta Perfs 6092-6106' Swbd 108 BOPD + 11 BW. Pot. Based on 24 hr test, gravity 37.4, GOR 540.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	6850'	TYPE
DATE			

	F. R. 8-13-64.
	PD 6850' - Glorieta.
9-14-64	TD 1515', WOC.
9-21-64	TD 4323', fshg.
9-28-64	Drlg. 6628'.
10-5-64	TD 6850', PBD 6820', COMPLETED.
	Perf (Glorieta) @ 6092', 6096', 6100', 6104',
	6106' W/2 SPI
	Ac. 1000 gals.

OWWO

COUNTY LEA FIELD Vacuum STATE NM 30-025-21108

OPR TEXACO INC. MAP

8 New Mexico "R" State NCT-1

Sec 6, T-18-S, R-35-E CO-ORD

330' FNL, 660' FEL of Sec.

	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
Re-Cmp 11-27-68				
CSG & SX - TUBING				
11 3/4" at 1515' w/1000 sx				
2 7/8" at 6850' w/1400 sx				
LOGS EL GR RA IND HC A				
	TD 6850'; PB 6820'			

NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 6224' TYPE WO

F.R.C. 1-2-69
Opr's Elev. 3984' DF
(Orig. comp 10-5-64 thru (Glorieta) Perfs
6092-6106', OTD 6850', OPB 6820')
12-30-68 TD 6850'; PB 6820'; COMPLETE
Perf 6134-38', 6192-96', 6206-10', 6220-24'
w/2 SPF
Acid (6134-6224') 2000 gals (28%)
1-2-69 COMPLETION REPORTED

OIL CONSERVATION COMMISSION

P. O. BOX 571

SANTA FE, NEW MEXICO

RECEIVED
OCT 13 1964

October 9, 1964

C
O
P
Y

Texaco Inc.
Drawer 728
Hobbs, New Mexico

Attention: Mr. H. D. Raymond

Gentlemen:

Reference is made to your letter dated September 30, 1964, wherein you request authority to complete your State of New Mexico "T" (NCT-1) Well No. 8 located 330 feet from the North line and 660 feet from the East line of Section 6, Township 18 South, Range 35 East, Lea County, New Mexico, as a tubingless completion in the Vacuum Glorieta Pool.

It is our understanding that 2 7/8 inch casing will be set at approximately 6850 feet and perforated from approximately 5900 feet to 6000 feet in the Glorieta formation. Sufficient cement will be used to come back into the intermediate casing string.

Texaco Inc. is hereby authorized to complete the subject well in the aforesaid manner.

Very truly yours,

A. L. Porter, Jr.
Secretary-Director

ALP:DSN:sg

cc: Oil Conservation Commission - Hobbs (with enclosure)
Oil & Gas Engineering Committee - Hobbs

MAIN OFFICE
OCT 1 PM 1:10

RECEIVED
OCT 1 1964

September 30, 1964

New Mexico Oil Conservation Commission
P. O. Box 2088
Santa Fe, New Mexico

Re: Application for Single Tubingless
Completion, State of New Mexico "R"
(NCT-1) Well No. 8, Vacuum (Glorieta)
Pool, Lea County, New Mexico

ATTENTION: Mr. A. L. Porter, Jr.

Gentlemen:

TEXACO Inc. respectfully requests administrative approval of an exception to New Mexico Oil Conservation Commission Rule 107 (e) for State of New Mexico "R" (NCT-1) Well No. 8. This well is a proposed single tubingless completion in the Vacuum (Glorieta) Pool, and is located 330 feet from the north line and 660 feet from the east line of Section 6, T-18-S, R-35-E, Lea County, New Mexico.

The production string will consist of 2-7/8" O. D. casing set at approximately 6850 feet in a 7-7/8 inch hole. Completion will be through perforations from approximately 5900 feet to 6000 feet in the Glorieta formation.

This zone has been approved by the New Mexico Oil Conservation Commission as a tubingless completion in other single completions in this area. An instance is TEXACO Inc. State of New Mexico "N" Well No. 7.

Attached is a diagrammatic sketch of the proposed tubingless completion and a plat showing the location of all wells on the State of New Mexico "R" (NCT-1) Lease and all offset wells along with the name and addresses of all offset operators. A copy of this request is being sent this date to all offset operators by registered mail.

Your early consideration of this request would be greatly appreciated.

Yours very truly,


H. D. Raymond

Assistant District Superintendent


WPY/om

cc: NMOCC, Hobbs
Offset Operators

Attachments

Diagrammatic Sketch of Single Tubingless Completion

NOTE: 2-7/8" casing to be cemented with 1400 sacks Class "C", 4% gel, cement. Cement volume equals 136% of calculated annular volume from TD to base of salt.



TEXACO Inc.

Lease: State of New Mexico "R" (NCT-1) Well No. 8
Field: Vacuum (Glorieta)
Date: September 30, 1964