

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-025-21425
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. 8-1306-1
7. Lease Name or Unit Agreement Name: NM R NCT-11-1 Vacuum Glorieta West Ut
8. Well No. 129
9. Pool name or Wildcat Vacuum Glorieta

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Texaco Exploration & Production, Inc.

3. Address of Operator
P. O. Box 3109, Midland, Texas 79705

4. Well Location
Unit Letter H : 1650 feet from the North line and 990 feet from the East line
Section 6 Township 18S Range 35E NMPM Lea County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPLETION ☐	CASING TEST AND CEMENT JOB ☐	
OTHER: ☐		OTHER: ☐	

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.
- Set 2 7/8" CIBP @ 6025' (Glorieta) Fill 2 7/8" Csg w/110 Sx plug 6025'-1550'. WOC Tag
 - Perf 6 holes @ 1550', Sqz 125 Sx 1550'-1100' (10 3/4" shoe T-Salt) WOC Tag
 - If unable to pump into fill 2 7/8" Csg w/40 Sx plug 1550'-Surf, (Plug spotted in 1975 behind 2 7/8" X 10 3/4" 300 Sx 1550'-830', No Records of Cmt Top)
 - Displace hole w/MLF 9.5# Brine 25# gel P/BBL
 - 5 Sx Surf 30'-Surf. Install dry hole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE James T. Corbett TITLE FACILITY ENG DATE 2/28/01
Type or print name JAMES T. CORBITT Telephone No. 688-4438
(This space for State use)


APPROVED BY Harry W. Wink TITLE FIELD REP. II DATE 5/1/01
Conditions of approval, if any: dp

PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR TEXACO Exploration & Production
LEASENAME NM R NCT-1

SECT 6 TWN 18 S RNG 35 E
FROM 1650 (N/S L) 490 (E/W L)
TD: 6250 FORMATION @ TD
PBD: 6221 FORMATION @ PBD Glorie



	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	103/4	1497'	SURF	Circ
INTMED 1				
INTMED 2				
PROD	27/8	6247	1347	CALC
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @			TOP - BOTTOM
INTMED 1			PERFS	6078 - 6090
INTMED 2			OPENHOLE	-
PROD				

*REQUIRED PLUGS DISTRICT I

PLUGGER (ANYED)	
TATE	
GREEN	
MURRAYBURG	
MAN ANDER	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BURNETT CANYON	
BONE BURN	
OLORGETA	
BLANTIER	
TUBS	
ORDRECARD	
ALBO	
WC	
FRIN	
STRAWN	
AYOKA	
MOBBOW	
MIN	
DE VOMER	

PLUG	TYPE	BACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLE			
PLUG #1	OH	33 SXS	6400'
PLUG #2	SHOE	50 SXS	3350'-3450'
PLUG #3	CIBP/33'		4800'
PLUG #4	CIBP	25 SXS	4800'
PLUG #5	STUB	50 SXS	3600'-3700'
PLUG #6	REINR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8	CIBP	110 SX	6025-1550
PLUG #9	103/4 S	125 SX	1550-1100
PLUG #10	SURF	10 SX	10' - SURF
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			

TD 6250

