

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

HOBBS OFFICE O. C. C.  
 NEW MEXICO OIL CONSERVATION COMMISSION  
 Orig & 2cc: OCC, Hobbs  
 cc: Regional Office  
 cc: file  
 cc: State Land Office

Form C-103  
 Supersedes Old  
 C-102 and C-103  
 Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. E-1582

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)	
1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <b>Saltwater Disposal Well</b>	7. Unit Agreement Name
2. Name of Operator <b>Sinclair Oil &amp; Gas Company</b>	8. Farm or Lease Name <b>Sinclair Vacuum SWD System</b>
3. Address of Operator <b>P. O. Box 1920, Hobbs, New Mexico</b>	9. Well No. <b>1</b>
4. Location of Well UNIT LETTER <b>0</b> <b>735</b> FEET FROM THE <b>South</b> LINE AND <b>2055</b> FEET FROM THE <b>East</b> LINE, SECTION <b>16</b> TOWNSHIP <b>18S</b> RANGE <b>35E</b> NMPM.	10. Field and Pool, or Wildcat <b>Undesignated</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3915 GR</b>	12. County <b>Lea</b>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
 NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐  
 TEMPORARILY ABANDON ☐  
 PULL OR ALTER CASING ☐  
 OTHER ☐

PLUG AND ABANDON ☐  
 CHANGE PLANS ☐  
 OTHER ☐

SUBSEQUENT REPORT OF:  
 REMEDIAL WORK ☐  
 COMMENCE DRILLING OPNS. ☐  
 CASING TEST AND CEMENT JOB ☐  
 OTHER **Re-enter P&A well and convert to SWD** ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 11-22-66 Remove dry hole marker, drill cement 0-18", displace heavy mud w/water to 3810'.  
 to Drill cement 3810-4003'. Wash to 5422', drill cement 5422-5463' and wash to 6697'.  
 11-24-66 Drill cement 6697-6720'. Spot 70 sacks cement (Encore) plus 15# sand per sack  
 6720-6600'. WOC 24 hrs. Pressure test casing to 1000# for 30 mins. Tested OK.  
 11-25-66 Ran tubing and washed to BTD 6608'. Spotted 6000 gals. reg. acid in open hole  
 @ 5076' to 6000#, acidized open hole 3990-6608' Max. Press. 1500# @ 3-1/4 BPM, ISIP  
 1400#, 7 mins. SIP 1100#. Ran 3-1/2" OD EUE 9.30# SS J-55 Tubing (plastic coated)  
 and set in packer @ 3850' inside 9-5/8" OD casing. Injected 15 bbls. fresh water  
 into open hole 3990-6608' Yates Queen and San Andres-Deleware, 1 BPM @ 1100#,  
 injected 15 bbls. fresh water 2 BPM @ 1200#, injected 15 bbls. fresh water 3 BPM  
 @ 1300#. Completed as Saltwater Disposal Well effective 11-25-66.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Leo Brown TITLE Superintendent DATE 12-1-66

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: