

30-025-21662

OWWO
 COUNTY LEA FIELD Gorbin STATE NM MN 21662
 OPR CITIES SERVICE OIL CO. LIAP
4 Cockburn "A" State
Sec 32, T-17-S, R-33-E CO-ORD
990' FNL, 1980' FEL of Sec

Re-Cmp 5-16-72		CLASS <u>OWDF</u> EL <u>40642</u>	
CSG & SX - TUBING	FORMATION	DATUM	DATUM
13 3/8" at 334' w/320 sx			
8 5/8" at 2899' w/500 sx			
4 1/2" at 8819' w/700 sx			
LOGS EL GR RA IND HC A			
TD 8820'; PBD 8814'			

(Abo) Perfs 8600-95' NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 8695' TYPE WO
 DATE

F.R.C. 7-8-72; Opr's Elev. 4064' DF
 PD 8695' WO (Abo)
 (Orig. comp 3-28-66 thru Perfs 8632-95', OTD 8820',
 OPB 8814')
 7-5-72 TD 8820'; PBD 8814'; COMPLETE
 Perf @ 8600', 8611', 8614', 8626' w/2 SPI
 Acid (8600-95') 3000 gals
 Ppd 7 BO + 2 BW in 24 hrs, GOR 1000 (8600-95')
 7-8-72 COMPLETION REPORTED

COUNTY	LEA	FIELD	Corbin-Abo	STATE	NM
OPR	CITIES SERVICE OIL COMPANY				MAP
	4 Cockburn "A" State				
	Sec. 32, T-17-S, R-33-E				CO-ORD
	990' FNL, 1980' FEL of Sec.				MN 21662
	Spd 2-24-66		CLASS	EL	
	Cmp 3-28-66		FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING					
13 3/8"	334'	320			
8 5/8"	2899'	500			
4 1/2"	8819'	700			
LOGS EL GR RA IND HC A					
			TD 8820', PBD 8814'		

1P Abo Perfs 8632-95' Swbd 135 BOPD + 21 BLW. Pot. Based on
24 hr test, gravity 37.6, GOR TSTM.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Cactus	PROP DEPTH	8950'	TYPE
DATE				

F.R. 2-17-66
PD 8950' - Abo
Contractor - Cactus
2-29-66 TD 2900', prep to run casing.
3-7-66 Drlg. 5340'.
3-14-66 Drlg. 7410'.
3-21-66 Drlg. 8755'.
DST 8645-8710', open 2 hrs,
GTS 12 mins @ 389 MCFGPD,
Rec 1153' oil (Gravity 37.6)
1 hr 30 min ISTIP 2341#, FP 117-329#,
1 hr 30 min FSIP 2014#.
SAMPLE TOP: Abo 8359'.

LEA Corbin-Abo NM Sec. 32-17S-33E
CITIES SERVICE OIL CO., #4 Cockburn "A" State Page #2

3-28-66

TD 8820', PBD 8814', COMPLETED.

Perf (Abo) @ 8632', 8638', 8653',
8656', 8665', 8667', 8671', 8674',
8678', 8690', 8695' W/1 SPI

Ac (8632-95') 5000 gals.

LOG TOPS: Anhydrite 1290', Yates

2644', Queen 3655', San Andres 4445',

Yesc 6075', Abo 8310', Abo Reef

8600', Ease Reef 8700'.