

COUNTY LEA FIELD Undesignated STATE NM
 OPR APOLLO OIL CO. API EN 21877
 NO 1 LEASE Lee MAP
Sec 2, T18S, R35E CO-ORD
1980 FNL, 2310 FEL of Sec 6-2-28 NM
5 mi SE/Buckeye ResPD 12-17-80 ReMAP 5-2-81

CSG	WELL CLASS: INIT DD FIN DO LSE CODE			
	FORMATION	DATUM	FORMATION	DATUM
	13 3/8-334-300 sx			
	8 5/8-3585-231 sx			
	5 1/2-9200-1900 sx			
	2 7/8-8730			
	ID 9200 (ABO)		PBD 8760	

IP (Abo) Perfs 8688-8710 P 96 BOPD + 5 BW. Pot based on
 24 hr test. COR 1302; gty 38

CONTR Marc #791 OPRSELEV 3895 GL, 3906 KB sub-s 11

W.R. 12-8-80 OWDD
 PD 9250 RT (Abo)
 (Orig. Hanagan Petroleum Corp., DAA 10-25-66,
 OTD 9050)
 2-3-81 TD 9200; Swb;
 deepened 9050-9200
 Ran 5½ csg
 Perf (Abo) 9010-20, 9026-50, 9054-80 w/66 shots
 (overall)
 Acid (9010-80) 1850 gals
 Frac (9010-80) 4000 gals + 600# rock salt +
 15,000 SCF N₂
 Added 60 BF (10% oil) (9010-80)
 2-9-81 TD 9200; WO Elect
 3-3-81 TD 9200; Prep BOP
 3-10-81 TD 9200; Ppg lg
 4-1-81 TD 9200; Ppg

6-2-81

LEA
APOLLO OIL CO.

Undesignated
1 Lee
Sec 2, T18S, R35E

NM
Page #2

4-1-81 Continued
Ppd 195 BW in 24 hrs (9010-80)
4-15-81 TD 9200; PBD 8760; SI
PB to 8760
Perf (Abo) 8688-8710 (overall)
4-29-81 TD 9200; PBD 8760; Ppg
Acid (8688-8710) 4500 gals
5-4-81 TD 9200; PBD 8760; SDR
5-18-81 TD 9200; PBD 8760; Prep Frac
6-2-81 TD 9200; PBD 8760; WOSP
Frac (8688-8710) 30,000 gals + 72,000# sd
6-8-81 TD 9200; PBD 8760; Complete

6-2-28 NM

6-8-81 Continued
LOG TOPS: Rustler Anhydrite 800, Salt 1720,
Base Salt 3390, Yates 4200, Grayburg 4855,
San Andres 5308, Abo 8688
LOGS RUN: CBND, VD, CNL, ACCL, GRL
6-13-81 COMPLETION ISSUED

6-2-28 NM
IC 30-025-70594-80

LEA Buckeye 101 Sec. 2-18S-35E
HANAGAN PETROLEUM CORPORATION, #1 Lee Page #2

10-31-66 Cont.
LOG TOPS: Yates 311', Queen 4186',
Grayburg 4673', San Andres 5081', Bone
Spring 5244', and 5290'.