

COUNTY	LEA	FIELD	Wildcat	STATE	NM
OPR	AZTEC OIL & GAS CO.				MAP
1 Federal "M"					
Sec. 27, T-18-S, R-33-E				CO-ORD	
1980' FSL, 990' FWL of Sec.				MN 21893	
Spd 10-28-66; Cmp 1-25-67 (Strawn) CLASS					
Cmp 1-25-67 (Morrow)					
CSG & SX - TUBING		FORMATION	DATUM	FORMATION	DATUM
13 3/8"	354'	350			
8 5/8"	5109'	900			
5 1/2"	13315'	1250			
LOGS EL GR RA IND HC A		TD 13316'; PBD 13268'			
IP Strawn Perfs 12254-316' Flwd 432 BOPD. Pot. Based on 24 hr test thru 20/64" chk., TP 1150#, CP 100#.					
IP Morrow Perfs 13138-200' Flwd 1100 MCFGPD. Pot. Based on 24 hr test thru 24/64" chk., SITP 3460#.					
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.					
CONT.	PROP DEPTH 13,600' TYPE RT				
DATE					

F.R. 10-20-66; Opr's Elev. 3804' DF
 PD 13,600' - Morrow

10-31-66 Drlg. 1949'.
 11-7-66 Drlg. 4532'.
 11-14-66 Drlg. 6520'.
 11-21-66 Drlg. 8412'.
 11-28-66 Drlg. 10210' lm.
 DST 9100-42', open 1 hr,
 rec 130' Sli GCM + 140' Sli GC Form Wtr,
 1 hr ISIP 2360#, FP 70-140#,
 1 hr FSIP 1755#.

12-5-66 Drlg. 10905'.
 DST 10485-570', open 3 hrs,
 GTS 1 hr 10 mins,
 Rec 180' Sli MCO + 1740' Salt Wtr,
 ISIP 1976#, FP 346-1056#, FSIP 1277#.

12-12-66 Drlg. 11703' 1m & sh.
9-66 TD 12300', on DST.
1-3-67 TD 13316', rng logs.
DST 12209-300', open 4 hrs 45 mins,
GTS 20 mins, M&WBTS 40 mins, OTS 45 mins,
Flwd 12 BO in 30 mins thru 18/64" chk.,
FP 900#;
Flwd 70 BO in 3 hrs 30 mins thru 14/64"
chk., FP 1750#,
Rev out 75 BO,
1 hr 30 min ISIP 6977#, FP 1611-4767#,
2 hr 40 min FSIP 6845#.
DST 12325-450', open 2 hrs,
Rec 1000' Sli GCWB + 100' HCCM,
1 hr ISIP 2963#, FP 531-564#,
1 hr FSIP 2832#.

1-9-67 TD 13316', PBD 13268', prep perf.
1-16-67 TD 13316', PBD 13268', SI.
Perf (Morrow) 13138-148', 13156-170', 13174-
182', 13190-200' W/4 SPF
Acid (13138-200') 500 gals.
Acid (13138-200') 2000 gals.
Swbd 32 BLW + 20 BAW/no time.
Flwd 425 MCFGPD + 1/2 B Cond. PH (13138-200')
SI 18 hrs, TP 3550#.
1-23-67 TD 13316', PBD 13268', tstg.
Perf (Morrow) 13156-170', 13174-182', 13190-
200' W/4 SPF
Flwd 600 MCFGPD for 7 hrs thru 3/4" chk. +
3/4 B Cond. PH, TP 100# (13138-200')
6 hr SITP 2900#.

1-23-67 Cont.
Perf (Strawn) 12254-264', 12292-304',
12306-316' W/4 SPF
Flwd 55 BLO in 3 hrs thru 3/4" chk., TP 50#
Flwd 48 BLO in 3 hrs thru 18/64" chk. &
died.
14 hr SITP 950#, SICP 200#.
1-30-67 TD 13316', PBD 13268', tstg.
Acid (12254-316') 2000 gals.
Flwd 432 BO in 24 hrs thru 20/64" chk., TP
1150#, GOR 1600. (12254-316')
Flwd 500 MCFGPD thru 1/2" chk., TP 100#;
+ 1/2 B Cond. PH (13138-200')
Strawn Complete
2-6-67 TD 13316', PBD 13268', WO Morrow Potential.
2-13-67 TD 13316', PBD 13268', COMPLETE.

LOG TOPS: Anhy 1425', B/Salt 2840', Yates
3125', Queen 4230', Wolfcamp 10518', Strawn
12057'.

OWDD

COUNTY	LEA	FIELD	Corbin, South	STATE	NM	MN	21895
OPR	AZTEC OIL & GAS CO.						MAP
	1 Federal "M"						
	Sec 27, T-18-S, R-33-E						CO-ORD
	1980' FSL, 990' FWL of Sec.						
	Re-Spd 12-1-69						CLASS
	Re-Cmp 3-3-70						OWDF
	FORMATION	DATUM	FORMATION	DATUM			
CSG & SX - TUBING							
13 3/8" at 354' w/350 sx							
8 5/8" at 5109' w/900 sx							
5 1/2" at 13,315'							
w/1250 sx							
LOGS EL GR RA IND HC A							
	TD 13,406'						

IP (Morrow) OH 13,315-406' CAOF 14,896 MCFGPD, GOR 21,800,
 Grav (Gas) .660, Grav (Cond) 56, SIWHP 3665#

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 13,500' TYPE
 DATE

F.R. 11-18-69; Opr's Elev 3806' DF
 PD 13,500 - Morrow
 (Orig. comp 1-25-67 as dual thru (Strawn)
 Perfs 12,254-316' & (Morrow) Perfs 13,138-
 200', OGD 13,316', OPE 13,268')
 12-2-69 TD 13,316', Milling pkr
 12-10-69 TD 13,406', Running tbg
 Sqzd 12,254-13,200'
 Deepened from 13,316' to 13,406'
 12-16-69 TD 13,406', testg
 Flwd 2.5-3 MCFGPD, FTP 3500#
 12-22-69 TD 13,406', SI
 1-7-70 TD 13,406', SI
 1-19-70 TD 13,406', SI
 1-27-70 TD 13,406', testg

1-27-70

Cont.

Flwd 3,000 MCFGPD + 40-50 B Cond per million
thru 6/64" ch, TP 4000#, CP 2500#

2-4-70

TD 13,406', tstg

2-10-70

TD 13,406', WO Potential

2-17-70

TD 13,406', WO Potential

2-23-70

TD 13,406', WO Potential

4-6-70

TD 13,406', COMPLETE

(Morrow) FOUR POINT GAUGES:

Flwd 1252 MCFGPD, thru 8/64" ch, 2 hrs 25 min,
TP 3508#

Flwd 1210 MCFGPD, thru 10/64" ch, 1 hr 25 min,
TP 3365#

Flwd 2668 MCFGPD, thru 13/64" ch, 1 hr 25 min,
TP 3228#

Flwd 3723 MCFGPD, thru 16/64" ch, 1 hr,
TP 2980#

4-9-70

COMPLETION REPORTED

COUNTY LEA		FIELD Corbin, S.		OWDD	
OPR AZTEC OIL & GAS CO.		STATE NM		MN 21893	
1 Federal "M"		MAP			
Sec 27, T-18-S, R-33-E		CO-ORD			
1980' FSL, 990' FWL of Sec.		CLASS		OWDF EL 3806' 2	
Re-Spd 12-1-69		FORMATION		DATUM	
Re-Cmp 3-3-70		FORMATION		DATUM	
CSG & SX - TUBING		FORMATION		DATUM	
13 3/8" at 354' w/350 sx		FORMATION		DATUM	
8 5/8" at 5109' w/900 sx		FORMATION		DATUM	
5 1/2" at 13,315' w/1250 sx		FORMATION		DATUM	
LOGS EL GR RA IND HC A		FORMATION		DATUM	
		TD 13,406'			

IP (Morrow) OH 13,315-406'. CAOF 14,896 MCFGPD; GOR 21,800;
 Grav (Gas) .660; Grav (Cond.) 56; SIWHP 3665#

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 3,500' TYPE
 DATE

F.R. 11-18-69; Opr's Elev 3806' DF
 PD 13,500' - Morrow
 (Orig. comp 1-25-67 as dual thru
 (Strawn) Perfs 12,254-316' & (Morrow)
 Perfs 13,138-200', OTD 13,316', OPB
 13,268')
 4-16-70 AMEND REFERENCE NUMBER: Formerly
 reported as MN 21895
 4-9-70 COMPLETION REPORTED

RECEIVED

APR 17 1970

OIL CONSERVATION COMM.
HOUSTON, TEX.