

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-22029

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-1520-A

7. Lease Name or Unit Agreement Name:

Mobil State

8. Well No. #1

9. Pool name or Wildcat

Vacuum, Lower Wolfcamp N.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Gruy Petroleum Management

3. Address of Operator

P. O. Box 140907 Irving, TX 75014-0907

4. Well Location

Unit Letter G : 1874 feet from the NORTH line and 1874 feet from the EAST line

Section 3

Township 17-S Range 34-E

NMPM

LEA County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

4065' GL, 4082' RKB

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☒ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Gruy Petroleum Management Co., respectfully request approval to Temporarily Abandon this inactive well as per the attached procedure:

1. MIRU well service rig. POH w/ rods and tbg.
2. PU & RIH w/ bit on tbg to +/- 10650'. POH.
3. RIH w/ CIBP and set +/- 10600'. Spot 25 sx cmt on plug.
4. Circ hole w/ inhibited fresh wtr. POH w/ tbg.
5. Test plug and casing to 500 psi.
6. RD and move off well.
7. Leave well as TA'd.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Reggie Reston TITLE Production Supt. DATE 8/29/02

Type or print name Reggie Reston Telephone No. 505-393-2358
(This space for State use)

APPROVED BY _____ TITLE _____
Conditions of approval, if any:

ORIGINAL SIGNED BY
GARY W. WINK
OC FIELD REPRESENTATIVE
AUG 26 2002

5
C

GRUY PETROLEUM MANAGEMENT CO.

VACUUM NORTH
SPUDED 2/20/67

Mobil State #1

API 30-025-22029

CURRENT COMPLETION

Sherry Reid Carroll 8/22/02

KB: 4082'

CH: -

GL: 4065'

1874' FNL & 1874' FEL

Sec 3, T-17-S, R-34-E

Unit Letter G

Lea County, New Mexico

Casing Strings:

13-3/8" (17-1/2" hole)

@ 320' w/ 350 sx cmt

TOC @ surface - circ

8-5/8" (11" hole), 24 & 32#

@ 3325' w/ 670 sx cmt

TOC @ 2810' (temp survey)

4-1/2" (7-7/8" hole), 11.6 & 13.5#

@ 10,854' w/ DV @ 4754'


1st stg - 400 sx - TOC 9597' calc

2nd stg - 800 sx - TOC 2595' temp

Tubing String:

2-3/8" w/ EOT @ 10661'

75 Rod String



Wolfcamp Perfs:

10660 (1 hole), 10668-83 (4 holes)

10687-90 (3 holes) - 1/70

10719, 10724, 10726 & 10732' (4/67)

Top of fish @ 10744', EOT @ 10793'

Fish is tbg and TAC

GRUY PETROLEUM MANAGEMENT CO.

VACUUM NORTH
SPUDDED 2/20/67

Mobil State #1

API 30-025-22029

PROPOSED COMPLETION

Sherry Reid Carroll 8/22/02

KB: 4082'

CH: -

GL: 4065'

1874' FNL & 1874' FEL

Sec 3, T-17-S, R-34-E

Unit Letter G

Lea County, New Mexico

Casing Strings:

13-3/8" (17-1/2" hole)

@ 320' w/ 350 sx cmt

TOC @ surface - circ

8-5/8" (11" hole), 24 & 32#

@ 3325' w/ 670 sx cmt


TOC @ 2810' (temp survey)

4-1/2" (7-7/8" hole), 11.6 & 13.5#

@ 10,854' w/ DV @ 4754'

1st stg - 400 sx - TOC 9597' calc

2nd stg - 800 sx - TOC 2595' temp



CIBP +/- 10600' w/ 25 sx cmt

Wolfcamp Perfs:

10660 (1 hole), 10668-83 (4 holes)

10687-90 (3 holes) - 1/70

10719, 10724, 10726 & 10732' (4/67)

Top of fish @ 10744', EOT @ 10793'

Fish is tbg and TAC

TD = 10,854'