

COUNTY	IEA	FIELD	VACUUM	STATE	NM
OPR	PENNIZONI CO.				MAP
Marathon-State					
Sec. 2, T-17-S, R-24-E				CO-ORD	
980' FSL, 660' FWL of Sec.				30-025-22031	
Spd 4-3-67				EL 40712	
Spd 6-18-67		CLASS			
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
10 3/8" 350' 300					
9 5/8" 4110' 750					
4 1/2" 10990' 800					
LOGS EL GR RA IND HC A					
		TD 10990', PBD 10890'			

1P L/Wolfcamp Perfs 10698-749' Fm pd 108 BOPD + 3 BW. Pot.
Based on 24 hr test, gravity 41., GOR 795.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 11,000' TYPE RT
DATE

P.R. 2-16-67
PD 11,000' - Penn.
4-1-67 Drig. 3175' anhy.
4-1-67 Drig. 4290' lm.
4-1-67 Drig. 6980'.
5-1-67 Drig. 8388' lm. & sh.
5-8-67 Drig. 9947' lm.
5-10-67 TD 10732', on DST 10692-732'.
DST 10143-10230', open 2 hrs 45 mins,
OIS 2 hrs 11 mins @ 3000 MCFGPD
Rec 10' oil, 30' HOSOCM + 80' Sli O&G.M.,
(Rec 1.2 OPG, 600 cc's oil, + 1300 cc's
mud in sampler)
1 hr TSIP 734#, 7P 13#,
2 hr ESTP 3709#.

5-22-67 TD 10990', WO Comp Unit
DST 10692-10732', open 6 hrs 10 mins,
GTS 20 mins @ 63.5 MCFGPD decr. to 14.2
MCFGPD
Rec 435' oil (Gravity 41.1), 30' HO&GCM
+ 60' O&GCM,
(Rec 1.0 CFG + 1130 cc's oil in sampler)
1 hr 20 min ISIP 2986#, FP 146-193#,
2 hr FSIP 1383#.
DST 10727-10782', open 4 hrs 10 mins,
GTS 1 hr 25 mins @ 28 MCFGPD decr.
to 19.9 MCFGPD
Rec 285' oil (Gravity 39.6), 45' HO&GCM
+ 75' O&GCM,
(Rec 65 CFG + 960 cc's oil (Gravity 40.7)
in Sampler)

1 hr ISIP 3874#, FP 131-177#,
3 hr FSIP 3453#.
5-31-67 TD 10990', PBD 10890', swbg.
Perf 10738-742', 10747-749' W/2 SPF
Acid (10738-749') 500 gals MA
Swbd 44 BLO + 12 BAW + 6 BNO in 4 hrs
30 mins (10738-749')
Acid (10738-749') 5000 gals.
Swbd 44 BLO + 21 BAW + 36 BNO in 9 hrs
(10738-749')
Acid (10738-749') 5000 gals 15%
Swbg 4 BO + 4 BAW FH (10738-749')
6-5-67 TD 10990', PBD 10890', swbg.
Swbd 4 BFPH (80% oil, 20% AW) (10738-749')

6-12-67 TD 10990', PBD 10890', swbg.
Acid (10738-749') 40,000 gals + 60,000 gals
wtr
Swbg 68% oil, 32% load wtr (-458 ELW)
6-19-67 TD 10990', PBD 10890', RUP
Swbd 168 BF (15-20% wtr) in 11 hrs (10738-749')
Perf 10698-702', 10709-711'
Acid (10698-711') 500 gals.
6-26-67 TD 10990', PBD 10890', WO Elec.
7-3-67 TD 10990', PBD 10890', TOP
7-10-67 TD 10990', PBD 10890', COMPLETE
(Holding for additional information)
7-24-67 TD 10990', PBD 10890', COMPLETION REPORTED
LOG TOPS: Abby 1657', B/Salt 2390', Yates
2898', Queen 3872', SA 4662', Glor 6080',

Tobb 7383', Abo 8053', Wolfcamp 9638',
Pennsylvanian 10950'.