

COUNTY LEA		FIELD Corbin, S.		OWDD	
OPR AZTEC OIL & GAS CO.		STATE NM		30-025-22219	
1 Federal "PA"		MAP			
Sec 20, T-18-S, R-33-E		CO-ORD			
1980' FSL, 1980' FEL of Sec.					
Re-Spd 4-13-70		CLASS		OWDF	
Re-Cmp 5-8-70					
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
13 3/8" at 342' w/300 SX					
8 5/8" at 4839' w/900 SX					
5 1/2" at 13,496' w/950					
SX					
LOGS EL GR RA IND HC A					
		TD 13,591'			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 13,650' TYPE RT
DATE

F.R. 4-27-70; Opr's Elev. 3826' DF
PD 13,650' - RT - Morrow
(Orig. cmp 11-6-67 thru (Wolfcamp) Perfs
11,103-162', OTD 13,500', OPB 13,144')
4-28-70 TD 13,500', Milling on junk
5-5-70 Drlg. 13,579'
5-12-70 TD 13,591', TEMPORARILY ABANDONED
Deepened from 13,500' to 13,591'
Swbd 22 BWPH from OH (13,496-591')
5-18-70 TD 13,591', TEMPORARILY ABANDONED
5-21-70 COMPLETION REPORTED

COUNTY	LEA	FIELD	Corbin, South	STATE	NM
OPR	AZTEC OIL & GAS CO.				MAP
	1 Federal "PA"				
	Sec. 20, T-18-S, R-33-E				CO-ORD
	1980' ESL, 1980' FEL of Sec.				30-025-22219
	Spd 8-26-67				EL
	Cmp 11-8-67				CLASS
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
13 3/8" 342'	300				
8 5/8" 4839'	900				
5 1/2" 13496'	950				
LOGS EL GR RA IND HC A					
	TD 13500', PBD 13144'				

IP Wolfcamp Perfs 11103-162' Flwd 528 BOPD. Pot. Based on 9 hr test of 198 BO thru 14/64" chk., TP 1250#, GOR 1340, Gravity 38.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 13,500' TYPE RT

11-13-67 F.R. 8-17-67; Opr's Elev. 3826' DF
PD 13,500' - Morrow
AMEND FIELD DESIGNATION: Formerly reported
as Undesignated

8-28-67 Drlg. 700'.
9-5-67 Drlg. 4305'.
9-11-67 Drlg. 5060'.
9-18-67 Drlg. 7525'.
9-25-67 Drlg. 9535'.
10-3-67 Drlg. 11375'.
DST 11005-160', open 1 hr,
GTS 6 mins,
Flow line stopped up for 30 mins,
Flwd 22 BOPH for 20 mins thru 1/4" chk.,
SEP 560#, Gas @ 560 MSCFPD
Flwd 35 BOPH for 10 mins thru 3/8" chk.,
SEP 950#,
Rav out 50 BO, no wtr,

10-3-67 Cont.
1 hr ESIP 4474#, First EF 1063-1295#,
Second EF 1337-3388#, 1 hr ESIP 4249#.
10-9-67 Drlg. 12205'.
10-16-67 Drlg. 12855'.
10-23-67 TD 13500', ring logs.
10-30-67 TD 13500', prep perf.
11-6-67 TD 13500', prep to PB to Wolfcamp
Perf (Morrow) 13197-209' W/4 SPF
Acid (13197-209') 500 gals.
Swbd 65 BLW + 5 BAW (13197-209')
Perf (Morrow) 13341-355', 13361-375' W/4 SPF
Swbd 70 BLW + 44 BNW in 10 hrs (13341-375')
11-13-67 TD 13500', PBD 13144', COMPLETE
PB to 13144'

Perf (Wolfcamp) 11103-120', 11124-136',
121-8-162' W/4 SPF
Acid (11103-162') 600 gals 15%
LOG: Hustler 1392', Queen 4180', Wolfcamp
10448', Strawn 12124', Morrow Im 12814'.