

11-83 1983

	7:00
To egg GB zone	7:30
	8:00
according to CBL	8:30
	9:00
	9:30
	10:00
	10:30
	11:00

COUNTY	LEA	FIELD	Hobbs	STATE	NM
OPR	SHELL OIL CO.			API	30-025-23204
NO	412	LEASE	North Hobbs (GBSA) Unit Sec 31	MAP	
			Sec 31, T18S, R38E	COORD	
			660 FNL, 660 FEL of Sec		7-4-34 NM
			2 1/2 mi W/Hobbs	RE-APP	6-17-83 RE-CMP 6-26-83
CSC	WELL CLASS: INIT DX FIN DO LSE CODE				
	13 3/8-343-350 sx	FORMATION	DATUM	FORMATION	DATUM
	8 5/8-3799-500 sx				
	5 1/2-6255-400 sx				
		ID 6260 (ABO)		PBD	4286

(Grayburg-San Andres) Perfs 4135-4246 NO NEW POTENTIAL

CONTR	OPRS ELEV	3649 DF	sub-s
-------	-----------	---------	-------

F.R.C. 7-23-83 OWWO
 PD 4286 WO
 (Orig. #9 Fowler, Cmp. 7-25-69 thru (Blainebry)
 Perf 5876-5936, OTD 6260, OPB 5952; OWWO &
 Re-Cmp. 10-22-73 thru (San Andres) Perfs
 4047-4151, OTD 6260, OPB 4170)
 7-18-83 TD 6260; PBD 4286; Complete
 Sqzd (4047-4121) 100 sx
 CO to 4286
 Perf (Grayburg-San Andres) 4135-4246 w/22 shots
 Acid (4135-4246) 2200 gals
 7-23-83 COMPLETION ISSUED

7-4-34 NM
 TC 30-025-70455-83

IP (San Andres) Perfs 4047-4151* P 23 EOPG +18 BW 1.00
based on 24 hr test. GOR 9217; Gm 34.8

R.R.C. 11-5-73
(San Andres)
(Orig comp 7-25-69; thru 1814436
1876-5936'; OTO 6260'; OLB 4170'
ID 6260'; FE 4170'. COMPLETE
FE to 5850'
Perf (San Andres) 1814436 - overall
(overall)
FE to 4170'
Perf (San Andres) 4242'-overall well
(overall)
COMP EUTON REFOR RD

COUNT LEA FIELD Hobbs STATE NM 30-075-23204
 OPER CITIERS SERVICE OIL CO. MAP
 Fowler
 Sec 31, T-18-S, R-38-E CO-ORD
 660' FEL, 660' FEL of Sec.

Spd 6-30-69	CLAS:		EL	
Cmp 7-25-69	FORMATION	DATUM	FORMATION	DATUM
CSG & SX TUBING				
13 3/8" at 343' w/350 sx				
8 5/8" at 3799' w/500 sx				
5 1/2" at 6255' w/400 sx				
LOGS EL GR RA IND HC A				
	TD 6260'; PBD 5952'			

1P (Blinebry) Perfs 5876-5936' S 110 BOPD + 206 BW. Pot based on 5 hr test, GOR 115, Grav 33.8

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran PROP DEPTH 6250' TYPE
 DATE

F.R. 7-1-69; Opr's Elev. 3649' DF
 PD 6250' (Blinebry)
 Contractor - Moran
 7-7-69 Drlg. 4150' lm
 7-14-69 TD 6260' lm; MORT
 7-21-69 TD 6260'; PBD 6016'; Swbg
 Perf @ 6028', 6032', 6034', 6036' w/1 SPI
 Swbd dry (6028-36')
 Acid (6028-36') 500 gals
 Swbd 104 BW in 13 hrs (6028-36')
 Sqz 6028-36' w/80 sx
 Perf @ 5965', 5975', 5982', 5984', 5986',
 5988' w/1 SPI
 Swbd 36 BLW in 2 hrs, Swbd dry (5965-88')
 Acid (5965-88') 500 gals