

COUNTY	LEA	FIELD	Hobbs	STATE NM	30-025-23222
OPR	HUMBLE OIL & REFG. CO.				MAP
	33 Eowers "A" Federal				
	Sec 29, T-18-S, R-38-E				CO-ORD
	800' FNL, 600' FWL of Sec.				
	Spd 7-15-69				
	Camp 12-31-69				
		CLASS			
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
13 3/8" at 416' w/400 sx					
9 5/8" at 3850' w/550 sx					
7" at 6000' w/550 sx.					
LOGS EL GR RA IND HC A					
	TD 6000'				
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	6100'	TYPE
DATE			

F.R. 7-29-69; Opr's Elev. 3657' DF
PD 6100' (Elinebry)

7-28-69 Drlg. 4208' 1m
8-4-69 TD 6000'; WOC
8-11-69 TD 6000'; Drlg. Cmt
Perf @ 5915', 5916', 5917', 5919', 5929', 5930',
5931', 5932', 5933', 5939', 5943', 5944', 5952',
5953' w/1 SPI
Acid (5915-53') 1500 gals
Swbd 38 BW + 127 BLW in 11 hrs (5915-53')
Sqzd (5915-53') w/45 sx

8-18-69 TD 6000'; RU Pmp
Perf (Elinebry) 5915-19', 5929-33' w/1 SPF
Acid (5915-33') 500 gals
Swbd 98 BLW + 61 BFW

IEA Hottel BM Sec 29, 113S. 1382
HUMBLE OIL & REFC. CO. 33 Bowers "A" Peders Page #.

8-25-69 TD 6000'; TO Pop
 Ppd 170 BW in 24 hrs
9-2-69 TD 6000'; SI
 Ppd 160 BW in 24 hrs (5915-33')
9-8-69 TD 6000'; PBD 5900'; WOC
 Perf 5952-53'
 Sqzd (5915-35')
 Perf 5867-76'; 5874-76'; 5881-83'
 5884-85'; 5891-93'
 Swld 112 BW no shows
 Perf @ 5846' w/4 shots
 Sqzd (5846-5850')
9-15-69 1 ()
 Perf 59 ()

9-15-69 Continued
 Acid (5915-19') 1000 gals
 Swbd 20 BW in 3 hrs (5915-19')
9-22-69 TD 6000'; PBD 5925'; WOC
 Sqzd (5915-19') w/75 sx
9-24-69 TD 6000'; PBD 5925'; Ppg load
 Perf 5867-76' w/1 SPF
 Frac (5867-76') 8500 gals w/1 250' of
10-1-69 TD 6000'; PBD 5925'; Swdg
 Swbd 108 BW in 11 hrs (-3) BW, (5867-76')
 BP @ 5800'
 Perf 4261-70'
 Swbd 164 BW in 3 hrs (4261-70')
10-15-69 TD 6000'; PBD 5925'; Swdg
 Sqzd (4261-70') w/230 sx
 Perf 4256-62' w/1 SPF

10-15-69 Continued
 Swbd 20 BW + 60 BW in 9 hrs (4256-62')
10-20-69 TD 6000'; PBD 5925'; SI
10-27-69 TD 6000'; PBD 5925'; SI
11-3-69 TD 6000'; PBD 5925'; SI
 Sqzd (4256-62') w/100 sx
 Perf @ 4149' w/4 shots
 Flwd 9 BO + 5 BW in 3 hrs & died (4149')
11-11-69 TD 6000'; PBD 5925'; IO Pmp
 Ppd 80 BW + 60 BFW in 22 hrs (4194')
11-17-69 TD 6000'; PBD 5925'; IO Pmp
 Ppd 80 BW + 60 BFW in 22 hrs (4194')
11-21-69 TD 6000'; PBD 5925'; IO Pmp
12-1-69 TD 6000'; PBD 5925'; IO Pmp

12-1-69 Continued
 Ppd 20 BO + 160 BW in 18 hrs (4149')
 Sqzd (4149') w/5 sx
 Perf 4144-45' w/5 shots
 Swbd 92 BW + 32 BW in 4 hrs (4144-45')
12-8-69 TD 6000'; PBD 5925'; Tstg
 Sqzd (4144-45') w/20 sx
 Perf @ 4189' w/5 shots
 Swbd 24 BFW in 6 hrs (4189')
 EP @ 4130'
 Perf 4072-4115' w/7 shots (overall)
 Acid (4072-4115') 500 gals
12-15-69 TD 6000'; PBD 5925'; IO Pmp
 Ppd 11 BO + 159 BW in 24 hrs
12-22-69 TD 6000'; PBD 5925'; IO Pmp
 Ppd 81 BO + 815 BW in 56 hrs

TEA Hobbs NM Sec 29, T185, R36E
HUMBLE OIL & REFG. CO. 33 Sowers "A" Federal Page #4

1-5-70 TD 6000'; PSA
Ppd 5 BO + 374 BW in 24 hrs (407/-4115')
Ppd 3 BO + 357 BW in 24 hrs (411/-15')
1-12-70 TD 6000'; PLUGGED & ABANDONED
1-15-70 COMPLETION REPORTED