

COUNTY LEA FIELD Hobbs STATE NM 30-025-25235

MAP

OPR HUMBLE OIL & REFG. CO.

32 Bowers "A" Federal

Sec 30, T-18-S, R-38-E

CO-ORD

330' FSL, 1980' FEL of Sec.

Spd 8-2-69

CLASS

Comp 12-28-69

FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
13 3/8" at 401' w/600 sx			
9 5/8" at 3850' w/550 sx			
3 1/2" at 6140' w/675 sx.			
3 1/2" at 7053')			

LOGS EL GR RA IND HC A

TD 7075'

PLUCCED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. MCF #10 PROP DEPTH 7100' TYPE

DATE

F.R. 7-29-69; Opr's Elev. 3655' DF
PD 7100' (Drinkard & Blinebry)
Contractor - MCF #10
8-11-69 Drlg. 3510' anhy & gyp
8-18-69 Drlg. 5670' lm & sh
8-25-69 TD 7075'; Rng Casing
9-2-69 TD 7075'; PBD 7010'; WO Completion Unit
9-9-69 TD 7075'; PBD 7010'; Swbg
Perf (Blinebry) 5940-54' w/1 SPF
Acid (5940-54') 1500 gals
Swbd 46 BW in 3 hrs (5940-54')
Perf (Drinkard) 6974-82' w/1 SPF
Acid (6974-82') 2000 gals
Swbd dry (6974-82')

9-9-69 Continued
Acid (6974-82') 5000 gals
Swbd 70 BL&AW in 4 hrs (6974-82'), Perfs
Channeled
9-15-69 TD 7075'; PBD 7010'; WOC
Swbd 111 BW in 8 hrs (5940-54')
Sqzd (6974-82') w/50 sx
9-22-69 TD 7075'; PBD 7010'; Prep Perf
Sqzd (5940-54') w/40 sx
9-24-69 TD 7075'; PBD 7010'; Swbg Load
Perf 5725-76'
10-6-69 Frac (5725-76') 10,000 gals wtr + 6500# sd
TD 7075'; PBD 7010'; Swbg
Acid (5725-76') 5000 gals
Swbd 30 BW in 11 hrs (5725-76')

10-15-69 TD 7075'; PBD 7010'; Swbg
Sqzd (5725-76') w/25 sx
Perf @ 5813'
Sqzd (5813') w/75 sx
Perf 5887-91'
Acid (5887-91') 500 gals
Swbd 12 BNW in 6 hrs (5887-91')
10-29-69 TD 7075'; PBD 7010'; SI
11-3-69 TD 7075'; PBD 7010'; SI
11-10-69 TD 7075'; PBD 7010'; SI
11-17-69 TD 7075'; PBD 7010'; SI
11-21-69 TD 7075'; PBD 7010'; SI
12-15-69 TD 7075'; PBD 7010'; SI
12-22-69 TD 7075'; PBD 7010'; Swbg
Perf 6974-82' w/1 SPF
Swbd 51 BLW & Swbd Dry (6974-82')

TFA Hobbs NM Sec 30,T18S,R38E
HUMBLE OIL & REFC. CO. 32 Bowers "A" Federal Page #3

12-22-69 Continued
Acid (6974-82') 500 gals
Swbd Dry (6974-82')
Acid (6974-82') 2000 gals
Swbd 1 BO + 74 BW in 8 hrs
1-5-70 TD 7075'; PLUGGED & ABANDONED
1-15-70 COMPLETION REPORTED