

COUNTY	LEA	FIELD	Hobbs	STATE	NM
OPP.	SHELL OIL CO.			API	30-025-23277
NO	132	LEASE	North Hobbs (GBSA) Unit Sec 28	MAP	
	Sec 28, T18S, R38E			COORD	
	1880 FSL, 750 FWL of Sec				
	Hobbs Townsite			REF-3-1-33 NM	
		REF-8-12-76	REF-12-17-82		
CSC					
	13 3/8-352-350 sx				
	9 5/8-3816-1400 sx				
	7-lnr-3611-7143-685 sx				
	WELL CLASS: INIT DX FIN DO LSE. CODE				
	FORMATION	DATUM	FORMATION	DATUM	
	ID 7150 (DRKD)	PBD 5775			
(Grayburg-San Andres) Perfs 4121-4298 NO NEW POTENTIAL					

CONTR	OPRS	3658 GL	sub-s
-------	------	---------	-------

2-28-83
 3-5-83

W.R.L. 3-5-83 OWVO
 PD 5775 WO (San Andres)
 (Orig. #10 Grimes, Camp 10-1-69 thru
 (Drinkard) Perfs 6623-6983, OTD 7150,
 OPB 7112)
 ID 7150; PBD 5775; Complete
 CRPD 5775
 Perf (San Andres) 4234-45
 Acid (4234-45) 500 gals
 IDP (8-18-76) 39 ROPD + 52 BW + 42 MCFOPD
 in 24 hrs (4234-45)
 Perf (San Andres) 4210-19 (1-26-77)
 Acid (4210-4245) 1500 gals
 NO NEW POTENTIAL (4210-45) (1-29-77)
 Perf (San Andres) 4121-4298 w/90 shots (12-16-82)
 Acid (4121-4298) 6720 gals
 COMPLETION ISSUED

3-1-33 NM
 IC 30-025-76112-82

COUNTY LEA FIELD Hobbs STATE NM 30-025-23277

OPR SHELL OIL CO. MAP

10 Crimes

Sec 28, T-18-S, R-38-E

CO-ORD

1880' FSL, 750' FWL of Sec.

Spd 9-5-69

CLASS

ELS

Chap 10-1-69

FORMATION

DATUM

FORMATION

DATUM

CSG & SX - TUBING

13 3/8" at 352' w/350 sx

9 5/8" at 3816' w/1400 sx

7" lnr 3611-7143' w/685 sx

LOGS EL GR RA IND HC A

TD 7150'; PBD 7112'

1P (Drinkard) Perfs 6623-6983' Solid 126 LOPD - 62 BW. Dot based on 24 hr test. GOR 700; Grav 35.0.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran
DATE

PROP DEPTH 7100' TYPE

F.R. 9-9-68
PD 7100' (Drinkard)
Contractor - Moran
9-16-69 AMEND LOCATION, Formerly reported as 1880' FSL,
750' FEL of Sec.
9-8-69 Drlg. 1570' anhy
9-15-69 Drlg. 4326' 1m
9-22-69 Drlg. 6785' 1m
9-29-69 TD 7150'; Prep Perf
10-6-69 TD 7150'; PBD 7112'; Swbg
Perf (Drinkard) @ 6623', 6645', 6647', 6649',
6686', 6714', 6716', 6783', 6943', 6961', 6969',
6972', 6978', 6980', 6983' w/1 SPI

IEA
SHELL OIL CO.

Hobbs
10 Grimes

NM Sec 28, T18S, R38E
Page #2

10-6-69

Continued

Acid (6623-6983') 15,000 gals
Flwd 7 BO + 9 BLW in 2 hrs 30 min (6623-6983')
Swbd 126 BO + 7 BLW + 61 BW in 24 hrs
COR 700, Grav 35.8 (6943-6983')

10-13-69

TD 7150'; PBD 7112'; Tstg
Perf (L. Klinebry) @ 6284', 6286', 6288', 6292',
6302', 6307', 6311', 6313', 6317', 6324'
w/1 SPI

Acid (6284-6324') 3000 gals
Flwd 12 BO + 87 BW in 9 hrs thru 1" disk
(6284-6324')
Flwd 7 BO + 320 BW in 10 hrs thru 1" disk
Thru 30/64" disk (6284-6324')

10-20-69

TD 7150'; PBD 7112'; Swbg
Sqzd (6284-6324') w/100 ex
Perf (Klinebry) @ 5896', 5900', 5902', 5919',
5927', 5935', 5950', 5952', 5954', 5975'
w/1 SPI

Acid (5896-5975') 5000 gals (15% NE)
Swbd 2 BFPH (97% wtr) in 11 hrs (5896-5975')
Perf @ 5980', 5989', 5996' w/1 SPI
Acid (5896-5996') 2000 gals (7½%)
Flwd 2 BO + 141 BW in 16 hrs (5896-5996')

10-27-69

TD 7150'; PBD 7112'; SI Prep Fish BP
Acid (5896-5996') 8000 gals (28%)
Swbd 68 BW in 10 hrs (5896-5996')

11-3-69

TD 7150'; PBD 7112'; Swbg load
Frac (5896-5996') 30,000 gals oil + 30,000# sd
Swbd 7 BFPH (25-40% wtr) (-494 BW)

LEA
SHELL OIL CO.

Hobbs
10 Grimes

NM Sec 28, T18S, R38E
Page #3

11-10-69 TD 7150'; PBD 7112'; Swbg
Swbd 10 BO + 110 BW in 11 hrs (90% BS&W)
(6623-6983')
Swbd 4 BO + 116 BW in 7 hrs (6623-6983')
11-17-69 TD 7150'; PBD 7112'; Prep Pull Tubing
Swbd 27 BO + 45 BW in 16 hrs (6623-6983')
11-20-69 TD 7150'; PBD 7112'; Running Tubing
12-1-69 TD 7150'; PBD 7112'; Tstg
Ppd 120 BW in 19 hrs (Elinebry)
Flwd 96 BO + 1 BW in 24 hrs thru 32/64" chk.
FTP 100# (Drinkard)
12-8-69 TD 7150'; PBD 7112'; Rng Pkr Leakage Test
Ppd 130 BW in 24 hrs (Elinebry)
Flwd 58 BO in 23 hrs 30 min (Elinebry)
FTP 300# (Drinkard)

12-15-69 TD 7150'; PBD 7112'; TO Pmp
Flwd 96 BO + 2 BW thru 24/64" chk, GOR 6800,
Grav 34.4, FTP 300# (Drinkard)
Ppd 157 BW in 24 hrs (5896-5996')
12-22-69 TD 7150'; PBD 7112'; SI
1-7-70 TD 7150'; PBD 7112'; SI
1-12-70 TD 7150'; PBD 7112'; COMPLETE
Elinebry Perfs 5896-5996' are Packed Off
LOC TOPS: Yates 2666', Queen 3392',
Grayburg 3716', San Andres 4011', Elinebry
5780', Tubb 6465', Drinkard 6570'
1-15-70 COMPLETION REPORTED