

COUNTY LEA

FIELD E-K, E.

STATE NM 30-025-23293

OPR HANSON OIL CO.

1 Allied - State

MAP

Sec 28, T-18-S, R-34-E

2310' FSL, 1650' FEL of Sec.

CO-ORD

Spd 11-7-69

Cmp 3-3-70

Casing &amp; SX TUBING

8 5/8" at 252' w/150 sx

5 1/2" at 4946' w/250 sx.

FORMATION

CLASS

DATUM

FORMATION

EL

LOSS FL GR RA IND HC A

PLUGGED &amp; ABANDONED

TD 4946'

Distribution limited and publication prohibited by subscribers agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.

DATE

PROP DEPTH

GUC

TYPE

11-12-69 F.R. 9-16-69  
 11-19-69 PD 5000' (Queen)  
 11-24-69 Drlg. 253'  
 12-3-69 TD 256'; MIRT  
 Drlg. 3815'  
 TD 4946'; MORT  
 Cored 4554-4605', rec 51' being:  
 8' anhy w/shale stringers  
 4' red sd  
 5' grey sd w/shows  
 27' red & grey sd, no shows  
 7' grey sd, scattered shows  
 Cored 4708-38', rec 30' anhy & shale  
 shly sd, no shows  
 Cored 4852-79', rec 25' being:  
 2' shly anhy  
 13' grey sd, scattered shows

IEA  
HANSON OIL CO.

E-K, F.  
1 Allied - State

NW Sec 28, T18S, R34E  
Page #2

12-3-69

Continued

1' anhy, no shows  
2' grey sd, shows oil  
7' tight anhy, no shows

12-8-69

TD 4946'; Rng Tubing  
Perf @ 4564', 4568', 4569', 4599', 4603',  
4605', 4607', 4851', 4852', 4853', 4856',  
4857', 4858', 4859' w/1 SPI  
Acid (4851-59') 500 gals  
Frac (4851-59') 20,000 gals oil + 15,750# sd  
Acid (4564-4607') 1000 gals  
Frac (4564-4607') 20,000 gals oil + 17,500# sd  
TD 4946'; 1stg  
TD 4946'; Rng Tracer Survey  
Ppd 100% wtr (4564-4859')

12-15-69

12-22-69

1-7-70  
1-19-70  
2-4-70  
2-10-70  
2-17-70

TD 4946'; TO Pump  
TD 4946'; WOO  
TD 4946'; WOO  
TD 4946'; WOO  
TD 4946'; Prep Swab  
Sqzd (4564-4859') w/150 sx  
Perf @ 4852', 4853', 4856', 4857'  
Acid (4852-57') 500 gals

2-23-70

TD 4946'; Prep FB  
Swbd wtr (4852-57')  
TD 4946'; PBD 4638'; Prep PSA  
Set BP @ 4638'

3-2-70

Perf @ 4568', 4569', 4603', 4605', 4607'  
w/1 SPI  
Frac (4568-4607') 20,000 gals wtr + 27,000# sd  
Swbd 100% wtr (4568-4607')

HEA  
HANSON OIL CO.

E-K, E.  
1 Allied - State

NM Sec 28, T18S, R24E  
Page 73

3-9-70  
3-16-70

TD 4946'; F&A  
TD 4946'; PLUGGED & ABANDONED  
LOG TOPS: Base Salt 3156', Yates 3319', Yates  
Rivers 3808', Queen 4558', Pennrose 4839'  
COMPLETION REPORTED