

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

| | |
|------------------------|--|
| NO. OF COPIES RECEIVED | |
| DISTRIBUTION | |
| SANTA FE | |
| FILE | |
| U.S.G.S. | |
| LAND OFFICE | |
| OPERATOR | |

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

| | |
|--|--|
| 1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- INJECTOR | 7. Unit Agreement Name N. HOBBS (G/SA) UNIT |
| 2. Name of Operator SHELL OIL COMPANY | 8. Farm or Lease Name SECTION 27 |
| 3. Address of Operator P. O. BOX 991, HOUSTON, TX 77001 | 9. Well No. 111 |
| 4. Location of Well UNIT LETTER D, 1200 FEET FROM THE NORTH LINE AND 470 FEET FROM THE WEST LINE, SECTION 27 TOWNSHIP 18-S RANGE 38-E NMPM. | 10. Field and Pool, or Wildcat HOBBS (G/SA) |
| 15. Elevation (Show whether DF, RT, GR, etc.) 3641' DF | 12. County LEA |

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

OTHER CONVERT TO GU ZONE WATER INJECTOR ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOBS ☐
OTHER ☐

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Run casing scraper to 4210'. Run tbq and plug back well to 4244' w/20/40 frac sand capped w/1 sx Class "C" cement.
- Perforate upper Grayburg zone 4159' - 4222'.
- Set pkr @4100 ±. Test csg. to 500 psi surface pressure. Acidize w/6000 gals 15% HCl-NEA acid.
- Pull tbq and pkr. Produce well until ready to convert to injector.
- To convert, set pkr @4100±. Install surface equipment and put well into service.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED A. J. Fore A. J. FORE TITLE SUPERVISOR REG./PERMITTING DATE JULY 15, 1981

APPROVED BY Jerry S. Soren TITLE Supervisor DATE JUL 21 1981
CONDITIONS OF APPROVAL, IF ANY: None