

COUNTY LEA FIELD Hobbs STATENM 30-025-23481

MAP

OPR SHELL OIL CO.

11 McKinley "A"

CO-ORD

Sec 19, T-18-S, R-38-E

420' FSL, 1980' FWL of Sec

EL ~~3660~~

Spd 3-29-70

Cmp 5-26-70

CLASS	
FORMATION	DATUM

CSG & SX - TUBING

13 3/8" at 360' w/360 sx

9 5/8" at 3794' w/500 sx

5 1/2" lnr 3534-7108' w/950 sx

LOGS EL GR RA IND HC A

TD 7105' PBD 6725'

IP (Blinebry) Perfs 6080-97' P 30 BOPD + 100 BW. Pot based on
24 hr test; GOR TSTM, Grav 31.1.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran

DATE

PROP DEPTH 7100' TYPE RT

F.R. 4-13-70; Opr's Elev 3660' DF

PD 7100' - RT - Drinkard

Contr. - Moran

6-25-70 AMEND FIELD NAME: Formerly reported as

Undesignated.

4-13-70 Drlg 6810' lm

DST 5842-5990', open 1 hr 50 mins

Rec 150' DM

1 hr 30 min ISIP 2201#, FP 80-195#

2 hr 30 min FSIP 2175#

4-20-70 TD 7105', Prep to perf

4-27-70 TD 7105', PBD 7061', Swbg

Perf 6375-77' w/1 SPF

Acid (6375-77') 500 gals

Swbd 15 BWPH (6375-77')

Sqzd (6375-77') 60 sx

4-27-70

Continued

Perf @ 6038', 6054', 6059', 6080', 6084',
6091', 6097 w/1 SPI

Acid (6038-97') 1000 gals

Swbd 54 BAW + 362 BFW in 20 hrs (6038-97')

TD 7105', PBD 7061', Swbg

Swbd 64 BW w/trace oil in 2 hrs (6038-54')

Swbd 72 BW w/trace oil in 2 hrs 30 mins
(6038-97')

Sqzd (6038-97') 100 sx

Perf @ 6758', 6764', 6776', 6781', 6923',
6945', 6947', 6987', 7029', 7034', 7038' w/1 SPI

Acid (6758-7038') 5000 gals

Swbd 18 BF, no shows in 2' & swbd dry (7029-38')

Att Acid (7029-38') 2500 gals, pkrs failed

Swbd 28 BF, no shows in 3 hrs & swbd dry

5-4-70

5-11-70

(6923-7038')

TD 7105', PBD 7061', TO Pmp

Acid (6923-7038') 2500 gals

5-18-70

Ppd 26 BO + 77 BW in 24 hrs (6758-7038')

TD 7105', PBD 7061', TO Pmp

5-22-70

Ppd $\frac{1}{2}$ BO + 31 BW in 24 hrs (6758-7038')

TD 7105', PBD 6725', Prep to drill out
PB to 6725'

Perf @ 6080', 6084', 6091', 6097' w/1 SPI

Acid (6080-97') 1450 gals

6-1-70

Swbd 68 EF (95-99% wtr) in 4 hrs (6080-97')

ID 7105', PBD 6725', TO Pmp

Sqzd (6080-97') 145 sx

Perf @ 6080', 6084', 6091', 6097' w/1 SPI

Acid (6080-97') 1600 gals

LEA
SHELL OIL CO.

Hobbs NM
11 McKinley "A"

Sec 19, T18S, R38E
Page 3

6-1-70 Continued
Ppd 3 BO + 115 BW in 24 hrs (6080-97')
6-8-70 TD 7105', PED 6725', TO Pmp
Ppd 29 BO + 117 BW in 24 hrs (6080-97')
6-15-70 TD 7105', PED 6725', TO Pmp
Ppd 25 BO + 97 BW in 24 hrs (6080-97')
6-22-70 TD 7105', PED 6725', COMPLETE
LOG TOPS: Yates 2654', Queen 3417', Grayburg
3741', San Andres 4038', Glorieta 5437',
Blinebry 5817', Tubb 6508', Drinkard 6597'
6-25-70 COMPLETION REPORTED