

COUNTY	LEA	FIELD	Wildcat	STATE NM	30-025-23539
OPR	BROWN, H. L., JR.			MAP	
	3 Huston				
	Sec 9, T-18-S, R-38-E				
	1980' FSL, 1980' FEL of Sec				
	Spd 6-29-70				
	CLASS EL 36578				
	Cmp 10-19-70	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
11 3/4" at 365' w/350 sx					
8 5/8" at 4940' w/450 sx					
4 1/2" at 10,333' w/250 sx (Pulled)					
4 1/2" at 6211' w/250 sx					
LOGS EL GR RA IND HC A					
	TD 10,684'; PBD 6211'				
TEMPORARILY ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Moran	PROP DEPTH	11,300'	TYPE	RT
DATE					

F.R. 6-29-70; Opr's Elev. 3661.5' KB
PD 11,300' RT (Devonian)
Contractor - Moran

7-6-70 Drlg. 4405' 1m
7-13-70 Drlg. 5763' 1m
DST 4890-4940', open 1 hr, rec 558' MC sul wtr
+ 1395' sul wtr, ISIP 1560#, FP 86-868#,
FSIP 1546#, HP 2603#

7-20-70 Drlg. 8170'
7-27-70 Drlg. 9810' 1m, sh & cht
8-3-70 Drlg. 10,485' 1m & sh
DST (Mississippian) 10,168-202', open 2 hrs,
rec 125' O&GCM + 10' oil (grav 38.8), 1 hr
ISIP 1307#, FP 70-70#, 2 hr FSIP 3262#

8-10-70 TD 10,684'; PBD 10,333'; MORT
DST (Devonian) 10,674-684', open 3 hrs 20 min,
(1000' WB), rec 560' WB + 90' MCWB + 360'
salt WCWB + 990' salty sul wtr, ISIP 4051#,
FP 491-911#, FSIP 4028#
SP-DST (Mississippian) 10,170-195', open 8 hrs
20 min, rec 105' fluid (5% MCO + 95% mud),
2 hr ISIP 550#, FP 48-72#, 2 hr FSIP 430#

8-17-70 TD 10,684'; PBD 10,333'; SI
Perf 10,174-186' w/2 SPF
Acid (10,174-186') 250 gals
Swbd 70 BLW w/trace AW&DM & Swbd Dry
Acid (10,174-186') 1500 gals
Swbd Dry (10,174-186')
Acid (10,174-186') 5000 gals (28%)

8-17-70 Continued
Swbd 56 BW + 22 BO in 8 hrs (10,174-186')
Swbd Dry (10,174-186')

8-24-70 TD 10,684'; PBD 10,333'; Swbg
Acid (10,174-186') 500 gals (7½%)
Swbd 35 BLO + 12 BAW + 37 BLW (10,174-186')
Acid (10,174-186') 500 gals (7½%)
Swbd 14 BW & Swbd Dry (10,174-186')

8-31-70 TD 10,684'; PBD 10,333'; SI

9-8-70 TD 10,684'; PBD 6211'; SI WOO
Pulled 9100' of 4 1/2" casing
Ran 4 1/2" Casing
Perf 6030-36' w/2 SPF
Acid (6030-36') 250 gals (15%)
Swbd 23 BLW + 3 BAW in 1 hr 30 min
Swbd Dry (6030-36')
Acid (6030-36') 1500 gals (15%)

9-8-70 Continued
Swbd 24 BLW + 6 BAW in 5 hrs
Swbd dry w/sli show oil (6030-36')
9-14-70 TD 10,684'; PBD 6211'; Prep P&A
Acid (6030-36') 3000 gals
Swbd 62 BLW in 10 hrs 30 min (-54 BLW) (6030-36')
Swbd 24 BLW in 4 hrs (6030-36')
9-21-70 TD 10,684'; PBD 6211'; Prep P&A
9-28-70 TD 10,684'; PBD 6211'; Prep P&A
10-5-70 TD 10,684'; PBD 6211'; Prep P&A
10-12-70 TD 10,684'; PBD 6211'; Prep P&A
10-19-70 TD 10,684'; PBD 6211'; TEMPORARILY ABANDONED
Will Plug & Abandon at later date
SAMPLE TOP: Mississippian 9635'
LOG TOPS: Anhydrite 1868', Yates 3115', Seven

10-19-70 Continued
Rivers 3370', San Andres 4656', Glorieta 5970',
Clearfork 6330', Tubb 7000', Wolfcamp 8842',
Pennsylvanian 9440', Mississippian Shale 9532',
Mississippian Lime 9730', Woodford 10,538',
Devonian 10,662'
10-22-70 COMPLETION REPORTED