

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. A-1469-Z

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Ne-O-Tex Corporation	8. Farm or Lease Name Hobbs - State
3. Address of Operator 610 Wilkinson Foster Building	9. Well No. 3
4. Location of Well UNIT LETTER <u>B</u> <u>990</u> FEET FROM THE <u>North</u> LINE AND <u>1830</u> FEET FROM THE <u>East</u> LINE, SECTION <u>29</u> TOWNSHIP <u>18</u> So. RANGE <u>38</u> Last NMPM.	10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.) 3652 GL	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

This well was spudded at 9 a.m. 12-4-70 and drilled to 370', 9-5/8", 36#, csg. was set at 370' with 200 sacks of class H cement circulated, WOC 24 hrs. Tested csg. at 500# for 30 min. drilled out with 8-5/8" bit to 3850' and ran 7", 23#, csg. to 3850. Cemented with 100 sacks trinity lightweight plus 100 sacks class H, P.D. 12-9-70, tested csg. with 2000# drilled out after 24 hrs. WOC top of cement 2300' by volume. Dev. 1deg. at 3850'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED John H. Aked Jr. TITLE Geologist DATE March 15, 1971

APPROVED BY [Signature] TITLE SUPERVISOR DISTRICT : DATE MAY 13 1971

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

MAR 22 1971

OIL CONSERVATION COMM.
HOBBES, N. M.