

COUNTY IEA FIELD Hobbs STATE NM 30-025-23621 MAP

OPR NE-O-TEX CORP.

3 Hobbs - State CO-ORD

Sec 29, T-18-S, R-38-E

990' FNL. 1830' FEL of Sec

Spd 12-4-70

Cmp 3-15-71

CLASS

EL 3652'

| FORMATION | DATUM | FORMATION | DATUM |
|-----------|-------|-----------|-------|
|           |       |           |       |
|           |       |           |       |
|           |       |           |       |
|           |       |           |       |
|           |       |           |       |
|           |       |           |       |
|           |       |           |       |
|           |       |           |       |

CSC & SX - TUBING

9 5/8" at 370' w/200 sx

4 1/2" at 6083' w/200 sx.

LOSS EL GR RA IND HC A

TD 6083'

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONY Rod-Ric PREP DEPTH 6000' TYPE RE

DATE

F.R. 11-1-70; Opr's Elev. 3652' GL

PD 6000' RT (Blinebry)

Contractor - Rod-Ric

12-8-70 TD 3040'; Trip

12-14-70 TD 5483'; Trip

12-18-70 TD 6083'; Prep run casing

Cored 5730-80', rec 50', no description

Cored 5780-5830', rec 50', no description

Cored 5830-81', rec 51', no description

Cored 5881-5932', rec 51', no description

Cored 5932-82', rec 50', no description

Cored 5982-6031', rec 49', no description

Cored 6031-83', rec 51', no description

LEA  
NE-O-IEX CORP.

Hobbs  
3 Hobbs - State

NM Sec 29, 118S, R38E  
Page #2

12-30-70 TD 6083'; Prep TO Pmp  
Perf @ 5988', 5997', 6002', 6009', 6015',  
6025', 6029'  
Acid (5988-6029') 2500 gals  
1-11-71 TD 6083'; TO Pmp  
Ppd 125 B form wtr in 24 hrs (5988-6029')  
2-2-71 TD 6083'; SI  
3-1-71 TD 6083'; SI  
3-8-71 TD 6083'; SI  
3-15-71 TD 6083'; TEMPORARILY ABANDONED  
3-18-71 Will be Plugged & Abandoned @ later date.  
COMPLETION REPORTED

|                                                       |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
|-------------------------------------------------------|--|---------------------------------|--|-------|--|-------|--|---------------------|--|-----------------|--|-------|--|
| COUNTY                                                |  | LEA                             |  | FIELD |  | Hobbs |  | STATE               |  | NM 30-025-23621 |  |       |  |
| OPR                                                   |  | SONNY'S OIL FIELD SERVICE, INC. |  |       |  |       |  |                     |  | MAP             |  |       |  |
|                                                       |  | WD-3 Hobbs - State              |  |       |  |       |  |                     |  |                 |  |       |  |
|                                                       |  | Sec 29, T-18-S, R-38-E          |  |       |  |       |  |                     |  | CO-ORD          |  |       |  |
|                                                       |  | 990' FNL, 1830' FEL of Sec      |  |       |  |       |  |                     |  |                 |  |       |  |
|                                                       |  | Re-Spd 8-19-71                  |  |       |  |       |  |                     |  | CLASS           |  |       |  |
|                                                       |  | Re-Cmp 9-7-71                   |  |       |  |       |  |                     |  | EL              |  |       |  |
|                                                       |  | FORMATION                       |  |       |  | DATUM |  | FORMATION           |  |                 |  | DATUM |  |
| CSG & SX - TUBING                                     |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
| 9 5/8" at 370' w/200 sx                               |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
| 4 1/2" at 6083' w/200 sx                              |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
|                                                       |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
|                                                       |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
|                                                       |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
| LOGS EL GR RA IND HC A                                |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |
|                                                       |  |                                 |  |       |  |       |  | TD 6083'; PBD 5330' |  |                 |  |       |  |
| (Lower San Andres) Perfs 5144-70' WATER DISPOSAL WELL |  |                                 |  |       |  |       |  |                     |  |                 |  |       |  |

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

|       |            |       |      |    |
|-------|------------|-------|------|----|
| CONT. | PROP DEPTH | 5170' | TYPE | WO |
| DATE  |            |       |      |    |

|         |                                      |
|---------|--------------------------------------|
|         | F.R.C. 9-30-71; Opr's Elev. 3652' GL |
|         | PD 5170' WO (Lower San Andres)       |
|         | WATER DISPOSAL WELL                  |
|         | (Orig. Ne-O-Tex Corp., TEMP. ABAND.  |
|         | 3-15-71, OTD 6083')                  |
| 9-28-71 | TD 6083'; PBD 5330'; COMPLETE        |
|         | PB to 5330'                          |
|         | Perf 5144-70' w/2 SPF                |
|         | Acid (5144-70') 6000 gals            |
| 9-30-71 | COMPLETION REPORTED                  |