

② Petroleum Information

DEPT LLA Vacuum, N.

MOBIL OIL CORP.

146 1142 North Vacuum /bo Ut.

Sec 14, T17S, R34E

534' FNL, 2134' SL

2 mi NW/Buckeye

8 5/8" at 1705' w/100' N

3 1/2" at 8700' w/50' N

IP (Abo) Perf 8516-89' w/100' N
on 24 hr test. COR 985' at 17.1

F.R.C. 12-30-78 CORO
(Orig. comp. 12-30-78 thru 12-30-78) Perf
8516-89' ; ID 1700' ; D.B. 8669'
12-25-78 ID 8700'; PBD 8660' Complete
Pulled rods & pump
Perf (Abo 8516-90' w/100' N)
Acid (852-90') 17,000 gals (15%)
12-30-78 COMPLETION 188' 70'

12-5-16 NM

10 20-025-70438

COUNTY LEA FIELD Vacuum, N. STATE NM 30-025-23646
 OPER MURIL OIL CORP. MAP
 146 Bridges - State
 Sec 14, T-17-S, R-34-E
 134' FNI, 2134' FEL of Sec
 Spd 11-21-70
 Comp 12-20-70
 CLASS EL 4046.5
 FORMATION DATUM FORMATION DATUM
 CSD & SX TUBING
 5 7/8" at 1705' w/1000 SX
 1 1/2" at 8700' w/3100 SX
 TD 8700'
 Perf @ 8516-89' P 207 BOPD + 2 BAW. Pot based on 24 hr
 fluid @ 737; Grav 37.9.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT Marcum PROP DEPTH 8700' TYPE RT
 DATE

I.R. 12-1-70
 PD 8700' RT (Abo)
 Contractor - Marcum
 Drig. 4926' 1m
 Drig. 7161' 1m
 Drig. 8629' 1m
 TD 8700', Prep Perf
 TD 8700'; COMPLETE
 Perf @ 8516', 8523', 8525', 8527', 8533',
 8534', 8543', 8555', 8557', 8559', 8561',
 8562', 8563', 8565', 8568', 8569', 8571',
 8573', 8580', 8582', 8589' w/1 SRI
 Acid (8516-89') 500 gals

12A Vacuum, N. NM Sec 14, T17S, R34E
CORP. 145 Bridges - State Page #2

1-4-71 Continued
Lubd 10 BC + 36 FLO + 6 BAW in 3 hrs (8516-89')
Acid (8516-89') 10,000 gals
1-7-71 COMPLETION REPORTED