

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-23662
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 992279

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P & A well	7. Lease Name or Unit Agreement Name:  Hobbs State
2. Name of Operator H.R.C. Inc.	8. Well No. 5
3. Address of Operator Box 5102 Hobbs, NM 88241	9. Pool name or Wildcat
4. Well Location  Unit Letter <u>F</u> : 2280 feet from the <u>north</u> line and 1980 feet from the <u>west</u> line  Section <u>29</u> Township <u>18 S.</u> Range <u>38 E.</u> NMPM County <u>Lea</u>	
10. Elevation (Show whether DR, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

To drill out and re-plug:

- 1) Rig up, drill out surface plug.
- 2) Run in hole with tubing to base of salt + 2600' spot 25 sx plug.
- 3) Cut and pull 7" casing + 1600' top of salt.
- 4) Spot 100' plug 50 ft. in and out of 7" stub, and tag.
- 5) Spot 100' plug 50 ft. in and out of surface shoe at 364'. Tag
- 6) 10 sx surface plug.

\* Hole will be loaded with salt gel.

\* OCD will be notified prior to beginning work.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Eddie W. Seay TITLE Agent

DATE 5/2/02

Type or print name Eddie W. Seay

Telephone No. 392-2236

(This space for State use)

APPROVED BY

ORIGINAL SIGNED BY

GARY WINK

OC FIELD REPRESENTATIVE II/STAFF MANAGER

DATE

Conditions of approval, if any:

MAY 06 2002

WELL SCHEMATIC:  
O-TEX HOBBS STATE #5

WELL PLUGGED:  
5/11/73

Size: 9 5/8"  
Depth: 364'  
Hole size: 12.25"  
Cmt: 200 sxs  
TOC: Circ. - Calc.  
With 50% effc.

Spotted 10' cmt plug at surf.

*Present  
Condition*

Size: 7"  
Depth: 3826'  
Hole size: 8.75"  
Cmt: 200 sxs  
TOC: 2250'


Shot and pulled csg at 3744'.  
Pumped 255 sx cmt plug  
From 3744' to 3644'.

Size: 4 1/2"  
Depth: 5986'  
Hole size: 6.25"  
Cmt: 120 sxs  
TOC: 3800' - Calc.  
With 50% effc.

Set 4 1/2" CIBP at 5757' and  
Capped with 35' cmt. Est.  
TOC is 5722'.

PBTD: 5959'

TD: 5986'




WELL SCHEMATIC:  
O-TEX HOBBS STATE #5

WELL PLUGGED:  
5/11/73

Size: 9 5/8"  
Depth: 364'  
Hole size: 12.25"  
Cmt: 200 sxs  
TOC: Circ. - Calc.  
With 50% effc.

Spotted 10' cmt plug at surf.



After  
re-plugging  
plug at shoe and Tag

plug at top salt  $\pm 1400'$  and csg stop Tag

plug at base of salt  $\pm 2400'$

Size: 7"  
Depth: 3826'  
Hole size: 8.75"  
Cmt: 200 sxs  
TOC: 2250'

Shot and pulled csg at 3744'.  
Pumped 255 sx cmt plug  
From 3744' to 3644'.

Size: 4 1/2"  
Depth: 5986'  
Hole size: 6.25"  
Cmt: 120 sxs  
TOC: 3800' - Calc.  
With 50% effc.

Set 4 1/2" CIBP at 5757' and  
Capped with 35' cmt. Est.  
TOC is 5722'.

PBTD: 5959'

TD: 5986'

