



* (Grayburg-San Andres) Perfs 4830-5210 WATER INJECTION WELL

CONTR OPRSELEV 4112 GL sub-s

F.R. 6-25-79 OWO
PD 6600 WO (Grayburg-San Andres)
(Corrected Location: Old records show 660
FSL, 560 FWL of Sec)
(Orig. Tamarack Petroleum Co., Inc., #1
Phillips-State, D&A 3-2-72, OTD 12,752)
7-10-79 TD 12,752; PBD 6600; Prep Run Csg
CO to 6600
7-20-79 TD 12,752; PBD 6563; Swbg
Ran 5 1/2 Csg
Perf (Paddock) 5944-54, 5969-82 w/2 SPF
Acid (5944-82) 2500 gals
Swbd 4 BLW (5944-82)
7-27-79 TD 12,752; PBD 6563; Swbg
Acid (5944-82) 7500 gals
Swbd 13 BLW in 8 hrs (5944-82)
Perf (Paddock) 6132-58, 6200-20, 6275-90,
6380-90, 6440-50 w/1 SPF 10-2-8 NM

LEA
PHILLIPS PETROLEUM CO. WI-14 Philmex
Maljamar
Sec 28, T17S, R33E

NM
Page #2

7-27-79 Continued
Swbd 165 BSW w/NS in 9 hrs (6132-6450)
7-31-79 TD 12,752; PBD 6563; SI WOO
8-30-82 TD 12,752; PBD 5900; Complete
*Ret @ 5900
*Sqzd (5944-6450) 75 sx
*Perf (Grayburg-San Andres) 4830-60,
4928-48, 5050-80, 5180-5210 w/2 SPF
*Acid (4830-5210) 6000 gals
*Swbd 20 BLW + 28 BSW in 2 hrs (4830-5210)

*Denotes changes & additions

10-2-8 NM

10-13-79 TEMPORARY COMPLETION ISSUED
9-4-82 RE-ISSUE OF SUSPENDED COMPLETION &
AMEND FIELD, ZONE & WELL NUMBER:
Formerly Undesignated (Paddock) & #14

10-2-8 NM
IC 30-025-70226-79



SUSPENDED OPERATIONAL

CONTR _____ CONSERV 4112' GL PD 6600' WO

(Paddock)

FSL, 300 FWE of sec,

7-10-79

7-20-79

Ran 5 1/2 Csg
Perf (Paddock) 5944-54', 5969-82' w/2 SPF

Swbd 4 BLD (5944-82')

7-27-79

TD 12,752'; PBD 6563'; Swbg

Acid (5944-82') 7500 gals

Swbd 13 BLW in 8 hrs (5944-82')

Perf (Paddock) 6132-58', 6200-20',

6275-90', 6380-90', 6440-50' w/1 SPF

10-2-8 NM

LEA Undesignated
PHILLIPS PETROLEUM CO. 14 Philmex
Sec 28, T17S, R33E

NM
Page 2

7-27-79 Continued
Swb2 645 BSW w/NS in 9 hrs (6132-6450')
7-31-79 TD 12,752'; PBD 6563'; SI WOO
10-8-79 TD 12,752'; PBD 6563'; Suspended Operations
10-13-79 COMPLETION ISSUED

10-2-8 NM
IC 30-025-70226-79

COUNTY	LEA	FIELD	Wildcat	STATE NM	30-025-23988
OPR	TAMARACK PET. CO., INC.			MAP	
1. Phillips - State					
Sec 28, T-17-S, R-33-E				CO-ORD	
660' FSL, 560' FWL of Sec					
Spd 12-14-71				CLASS	EL 4112
Cmp 3-2-72		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
11 3/4" at 376' w/480 sx					
8 5/8" at 4747' w/750 sx					
LOGS EL GR RA IND HC A					
		TD 12,752'			
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Sharp	PROP DEPTH 12,800'	TYPE RT
DATE		

F.R. 12-21-71; Opr's Elev. 4096' GL, 4113' DF
PD 12,800' RT (Devonian)
Contractor - Sharp

1-25-72 AMEND OPERATOR & LEASE NAME: Formerly reported as
Callaway, James E. #1 Williams, George.

1-3-72 Drlg. 180'
1-10-72 TD 194'; MIRT
1-17-72 Drlg. 4047' lm
1-24-72 Drlg. 5445' lm
1-31-72 Drlg. 8320' lm
2-7-72 Drlg. 10,012' lm
2-14-72 Drlg. 11,087' lm & sh

DST 11,014-038', open 1 hr (1000' WB), GTS 2 hrs
30 mins (during final Shut In), rev out 1000'
O&GCWB + 800' O&GCM + 3120' salt wtr (Chlor
108,000 ppm), rec 150' muddy salt wtr below sub,

2-14-72 Continued
1 hr ISIP 3980#, FP 1704-2272#, 1 hr 30 min
FSIP 3923#, HP 5198-5198#, BH Temp 168 deg
2-21-72 Drlg. 11,980' 1m & sh
2-28-72 Drlg. 12,616' 1m
DST 12,525-586', open 30 mins & Pkrs Failed
(2500' WB), rec very sli GCWB + 580' DM,
1 hr ISIP 5675#, FP 1344#
3-6-72 TD 12,752'; PLUGGED & ABANDONED
SAMPLE TOP: Wolfcamp 9724'
LOG TOPS: Yates 2654', Seven Rivers 3008',
Queen 3644', Penrose 3958', Grayburg 4274',
San Andres 4550', Glorieta 6014', Tubb 7490',
Abo 8090', Wolfcamp 9706', Canyon 12,084',

3-6-72 Continued
Strawn 12,434', Atoka 12,645'
3-11-72 COMPLETION REPORTED