

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
<b>E 1632-1</b>	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		7. Unit Agreement Name	
2. Name of Operator <b>Anadarko Production Company</b>		8. Farm or Lease Name <b>New Mexico U State</b>	
3. Address of Operator <b>P. O. Box 67, Loco Hills, New Mexico 88255</b>		9. Well No. <b>3</b>	
4. Location of Well UNIT LETTER <b>F</b> <b>1980</b> FEET FROM THE <b>North</b> LINE AND <b>1980</b> FEET FROM <b>West</b> THE <b>28</b> LINE, SECTION <b>18-S</b> TOWNSHIP <b>34-E</b> RANGE <b>34-E</b> NMPM.		10. Field and Pool, or Wildcat <b>EK Queen - East</b>	
15. Elevation (Show whether DF, RT, GR, etc.) <b>4029' GL</b>		12. County <b>Lea</b>	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded well on September 27, 1972. Drilled 12 1/4" hole to 421', set 8 5/8" 24# J-55 casing @ 420', cemented with 250 sacks Class H, 2% CaCl. Cement circulated to surface. Let cement set 18 hours, tested to 500 PSIG. OK. Drilled ahead below surface.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original signed by

SIGNED D. R. Layton TITLE Area Supervisor DATE October 3, 1972

Orig. Signed by

APPROVED BY Joe D. Ramey TITLE Dist. I, Supv.

CONDITIONS OF APPROVAL, IF ANY:

DATE OCT 10 1972