

CONTR WEK OPR'S ELEV 3774' GL, 3784' KB^{PD} 4250' RT

F.R. 10-21-74
(Queen)
11-5-74 TD 30'; WORT
11-20-74 TD 30'; WORT
12-3-74 Drlg 4268'
12-11-74 TD 5100'; WOCU
12-18-74 TD 5100'; Swbg
Perf (Grayburg) 4674-76', 4694-98'
Acid (4674-98') 500 gals
Swbd dry (4674-98')
Perf 4627-37' w/1 SPF
Swbd 1 BO (4627-37')
Acid (4627-37') 500 gals
Swbd 27 BLW (4627-37')
Perf 4430-34' w/1 SPF

LEA
TENNECO OIL CO.

Querecho Plains
1 Cedar Lake
Sec 23, T18S, R32E

25
Page #2

12-30-74

TD 5100'; PBD 4350'; Swbg
Acid (4430-34') 500 gals
Swbd 37 BA&LW in 5 hrs (4-35-41)
Prod (4430-34') 40,000 gals wtr + 40,000#
oil
Ind not rec 1d (4430-34')
BF @ 4350'
Perf 4173-83'
Acid (4173-83') 1000 gals
Swbd 11 BF (15% oil) in 8 hrs (4173-83')
(4173-83')

1-8-75

TD 5100'; PBD 4097'; Swbg
Acid (4173-83') 10,000 gals
Swbd 58 BF (5-10% oil) in 8 hrs 30

1-8-75

Continued
mins (4173-83')
BF @ 4097'
Perf 3927-29', 3934-41', 3945-49'

1-14-75

TD 5100'; PBD 4097'; Swbg
Swbd 18 BF (25% oil) in 6 hrs 30 mins
(3927-49')
Prod (3927-49') 30,000 gals wtr + 40,000#
oil
Swbd 36 BO + 44 BLW in 4 hrs 30 mins
(503 ELW) (3927-49')

1-22-75

TD 5100'; PBD 4350'; TO Pmp
Pulled BP @ 4097'
Rpd 48 BO, no wtr in 23 hrs (618 BW)
(3927-4183')

1-29-75

TD 5100'; PBD 4350'; WO Fct
Swbd 66 BO + 10 BW in 24 hrs (3927-4183')

LEA
TENNECO OIL CO.

Querecho Plains NM
1 Cedar Lake Page #3
Sec 23, T18S, R32E

2-17-75 TD 5100'; PBD 4350'; COMPLETE
LOG TOPS: Queen 3909', Penrose 4156'
2-22-75 COMPLETION REPORTED
