

COPIES RECEIVED		
TRIBUTION		
FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. L-6901
7. Unit Agreement Name
8. Farm or Lease Name Merritt State
9. Well No. 1
10. Field and Pool, or Wildcat Shelton
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-
2. Name of Operator Mesa Petroleum Co.
3. Address of Operator 904 Gihls Tower, West, Midland, TX 79701
4. Location of Well UNIT LETTER F, 1980 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 19 TOWNSHIP 18S RANGE 35E NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3959' GR 3976' RKB

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER Attempt completion in Queen <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

Drilled 7-7/8" hole to total depth of 12,545' on 11-18-75. Propose to plug and abandon lower portion of hole and attempt completion in Queen sand from 4616'-26' as follows:

40 sx	12,545'-12,445'	Across top of Chester
40 sx	11,850'-11,750'	Across top of Atoka
40 sx	11,280'-11,180'	Across top of Penn
40 sx	9,130 - 9,030'	Across top of 1st Bone Spring
40 sx	7,230'- 7,130'	Across top of Bone Spring
40 sx	5,300'- 5,200'	Across top of San Andres
70 sx	4,898'- 4,710'	Across 8-5/8" shoe at 4775'

If completion attempt in 8-5/8" is unsuccessful, will cut and recover approximately 1200' of 8-5/8" casing. Propose to spot a cement plug to extend from 50' inside to 50' above 8-5/8" stub, another plug to cover 50' in and out of 13-3/8" shoe at 410'. Will also spot 10 sx at surface and install dry hole marker.

FOR COMPLETION, MUST BE NOTED IN
CASE PRIOR TO THE BEGINNING OF
LOGGING OPERATIONS FOR THE CASE
C-103 APPROVED

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Michael P. Houston TITLE Division Engineer DATE Nov 21, 1975

APPROVED BY [Signature] TITLE [Signature] DATE Nov 21, 1975

CONDITIONS OF APPROVAL, IF ANY:

6-Partners, 1-LMC, 1-JLF, 1-MEC, 3-NMOCC, 1-file