

# WRS COMPLETION REPORT

COMPLETIONS SEC 32 TWP 17S RGE 33E  
PI# 30-T-0006 08/01/88 30-025-25286-0001 PAGE 1

NMEX LEA \* 1980FNL 1980FWL SEC SE NW  
STATE COUNTY FOOTAGE SPOT  
OXY USA D X DO  
OPERATOR WELL CLASS INIT FIN  
5 CORBIN "A" STATE  
WELL NO LEASE NAME  
4036GR MALJAMAR  
OPER ELEV FIELD POOL AREA  
API 30-025-25286-0001

LEASE TYPE/NO PERMIT OR WELL I.D. NO  
05/24/1988 07/02/1988 WO-UNIT OIL-WO  
SPUD DATE COMP. DATE TYPE TOOL STATUS  
4600 GRAYBURG NOT RPTD  
PROJ DEPTH PRO. FORM CONTRACTOR  
DTD 13705 PB 4563 OTD 13705 FM/TD CHESTER  
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

## LOCATION DESCRIPTION

6 MI SE MALJAMAR, NM

## TUBING DATA

TBG 2 3/8 AT 4419

## INITIAL POTENTIAL

IPP 57BOPD 18 MCFD 197BW 24HRS  
GRAYBURG PERF W/ 72/IT 4362- 4447 GROSS  
PERF 4362, 4366, 4371, 4372, 4373, 4376, 4377, 4381  
PERF 4382, 4394, 4395, 4396, 4397, 4398, 4409, 4410  
PERF 4411, 4412, 4413, 4414, 4415, 4416, 4417, 4431  
PERF 4432, 4433, 4434, 4435, 4436, 4437, 4442, 4443  
PERF 4444, 4445, 4446, 4447  
ACID 4362- 4447 2500GALS  
15% NEFE HCL  
SWFR 4362- 4447 21000GALS 52100LBS SAND ADDTVGELA

X-LINK 20/40  
GTY 38.8 GOR 316

## LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS GR CCL CNL

## DRILLING PROGRESS DETAILS

OXY USA

CONTINUED IC# 300257025688

COMPLETIONS  
PI# 30-T-0006 08/01/88 SEC 32 TWP 17S RGE 33E  
30-025-25286-0001 PAGE 2

OXY USA  
5

CORBIN "A" STATE

D X DO

DRILLING PROGRESS DETAILS  
-----

BOX 50250

MIDLAND, TX 79710

915-685-5600

OWWO: OLD INFO: FORMERLY AMERICAN QUASAR OF NM  
#1 CORBIN STATE. ELEV 4036 GR. SPUD 6/16/76.

13 3/8 @ 456 W/475 SX, 9 5/8 @ 5270 W/1800 SX.

LOG TOPS: ATOKA 12710, MORROW SD 13350, CHESTER  
13670. OI 13705. COMP 9/12/76. D&A.

05/25 LOC/1988/

07/22 PB TO 4563

07/26 13705 TD, 4563

COMP 7/2/88, IPP 57 BO, 18 MCFCG, 197 BWPD,  
GOR 316, GTY 38.8  
PROD ZONE - GRAYBURG 4362-4447

|        |                                             |       |              |                   |        |                |       |
|--------|---------------------------------------------|-------|--------------|-------------------|--------|----------------|-------|
| COUNTY | LEA                                         | FIELD | Wildcat      |                   | STATE  | NM             |       |
| OPR    | AMERICAN QUASAR PETROLEUM CO. OF NEW MEXICO |       |              |                   | API    | 30-025-25286   |       |
| NO     | 1                                           | LEASE | Corbin State |                   | SERIAL | 9-4-14 NM      |       |
|        | Sec 32, T17S, R33E                          |       |              |                   | MAP    |                |       |
|        | 1980' FNL, 1980' FWL of Sec                 |       |              |                   | CO-OP  | [REDACTED]     |       |
|        | 6 mi SE/Maljamar                            |       |              |                   | ELEV   | [REDACTED] LBS |       |
| SPD    | 6-16-76                                     | CMP   | 9-12-76      | WELL CLASS:       | INT.   | WF             | FIN   |
| CSE    |                                             |       |              | FORMATION         | DATUM  | FORMATION      | DATUM |
|        | 13 3/8" at 456' w/475 sx                    |       |              |                   |        |                |       |
|        | 9 5/8" at 5270' w/1800 sx                   |       |              |                   |        |                |       |
|        |                                             |       |              |                   |        |                |       |
|        |                                             |       |              |                   |        |                |       |
|        |                                             |       |              |                   |        |                |       |
|        |                                             |       |              |                   |        |                |       |
|        |                                             |       |              | TD 13,705' (MSSP) | P80    |                |       |
|        | DRY & ABANDONED                             |       |              |                   |        |                |       |

CONTR **Mareum** OPR'S ELEV 4036' GL, 4061' KB PD 13,800' RT

F.R. 5-31-76  
(Morrow)  
6-18-76 TD 456'; WOC  
6-28-76 Drlg 3660' 1m & dolo  
7-1-76 Drlg 4056' anhy, 1m & sh  
7-12-76 TD 5270'; Prep Drill  
7-19-76 Drlg 7680' 1m  
7-26-76 Drlg 9050' 1m  
7-27-76 Drlg 10,348' dolo  
8-6-76 Drlg 11,126' 1m & sh  
8-13-76 Drlg 12,000' 1m & sh  
DST (Cisco) 11,215-247', open 2 hrs 5 mins, rec  
1300' WB + 1674' wtr, 1 hr 30 min ISIP 4304#,  
FP 228-1319#, 6 hr FSIP 3373#, HP 5537-5537#,  
BHT 162 deg  
8-23-76 Drlg 12,918' sh & sd 9-4-14 NM

8-25-76

Continued

DST (Strawn) 12,345-483', open 2 hrs 5 mins,  
(2000' WB), rec WB + 10' DM, 1 hr 30 min ISIP  
1319#, FP 913-913#, 4 hr FSIP 1139#, HP 6128-  
6063#, BHT 172 deg

DST (Strawn) 12,490-600', open 1 hr 5 mins,  
(2000' WB), rec WB + 90' DF, 1 hr 30 min ISIP  
3089#, FP 950-950#, 2 hr FSIP 2276#, HP 6340-  
6298#, BHT 176 deg

DST (Atoka) 12,745-914', open 2 hrs 5 mins,  
(2000' WB), rec WB + 200' MCW + 3000' wtr, 1 hr  
30 min ISIP 6280#, FP 1027-1139#, 4 hr FSIP  
6063#, HP 6324-6302#, BHT 178 deg 9-4-14 NM

8-30-76

TD 13,524' sh; Prep DST 13,412-524'  
DST (Morrow) 13,325-394', open 2 hrs 6 mins  
(2000' WB), rec WB + 400' DM + 3360' wtr, 1 hr  
30 min ISIP 6632#, FP 1207-2618', 4 hr FSIP  
6465#, HP 6799-6757#, BHT 178 deg

9-3-76

TD 13,705'; Prep Log  
DST (Morrow) 13,412-524', open 2 hrs 5 mins,  
(2000' WB), GTS in 32 mins @ 100 MCF/CPD thru 1/4"  
chk, SFP 55#, rec WB + 390' GCM, 58 min ISIP  
5502#, FP 1036-1121#, 4 hr FSIP 3598#, HP 6966  
6966#, BHT 184 deg

9-13-76

TD 13,705'; D&A (Hold for Tops)  
DST (Morrow) 13,530-705', open 2 hrs 5 mins,  
(2000' WB), rec WB + 93' DM + 146' black wtr, 1  
hr 30 min ISIP 1949#, FP 948-991#, 4 hr FSIP  
1420#, HP 7198-7198#, BHT 182 deg  
PB to 11,910' 9-4-14 NM

LEA

Wildcat

NM

AMERICAN QUASAR PETROLEUM CO. OF NEW MEXICO

Page #3

1 Corbin State

Sec 32, T17S, R33E

9-13-76

Continued

DST (Pennsylvanian) 11,620-910', open 2 hrs  
5 mins, rec 155' OCM, 1 hr 30 min ISIP 1783#,  
FP 43-87#, 4 hr FSIP 2561#, HP 6772-6835#

9-20-76

TD 13,705': Dry & Abandoned

LOG TOPS: Cisco 11,215', Strawn Lime 12,300',  
Atoka 12,710', Morrow Sand 13,350', Chester  
13,670'

9-25-76

COMPLETION ISSUED

9-4-14 NM

IC 30-025-70103-76