

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other
instructions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☒	GAS WELL ☐	DRY ☐	Other _____		
b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	Other _____
2. NAME OF OPERATOR Indian Wells Company							
3. ADDRESS OF OPERATOR P.O. Box 820 - Ozona, Texas 76943							
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 990' FNL & 1980' FWL At top prod. interval reported below same At total depth same							
14. PERMIT NO. copy attached				DATE ISSUED 12-15-77			
15. DATE SPUDDED 1-9-78	16. DATE T.D. REACHED 1-21-78	17. DATE COMPL. (Ready to prod.) 3-14-78	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4013.7 GR 4023.7 DF		19. ELEV. CASINGHEAD 4013.7		
20. TOTAL DEPTH, MD & TVD 5100		21. PLUG, BACK T.D., MD & TVD 4334.11 KB		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4146-47-48-49-50-51-52-53-54-55-56-57-58						25. WAS DIRECTIONAL SURVEY MADE No	
26. TYPE ELECTRIC AND OTHER LOGS RUN Micro-Laterolog; Dual Laterolog; Densilog-Neutron; Gamma Ray						27. WAS WELL CORED Yes	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE		WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		AMOUNT PULLED
8-5/8"	23#	843KB	12 1/4"	500 Sx Circulated			0
4 1/2"	10.50	4334.11KB	7-7/8"	400 sx TOC 3120'			
29. LINER RECORD							
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	30. TUBING RECORD		
					SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	4151.95 KB	
31. PERFORATION RECORD (Interval, size and number) 4146-47-48-49-50-51-52-53-54-55-56-4157-58 2 Shots/ft. 26 holes Size .41							
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
DEPTH INTERVAL (MD)				AMOUNT AND KIND OF MATERIAL USED			
4146-58				1500 gals. 10% MCA Acid			
				Fraced 23,000 gals. versage.			
				16,500# 20/40 sd; 12,000#			
				10/20 sd.			
33.* PRODUCTION							
DATE FIRST PRODUCTION 3-14-78		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping				WELL STATUS (Producing or shut-in) Producing	
DATE OF TEST 3-15-78	HOURS TESTED 24	CHOKE SIZE Pump	PROD'N. FOR TEST PERIOD →	OIL—BBL. 19	GAS—MCF. 8	WATER—BBL. 1	GAS-OIL RATIO 421
FLOW. TUBING PRESS. Pump	CASING PRESSURE 160	CALCULATED 24-HOUR RATE →	OIL—BBL. 19	GAS—MCF. 8	WATER—BBL. 1	OIL GRAVITY-API (CORR.) 34	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) vented						TEST WITNESSED BY	
35. LIST OF ATTACHMENTS							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED <u>D. J. Bally</u>		TITLE <u>Production Manager</u>				DATE <u>4-17-78</u>	

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formations and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Queen	4120	4250	Cored 4137 - 4196' Analysis Sheet enclosed	Russell Anhydrite	1440	1440
				Salt	1680	1680
				Base Salt	2745	2745
				Yates	2910	2910
				Seven Rivers	3853	3853
				Queens	4120	4120
				Grayburg	4636	4636
				Premier Sand	5010	5010

APR 5 1978
HOBBS, N. M.