

7. METHODS OF HANDLING WASTE DISPOSAL:

- A. Drill Cuttings: Drill cutting will be disposed of in drilling pits.
- B. Drilling Fluids: Drilling fluids will be allowed to evaporate in drilling pits until the pits are dry.
- C. Formation Water and Oil: Any produced formation water will be disposed of in a storage tank. Oil produced from the well during tests will be stored in test tanks until sold.
- D. Human Waste: All current laws and regulations pertaining to the disposal of human waste will be complied with.
- E. Trash, Waste Paper, Garbage and Junk: All trash, waste paper, garbage and junk will be buried in a trash pit located adjacent to the reserve pit and will be covered with a minimum of 24 inches of dirt. Before burial, the waste material will be contained to prevent scattering by the wind. The location of the trash pit is shown in Exhibit "D".
- F. Trash Burial: All trash and debris will be buried or removed from the well site within 30 days after finishing completion operations.

8. ANCILLARY FACILITIES:

None required.

9. WELLSITE LAYOUT:

- A. Wellsite Boundries: The boundries of the wellsite have been staked and flagged.
- B. Rig Components: Exhibit "D" shows the relative location and dimensions of the well pad, mud pits, reserve pit, trash pit and location of major rig components.
- C. Wellsite Levelling: Only minor levelling of the wellsite will be required. No cuts or fills will be necessary.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. Equipment Removal: After the finishing of drilling