Gulf Oil Exploration and Production Company

February 2, 1979

R. C. Anderson
PRODUCTION MANAGER, HOBBS AREA

P. O. Box 670 Hobbs, NM 88240

Re: Application for Permit to Drill Proposed Landsdale "D" Federal Com. Well No. 1, Lea County, New Mexico

U. S. Geological Survey P. O. Box 1157 Hobbs, New Mexico 88240

Gentlemen:

We are submitting the information requested in NTL-6 which should accompany application for permit to drill.

Well: Landsdale "D" Federal Com. Well No. 1

1. <u>Location</u>: 1980' FSL and 660' FEL Section 4, Township 19 South, Range 32 East, Lea County, New Mexico

2. Elevation of Unprepared Ground: 3666'

3. Geologic Name of Surface Formation: Quarternary alluvium

4. Type Drilling Tools: Rotary

5. Proposed Drilling Depth: 13,100'

6. Estimated Top of Geologic Markers: Anhydrite 1270'; Salt 1380'; Bone Spring 7150'; Wolfcamp 10,400'; Strawn 11,550'; Atoka 11,940'; Morrow 12,230'; Barnett 13,000'

7. Estimated Depths at which Anticipated Gas or Oil-Bearing Formations Expected:

a. Bone Springs
b. Wolfcamp
c. Morrow
9,800-9,950'
10,400-10,500'
12,600-12,800'

8. Casing Program and Setting Depths:

	Size	Weight	Grade	Setting Depth
Surface	13-3/8"	48#	H-40	400'
Intermediate	8-5/8''	24 & 32 <i>‡</i>	- K 55	4,200'
Production	5-1/2"	17#	N-80	13,100'

9. Casing Setting Depth and Cementing Program

Surface casing will be 13-3/8" set at 400' and cemented with 300 sacks of light weight Cement and 175 sacks of Class "C" with 2% CaCl₂.

