

# WRS COMPLETION REPORT

COMPLETIONS SEC 33 TWP 18S RGE 32E  
PI# 30-T-0019 02/07/92 30-025-26352-0001 PAGE 1

NMEX LEA \* 1980FSL 1980FWL SEC NE SW  
STATE COUNTY FOOTAGE SPOT  
CHEVRON USA D X DO  
OPERATOR WELL CLASS INIT FIN

1 VANDIVER FEDERAL COM  
WELL NO. LEASE NAME  
3692GR LUSK N  
OPER ELE FIELD POOL AREA

API 30-025-26352-0001  
LEASE NO. PERMIT OR WELL I.D. NO.  
06/01/1985 06/23/1985 WO-UNIT VERT OIL-WO  
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS

12815 WOLFCAMP NOT RPTD  
PROJ. DEPTH PROJ. FORM CONTRACTOR  
DTD 13045 PB 11065 OTD 13045 FM/TD MSSP  
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

## LOCATION DESCRIPTION

10 MI S MALJAMAR, NM

## TUBING DATA

TBG-NO DETAILS

## INITIAL POTENTIAL

IPP 100BOPD 56 MCFD 22BW 24HRS  
WOLFCAMP PERF W/ 2/FT 10520-10585 GROSS  
PERF 10520-10534 10566-10576 10581-10585  
ACID 10520-10585 6000GALS  
15% HCL

GOR 560

GTY-NO DETAILS

## PRODUCTION TEST DATA

MORROW PERF 12889-12895  
PERF 12889-12895  
BRPG @12815 12889-12895  
CMT PLUG 12800-12815

MORROW PERF W/ 2/FT 12610-12688 GROSS  
PERF 12610-12612 12615-12619 12626-12634 12638-12641  
PERF 12678-12680 12685-12688  
ACID 12610-12688 5000GALS  
7 1/2%  
BRPG @11100 12610-12688  
CMT PLUG 11065-11100

CONTINUED IC# 300257004092

COPYRIGHT 1992



Petroleum Information  
Corporation

PI-WRS-GET  
Form No 187

COMPLETIONS SEC 33 TWP 18S RGE 32E  
PI# 30-T-0019 02/07/92 30-025-26352-0001 PAGE 2


CHEVRON USA D X DO  
1 VANDIVER FEDERAL COM

-----  
DRILLING PROGRESS DETAILS  
-----

CHEVRON USA  
BOX 1150  
MIDLAND, TX 79702  
915-687-7100

OWWO: OLD INFO: FORMERLY GULF OIL #1 VANDIVER  
FED COM. ELEV 3692 GR, 3710 KB. SPUD 7/11/79.  
13 3/8 @ 400 W/500 SX, 8 5/8 @ 4200 W/1700 SX,  
5 1/2 @ 13045 W/850 SX. LOG TOPS: ATOKA 12898,  
MORROW 12266, BARNETT 12898. OTD 13045. PB  
13020. COMP 9/17/79. IPF 4011 MCFGPD. PROD ZONE:  
MORROW 12889-12895.

02/05 LOC/1992/  
02/05 13045 TD, PB 11065  
COMP 6/23/85, IPP 100 BO, 56 MCFG, 22 BWPD  
GOR 560, GTY (NR)  
PROD ZONE - WOLFCAMP 10520-10585  
FIRST REPORT & COMPLETION



© Copyrighted Reproduction Prohibited

|        |                               |       |      |       |              |
|--------|-------------------------------|-------|------|-------|--------------|
| COUNTY | LEA                           | FIELD | Lusk | STATE | NM           |
| OPR    | GULF OIL CORP.                |       |      | API   | 30-025-26352 |
| NO     | 1 LEASE Vandiver Federal Com. |       |      | MAP   |              |
|        | Sec 33, T18S, R32E            |       |      | COORD |              |
|        | 1980' FSL, 1980' FWL of Sec   |       |      |       | 10-2-10 NM   |
|        | 10 ml S/Mallam                |       |      | SPE   | 7-11-79      |
|        |                               |       |      | CAMP  | 9-17-79      |

556

13 3/8" at 400' w/500 ex  
8 5/8" at 4200' w/1700 ex  
5 1/2" at 13,045' w/850 ex

| WELL CLASS. |        | D         | ELEV    | L & S |
|-------------|--------|-----------|---------|-------|
| FORMATION   | DATUM  | FORMATION | DATUM   |       |
|             |        |           |         |       |
|             |        |           |         |       |
|             |        |           |         |       |
|             |        |           |         |       |
|             |        |           |         |       |
|             |        |           |         |       |
| 13,045'     | (MSSP) | PBD       | 13,020' |       |

IP (Mortuary) Pot 151 - 3920# F 4011 MCFGPD. Pot based on  
24 hr test thru 10/64' ank. GOR 182,318; gty 51.7; CP Pkr;  
TP 3920#

CONTR MGF #9 3692' GL, 3710' KB PD 13,100' RT

F.R. 6-25-79

(Morrow)

7-16-79 Drlg 2945' anhy & salt

7-23-79 Drlg 4741' sd & lm

7-30-79 Dr1g 8043' 1m

8-7-79 Drlg 10,310' 1m & sh

8-14-79 Drlg 12,625' 1m

DST (Atoka) 12,049-100', op 2 hrs 5 mins  
w/weak blow incr to fair blow at end of FF,  
rec 3000' WB + 2200' SW, 1 hr ISIP 5641#,  
FP 1274-2120#, 4 hr FSIP 5641#, HP 5896-5896#,  
BHT 171 deg

8-21-79 TD 13,045'; Rng DST #3

DST (Morrow) 12,602-707', op 2 hrs 5 mins  
w/wk incr to good blow, GTS in 1 hr 17 mins,  
rec 3000' WB + 61' dist, 1 hr ISIP 4052#, FP

10-2-10 NM

LEA  
GULF OIL CORP.

Lusk  
1 Vandiver Federal Com.  
Sec 33, T8S, R32E

NM  
Page #2

8-21-79 Continued  
1292-1170 4 hr PSIP 4052#, HP 6170-6170#  
8-28-79 TD 13,045'; WOCT  
DST (Barnett) 12,871-13,045', op 3 hrs 5  
mins w/good blow, GTS in 25 mins @ est 7500  
MCFGPD thru 3/8" chk, TP 2200#, RO 10 BC +  
1 BW, 1 hr PSIP 5764# FP 2226-3688#, 3 hr  
PSIP 5764# FP 2226-3688#  
9-4-79 TD 13,045'; WOCT  
9-11-79 TD 13,045'; PBD 13,020'; Prep Acid  
Perr (Morrow) 12,889-895' w/2 SPF  
Flwd @ 750 MCFGPD thru 1/2" chk, TP 225#  
10-2-10 NM

9-11-79 Continued  
(12,889-895')  
9-18-79 TD 13,045'; PBD 13,020'; Rng 4 pts  
Acid (12,889-895') 4000 gals (7 1/2%)  
Flwd @ 2500 MCFGPD in 6 hrs thru 12/64" chk,  
TP 2850# (12,889-895')  
9-20-79 TD 13,045'; PBD 13,020'; WOSP  
Flwd @ 1884 MCFGPD in 1 hr thru 10/64" chk,  
TP 2818# (12,889-895')  
10-8-79 TD 13,045'; PBD 13,020'; Complete  
LOG TOPS: Delaware 5252', Bone Springs 7064',  
Wolfcamp 10,304', Strawn 11,474', Atoka 11,866',  
Morrow 12,266', Barnett 12,898'  
Rig Released 8-24-79  
10-13-79 COMPLETION ISSUED  
10-2-10 NM  
IC 30-025-70222-79