

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depth shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	1870	T. Canyon
T. Salt		T. Strawn
B. Salt		T. Atoka
T. Yates	3230	T. Miss
T. 7 Rivers		T. Devonian
T. Queen	4355	T. Silurian
T. Grayburg		T. Montoya
T. San Andres		T. Simpson
T. Glorieta	4880	T. McKee
T. Paddock		T. Ellenburger
T. XXXXXX Del. Snd. 5840		T. Gr. Wash
T. Tubb		T. Granite
T. XXXXXX B. Spr. 6720		T. Delaware Sand
T. XXX B. Spr. Snd. 8704		T. Bone Springs
T. Wolfcamp	10,490	T.
T. Penn.	Snd. 10,874	T.
T. Cisco (Bough C)		T.

Northwestern New Mexico

T. Ojo Alamo		T. Penn. "B"
T. Kirtland-Fruitland		T. Penn. "C"
T. Pictured Cliffs		T. Penn. "D"
T. Cliff House		T. Leadville
T. Menefee		T. Madison
T. Point Lookout		T. Elbert
T. Mancos		T. McCracken
T. Gallup		T. Ignacio Qtrte
T. Bone Greenhorn		T. Granite
T. Dakota		T.
T. Morrison		T.
T. Todilto		T.
T. Entrada		T.
T. Wingate		T.
T. Chinle		T.
T. Pennian		T.
T. Penn. "A"		T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....	10,874	to.....	10,940	No. 4, from.....	to.....
No. 2, from.....		to.....		No. 5, from.....	to.....
No. 3, from.....		to.....		No. 6, from.....	to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....	to.....	feet.....
No. 2, from.....	to.....	feet.....
No. 3, from.....	to.....	feet.....
No. 4, from.....	to.....	feet.....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1870	1870	Alluvium, sand, red beds				
1870	3230	1360	Snd, Red beds, anhydrite, & Salt				
3230	4880	1650	Dolomite & Anhydrite				
4880	5840	1920	Dolomite				
5840	6720	880	Sand & Dolomite				
6720	8704	1984	Limestone and shale				
8704	10490	1786	Sand, shale & Limestone				
10490	10874	384	Limestone, shale & chert				
10874	11050	176	Sandstone, Limestone & black shale				