

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

API No. 30-025-26421

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE APPLICATION FOR PERMIT - (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER <input type="checkbox"/>
Name of Operator Phillips Petroleum Company		
Address of Operator 4001 Penbrook Street, Odessa, Texas 79762		
Location of Well UNIT LETTER <u>B</u> <u>550</u> FEET FROM THE <u>North</u> LINE AND <u>1703</u> FEET FROM THE <u>East</u> LINE, SECTION <u>23</u> TOWNSHIP <u>T-17-S</u> RANGE <u>33-E</u> N.M.P.M.		

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-2148
7. Unit Agreement Name
8. Farm or Lease Name Leamex
9. Well No. 20
10. Field and Pool, or Wildcat Maljamar Gb/San Andres
12. County Lea

15. Elevation (Show whether DF, RT, GR, etc.)
4116.3 GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <u>Total Depth</u> <input checked="" type="checkbox"/>

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-2-79 MI Rial Drlg.

11-3-79 Spudded w/12-1/4" hole to 410'. Ran 10 jts 8-5/8", 24#, K-55 csg set at 410'.
Cmt w/600 sxs Class "H", 2% CaCl₂ and 1/4# Cello-Seal. Circ 50 sxs. WOC 18 hrs.

11-4-79 Tested BOP's and csg. OK. Drld ahead with 7-7/8" hole.

11-10-79 Reached TD 4704'. Logging.

11-12-79 Ran 116 jts 4-1/2", 11.6#, N-80 csg set at 4704'. Cmt w/1200 sxs TLW, 10% D.D.,
12# salt, 1/4# sx Cello-Seal, 3# sx Gilsonite and tail w/250 sxs Class "H" and
8#/sx salt. Circ to surface. Released rig.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed W. J. Mueller TITLE Senior Engineering Specialist DATE November 15, 1979

Orig. Signed by
Jerry Sexton

DATE Nov 1, 1979

NOV 20 1979

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY

TITLE

DATE