

4. Location of Proposed Facilities: Should this well be completed as a commercial producing well, new tank battery facilities will be required. These facilities will be constructed within the 400' x 400' work area as staked. All lines will be installed above ground and located as shown on Exhibit "C".
5. Location and Type Water Supply: Water for drilling well will be purchased from a supplier and transported by truck to the well site over existing and proposed roads shown in Exhibit "B".
6. Source of Construction Material: Caliche for surfacing the road and the well pad will be obtained from a Federal pit in the SW/4 of Section 34, T18S, R32E.
7. Methods of Handling Waste Disposal
 - A. Drill cuttings will be disposed of in the drilling pits.
 - B. Drilling fluids will be allowed to evaporate in the drilling pits until pits are dry.
 - C. Water produced during tests will be disposed of in the drilling pits. Oil produced during tests will be stored in test tanks until sold.
 - D. Current laws and regulations pertaining to the disposal of human waste will be complied with.
 - E. Trash, waste paper, garbage and junk will be buried in a separate trash pit and covered with a minimum of 24" of dirt. All waste material will be contained to prevent scattering by the wind. Location of trash pit is shown on Exhibit "D".
 - F. All trash and debris will be buried or removed from the well site within 30 days after finishing drilling and/or completion operations.
8. Ancillary Facilities: None required.
9. Well Site Layout
 - A. Exhibit "D" shows the relative location and dimensions of the well pad, mud pits, reserve pit, trash pit, and location of major rig components.
 - B. Only minor levelling of the well site will be required. No significant cuts and fills will be necessary.
 - C. The reserve pit will be plastic lined.
 - D. The pad and pit area have been staked and flagged.